

SDS No.

Product :

Synonyms :

Date : 5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

# **Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE**

# **SECTION 1: IDENTIFICATION**

# **<u>1.1 Product identifier</u>**

Product Part Number :

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE None 252-1001

# 1.2 Relevant identified uses of the substance or mixture and advised against

Antifreeze/Coolant

# **1.3 Detail of the supplier of the safety data sheet**

Supplier

Name: Beck/Arnley Address: 2375 Midway Lane Smyrna, TN 37167 Telephone: 615-220-3200 Email beckcustomerservice@fmmotorparts.com

## **<u>1.4 Emergency telephone number</u>**

INFOTRAC 1-800-535-5053

# SECTION 2: HAZARDOUS IDENTIFICATION

## 2.1 Classification of the substance or mixture

Classification :	
Health Hazard Classification:	
Acute Toxicity(Oral)	Not Classified
Acute Toxicity(Dermal)	Not Classified
Acute Toxicity(Inhalation-Gases)	-
Acute Toxicity(Inhalation-Vapors)	Classification Not Possible
Acute Toxicity(Inhalation-Dusts)	Classification Not Possible
Acute Toxicity(Inhalation-Mists)	Classification Not Possible
Skin Corrosion/Irritation	Category 2
Serious eye damage/Eye irritation	Category 2
Respiratory or skin sensitization	Classification Not Possible
Germ cell mutagenicity	Classification Not Possible
Carcinogenicity	Classification Not Possible
Reproductive toxicity	Classification Not Possible
Specific target organ toxicity single exposure	Category 1, 3
Specific target organ toxicity repeated or prolonged exposure	Category 2
Aspiration hazard	Classification Not Possible

Physical Hazard Criteria Explosives

SDS No.

Date : 5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

### **Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE**

Flammable gases	-
Flammable aerosols	-
Oxidizing gases	-
Gases under pressure	-
Flammable liquids	Not Classified
Flammable solids	-
Self-reactive chemicals	-
Pyrophoric liquids	Not Classified
Pyrophoric solids	-
Self-heating chemicals	Classification Not Possible
Chemicals which, in contact with water, emit flammable gases	-
Oxidizing liquids	Classification Not Possible
Oxidizing solids	-
Organic peroxides	-
Corrosive to metals	Not Classified

## 2.2 Label elements

Hazardous Pictograms



Signal word Hazard statements

Danger

Causes serious eye irritation

Causes skin irritation

Causes damage to organs

May cause respiratory irritation: or May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

# Precautionary statements

### Prevention

Wash contact areas thoroughly after handling.

Wear eye protection/face protection.

Wear protective gloves.

Do not breathe mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

#### Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

CDC N		Safety D	ata She	et	
SDS No. Date :	5/28/2015	Beck/Arnle	ev Antifreez	e / Coolant GREEN	I CONCENTRATE
	ck/Arnley Antifr				
	•	on occurs: Get medic			
		aminated clothing an			
		all a poison center/do			
	Get medical a	dvice/attention if you	ı feel unwel	1.	
		move person to fresh		p comfortable for b	reathing.
	-	center/doctor if you	feel unwell.		
	Storage				
	Store locked u	-			
	Disposal	l ventilated place. Ke	ep containe	er tightly closed.	
	-	ntents/container in a	ecordance w	vith annlicable feder	ral state and local
	regulations.	intents/container in a			ai, state and local
2.3 Other haz	-				
Other hazards		a not available			
	SECTION 3: CO	OMPOSITION/IN	FORMAT	TION ON INGRE	DIENTS
3.2 Mixtures					
Components	CAS No.	Nominal %	<u>Hazard</u>	PEL/TLV	Hazard
			Code		
Ethylene	107-21-1	85 - 94 %	A	Ceiling :	Respiratory irritant
Glycol				100mg/m	Ingestion may produce
				[Aerosol only]	liver, brain and kidney damage.
Diethylene	111-46-6	Less than 5%	А	None	Ingestion may produce
Glycol					kidney damage.
Hydrated	pro-	Less than 7%	N/A	None	None noted.
inorganic	prietary				
acid, organic					
acid salts					
Water	7732-18-5	Less than 5%	N/A	None	None noted
	ms on this SDS are d ill be made in accord	-		-	ure of trade secret 9 CFR 1910.1200(i).
		SECTION 4: FIRS			, ent 1,10,1200(1).

# **4.1 Description of first aid measurers**

<u>Swallowing</u> : If victim is conscious and able to swallow, quickly have victim drink water or milk to dilute. Do NOT give sodium bicarbonate, fruit juices or vinegar. NEVER give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only if advised by physician or Poison Control Center. CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

Date :	5/28/201	Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE				
В	Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE					
Skin Contact	:	Immediately flush skin with plenty of water while removing contaminated clothing.				
Eye Contact	:	Immediately flush eyes with plenty of cool water for at least 15 minutes. Do NOT permit victim to rub eyes. GET MEDICAL ATTENTION IMMEDIATELY.				
<u>Inhalation</u>	:	Immediately remove victim to fresh air. If victim has stopped breathing give artificial respiration, preferably mouth-to-mouth. GET MEDICAL ATTENTION IMMEDIATELY.				
4.2 Most important symptoms and effects, both acute and delayed						

### The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### 4.3 Indication of any immediately medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

# **SECTION 5 : FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Individuals should perform only those firefighting procedures for which they have been trained. Use water spray, dry chemical, foam or carbon dioxide. Use water to keep fire-exposed containers cool. If a spill or leak has not ignited, use water spray to disperse the vapors. Water spray may be used to flush spills away from fire and diluted spills to noncombustible proportions(see warning on water spray on hot glycol below.)

#### 5.2 Special hazards arising from the substance or mixture

Data not available

SDS No

## **5.3 Advice for firefighters**

To prevent possible storage container rupture, do not permit to freeze. Incompatible with strong acids, oxidizers, bases and chromium trioxide, potassium permanganate, and sodium peroxide.

Water spray may cause foaming of hot glycol so indirect application of water spray or use of other extinguishing media should be used on hot glycol.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## **6.1 Personal precautions, protective equipment and emergency procedures**

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

#### **6.2 Environmental precautions**

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

### 6.3 Method and material for containment cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

SDS No.

Date ·

5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

# **Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE**

For disposal see section 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions and safe handling

- Do not expose children and pets to this material.

- After handling product, wash thoroughly with soap and water before drinking, eating, or smoking.

- Keep away from open flames.

#### 7.2 Conditions for safe storage, including any incompatibilities

- To prevent possible storage container rupture, do not permit to freeze. Incompatible with strong acids, oxidizers, bases and chromium trioxide, potassium permanganate, and sodium peroxide.

### 7.3 Specific end use(s)

The identified uses for this product are detailed in section 1.2.

## **SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **8.1** Control parameters

Component	CAS No.	Source	Exposure Limit	Notes	
Ethylene glycol	107-21-1	US OSHA	None	None	
		US ACGIH	100 mg/m3 TLV	Ceiling Limit for Aerosols Only; A4 - Not classifiable as a human carcinogen	
Diethylene Glycol	111-46-6	US OSHA	None	None	
		US ACGIH	None	None	
		US AIHA (WEEL)	10 mg/m <sup>3</sup>	TWA	

#### **8.2 Exposure controls**

Control Measures :Handle in the presence of adequate ventilation. Engineering controls should be used<br/>whenever feasible to maintain concentrations below acceptable exposure criteria,<br/>including enclosures and local exhaust ventilation.Respiratory Protection :Where exposure is likely to exceed acceptable criteria and engineering controls are<br/>not feasible, use NIOSH/MSHA approved respiratory protection equipment.<br/>Respirators should be selected based on the form and concentration of contaminants<br/>in air and in accordance with OSHA (29 CFR 1910.134)

		U U		
SDS No.	5/20/2015			
Date :	5/28/2015	Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE		
E	Beck/Arnley	Antifreeze / Coolant GREEN CONCENTRATE		
Protective Cl	othing :	Wear gloves and protective clothing which are impervious to the product for the duration of exposure if there is potential for skin contact.		
Eye Protection :		Wear safety glasses meeting the specifications of ANSI Standard Z87.1 where no contact with the eye is anticipated. Chemical safety goggles meeting the specification of ANSI Standard Z87.1 should be worn whenever there is the possibility of splashing or other contact with the eyes.		
		CTION 9: PHYSICAL AND CHEMICAL PROPATIES		
<u>9.1 Informa</u>	ation of basis p	physical and chemical properties		
Appearance :	:	Clear, slightly viscous, yellowish green dyed liquid		
Odor :		No characteristic odor		
Odor thresho	old:	Data not available		
pH:		7.5 (50v/v%)		
Freezing poin Initial boiling		Lower than -15°C (5°F)		
and boiling r	ange:	Higher than 149°C (300 °F)		
Flash point:		126°C (259°F)		
Evaporation	rate:	Data not available		
<b>E1</b> 1.11.	(0, 1; 1)			

Evaporation rate.	
Flammability(Solid, gas):	Data not available
Upper/Lower flammability	
or explosive limits:	Data not available
Vapor pressure :	Estimated 0.05 mmHg at 20°C
Vapor Density $(Air = 1)$ :	Data not available
Density (20°C) :	$1.13 \text{ g/cm}^3$
Solubility in Water :	Infinite miscibility
Partition coefficient	
n-octanol/water:	Data not available
Auto ignition temperature:	Data not available
Decomposition temperature:	Data not available
Viscosity:	Data not available

# 9.2 Other information

None

# SECTION 10 : STABILITY AND REACTIVITY

# 10.1 Reactivity

Hazardous Polymerization :

Not likely to occur

Conditions and Materials to Avoid :

Avoid concentrated strong acids, oxidizing agents and bases. Do not expose to open flame.

# 10.2 Chemical stability

Generally stable

SDS No.

Date :

5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

# Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

## **10.3 Possibility of hazardous reactions**

Data not available

## 10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition.

### **10.5 Incompatible materials**

Data not available

### **10.6 Hazardous decomposition products**

Hazardous Decomposition Products : If pyrolyzed, thermal decomposition products of residue may include C, CO, CO2, H2O, NH3, organic vapors and nitrogen-containing.

# SECTION 11: TOXICOLOGICAL INFORMATION

# **<u>11.1 Information on toxicological effects</u>**

Inhalation :	Breathing excessive levels of the vapor or mist can irritate the respiratory tract. Excessive vapor concentrations of the major component (ethylene glycol), as might be generated during heating of this material, have occasionally been reported to cause adverse effects on the blood-forming system and the nervous system.
Ingestion:	The acute oral toxicities of the main components of this mixture are as follows : Ethylene Glycol : The lowest dose reported to produce death in humans was estimated to be 1,560 mg/kg body weight; for a person weighing 150 pounds, this would be equivalent to drinking about three fluid ounces of pure ethylene glycol in a short period of time.
	Acute oral LD50's = 4,700 mg/kg (rats) 5,500 mg/kg (mouse)
	Diethylene Glycol Acute oral LD50's = 12,600 mg/kg (rat) 23,700 mg/kg (mouse)
Eye Contact :	Based on the pH and irritation potential of this mixture's constituents, the mist or liquid can be expected to cause mild to moderate irritation or inflammation of the eyes
Skin Contact :	The acute dermal LD50 of the major component (ethylene glycol) of this product is 10,600mg/kg(rabbits). Based on the pH and the irritation potential of this mixture's constituents, the mist or liquid can be expected to cause mild to moderate irritation of the skin.
Chronic IARC: No coi	No chronic or delayed effects have been identified mponent of this product is present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

NTP: No component of this product is present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SDS No. Date ·

5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

## **Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE**

OSHA: No component of this product is present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### SECTION 12: ECOROGICAL INFORMATION

### 12.1 Toxicity

Ecological information of the product : Data not available Ecological information of the main ingredient of the product Ethylene Glycol : LC50 - Oncorhynchus mykiss (rainbow trout) - 18,500 mg/l - 96 h Diethylene Glycol : LC50 - Pimephales promelas (fathead minnow) - 75,200 mg/l - 96 h **12.2 Persistence and degradability** Degradation half life Readily biodegradable **12.3 Bioaccumulative potential** Bioaccumulative potential Bioconcentration potential is low. Comments to bioaccumulation Log Pow: -0,30 **12.4 Mobility in soil** 

Mobility The product is miscible with water. May spread in water systems.

### 12.5 Results of PBT and vPvB assessment

PBT assessment results This substance is not classified as PBT or vPvB.

#### 12.6 Other adverse effects

Other adverse effects / Remarks None known.

# SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal : Disposal should be made in accordance with applicable federal, state and local regulations. All recovered material should be packaged, labeled, transported, and disposed of or reclaimed in conformance with good engineering practices. Avoid land filling of liquids. Reclaim where possible.

# **SECTION 14 : TRANSPORT INFORMATION**

# 14.1 UN number

#### UN3082

## 14.2 UN proper shipping name

Environmentally Hazardous Substance Liquid n.o.s. (ethylene glycol), 9, UN3082, III

#### 14.3 Transport hazard class(es)

DOT Classification (Bulk) : DOT Classification (Non-bulk) : IATA (Non-bulk) : IMDG Code (Non-bulk) : Class 9 miscellaneous Not regulated Not regulated Not regulated

### **14.4 Packaging group**

SDS No.

Date : 5/28/2015

Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE

# **Beck/Arnley Antifreeze / Coolant GREEN CONCENTRATE**

#### 14.5 Environmental hazards

Marine pollutant: No Poison Inhalation Hazard: No

# **14.6 Special precautions for user**

Data not available

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Data not available

## **SECTION 15 : REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

٠

Toxic Substance Control Act

This product is a mixture : therefore, it is not listed in the TSCA Inventory of Chemical Substances. All of the components of the mixture are listed in the TSCA Inventory of Chemical Substances.

SARA Hazard Categories (as defined in Section 311/312)

None

Health Immediate (Acute) and Delayed (Chronic)

Physical

The product contains greater than 85% ethylene glycol (CAS# 107-21-1) which is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.



# California Proposition 65

WARNING: Reproductive Harm - www.P65Warnings.ca.gov.

S	ECTION 16 : OTI	HER INFORMATION	
NFPA Rating :	Health (1) Fire	e (1) Reactivity (0)	
Preparation information:	Issue date	5/28/2015	

The information presented herein is believed to be factual as it has been derived from the works and opinions of people believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which bears legal responsibility. The user should review any recommendation in the specific context of intended use to determine whether they are appropriate.