

SAFETY DATA SHEET

Version #: 01 Issue date: 30-May-2024 Revision date: -Supersedes date: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	JURID Brake Fluid DOT 4
Registration number	-
Synonyms	None.
Product code	151031B2, 151071J-K, 151472J-EU
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	Brake fluid.
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
Manufacturer/Supplier	
Company name	Federal-Mogul Global Aftermarket EMEA bv
Address	Prins Boudewijnlaan 5
	B-2550 Kontich
	Belgium
Telephone	+32 3 450 83 10
Contact person	Braking_EMEA@DRiV.com
1.4. Emergency telephone number	3E Global Incident Response Hotline
	+44 20 35147487
	Access code: 335908
Poison Information Centre telephone number	+39 800 011 858
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Reproductive toxicity (fertility, the unborn child)	Category 2	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.
---	------------	---

2.2. Label elements

Contains:

Label according to Regulation (EC) No. 1272/2008 as amended

Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate

Hazard pictograms



Signal word

Warning

Hazard statements H361fd

Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements	
Prevention	
P101 P102 P280	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection.
Response	
P308 + P313	IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information on the label	None.
2.3. Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAR No. / EC No.	DEACH Pagistration No.	Index No	Notes
		30989-05-0	REACH Registration No. 01-2119462824-33-XXXX	Index No.	Notes
Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate	25 - < 30	30989-05-0 250-418-4	01-2119462824-33-XXXX	-	
	ation: Repr. 2;H3				
Reaction mass of	15 - < 20		01-2119475115-41-XXXX	_	
2-(2-(2-butoxyethoxy)ethoxy)eth and 3,6,9,12-tetraoxahexadeca	nanol	907-996-4			
Classific	ation: Eye Dam.	1;H318			
Specific Concentration L	imits: Eye Dam.	1;H318: C ≥ 30 %, E	Eye Irrit. 2;H319: 20 % ≤ C < 3	30 %	
2-(2-Methoxyethoxy)ethanol	0,1 - < 1	111-77-3 203-906-6	01-2119475100-52-XXXX	603-107-00-6	#
Classific	ation: Repr. 1B;H	1360D			
Specific Concentration L	.imits: Repr. 1B;⊦	l360D: C ≥ 3 %			
2,6-di-tert-butyl-p-cresol	0,1 - < 0,25	128-37-0 204-881-4	01-2119480433-40-XXXX	-	
Classific	ation: Aquatic Ac	ute 1;H400, Aquatic	Chronic 1;H410(M=1)		
ist of abbreviations and symbols M: M-factor	-		limit(a)		
#: This substance has been ass	• •	• •			-tione one in
			eight unless ingredient is a ga H-statements is displayed in		alions are in
ECTION 4: First aid measu	ires				
		s. IF exposed or cor	are of the material(s) involved acerned: Get medical advice/a		
1. Description of first aid measu	res				
	Move injured pers if any discomfort of		keep person calm under obs	ervation. Get me	dical attentio
Skin contact	Wash off with soa	p and water. Get me	edical attention if irritation dev	elops and persis	ls.

4.2. Most important symptoms and effects, both acute and delayed
4.3. Indication of any immediate medical attention and special treatment needed
SECTION 5: Eirefighting measures

SECTION 5: Firefighting measures

General fire hazards	Will burn if involved in a fire.
5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Dry powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water jet.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures For non-emergency Follow standard emergency procedure. Avoid breathing mist/vapours. Wear appropriate personal protective equipment (See Section 8). personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Avoid For emergency responders contact with skin and eyes. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions 6.3. Methods and material for Use water spray to reduce vapours or divert vapour cloud drift. containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. 6.4. Reference to other For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapours. Avoid contact with skin and eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in a dry well ventilated area and protect from damage and direct sunlight. Store away from incompatible materials (see section 10 of the SDS).
7.3. Specific end use(s)	Brake fluid.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)	TWA	50,1 mg/m3	
х , ,		10 ppm	

Components	Туре	Value	Form
2,6-di-tert-butyl-p-cresol (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
EU. Indicative Exposure Limit Values in D Components	irectives 91/322/EEC, 2000/ Type	39/EC, 2006/15/EC, 200 Value	9/161/EU, 2017/164/EU
2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)	TWA	50,1 mg/m3	
		10 ppm	
ogical limit values No biological	exposure limits noted for the	inaredient(s).	
•	ard monitoring procedures.	5 ()	
ved no effect levels (DNELs)			
General population			
Components	Value	Assessment factor	Notes
2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)			
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	1,33 mg/kg bw/day 30,1 mg/m3	30	Repeated dose toxicity
Long-term, Systemic, Oral	7,5 mg/kg bw/day	120	Repeated dose toxicity
2,6-di-tert-butyl-p-cresol (CAS 128-37-0)	0.05 "	100	
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	0,25 mg/kg 0,435 mg/m3	100 25	Repeated dose toxicity Repeated dose toxicity
Long-term, Systemic, Innalation Long-term, Systemic, Oral	0,435 mg/m3 0,25 mg/kg	25 100	Repeated dose toxicity
Reaction mass of 2-(2-(2-butoxyethoxy)ethox			•
Long-term, Systemic, Dermal	125 mg/kg	40	, Repeated dose toxicity
Long-term, Systemic, Inhalation	117 mg/m3	10	Repeated dose toxicity
Long-term, Systemic, Oral	12,5 mg/kg	40	Repeated dose toxicity
Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] ort	hoborate (CAS 30989-05-0)		
Long-term, Systemic, Dermal	10 mg/kg	100	Repeated dose toxicity
Long-term, Systemic, Oral	10 mg/kg	100	Repeated dose toxicity
<u>Workers</u>			
Components	Value	Assessment factor	Notes
2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)			
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	2,22 mg/kg bw/day 50,1 mg/m3	18	Repeated dose toxicity
2,6-di-tert-butyl-p-cresol (CAS 128-37-0)			
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	0,5 mg/kg 1,76 mg/m3	50 12,5	Repeated dose toxicity Repeated dose toxicity
Reaction mass of 2-(2-(2-butoxyethoxy)etho	xy)ethanol and 3,6,9,12-tetrac	oxahexadecan-1-ol (CAS	-)
Long-term, Systemic, Dermal	208 mg/kg	24	Repeated dose toxicity
Long-term, Systemic, Inhalation	195 mg/m3	6	Repeated dose toxicity
Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] ort			
Long-term, Systemic, Dermal	16,7 mg/kg	60	Repeated dose toxicity
licted no effect concentrations (PNECs)			
Components	Value	Assessment factor	Notes
2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)			
Freshwater	12 mg/l	100	
Intermittent releases Marine water	12 mg/l 1,2 mg/l	1000	
Secondary poisoning	0,09 g/kg	200	Oral
Sediment (freshwater)	44,4 mg/kg		
Sediment (marine water)	0,44 mg/kg		
Soil	2,1 mg/kg	1	
STP 2,6-di-tert-butyl-p-cresol (CAS 128-37-0)	10000 mg/l	1	
Freshwater	0,199 µg/l	1000	
Marine water	0,02 µg/l	10000	
Secondary poisoning	16,67 mg/kg	30	Food

Sediment (marine water) Soil	0,046 mg/kg 0,054 mg/kg			
SON	0,054 mg/kg 0,017 mg/l		100	
Reaction mass of 2-(2-(2-buto	, i i	3,6,9,12-tetraoxa		S -)
Freshwater	4,5 mg/l		100	
Marine water	0,31 mg/l		1000	
Secondary poisoning Sediment (freshwater)	111 mg/kg 6,6 mg/kg		90 1000	Oral
Sediment (meshwater)	0,66 mg/kg		10000	
Soil	1,32 mg/kg		10000	
STP	500 mg/l		10	
Tris[2-[2-(2-methoxyethoxy) et		30989-05-0)		
Freshwater	0,211 mg/l		1000	
Intermittent releases	2,112 mg/l		10000	
Marine water Sediment (freshwater)	0,021 mg/l 0,76 mg/kg		10000	
Sediment (marine water)	0,076 mg/kg			
Soil	0,028 mg/kg			
STP	100 mg/l		10	
Exposure guidelines	Follow standard monitoring p	rocedures.		
Italy OELs: Skin designation	1			
2-(2-Methoxyethoxy)ethar	nol (CAS 111-77-3)	Danger of cu	taneous absorption	
8.2. Exposure controls				
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply and eye wash facilities.			
Individual protection measures,	such as personal protective	equipment		
General information	Personal protection equipme discussion with the supplier of	of the personal p	protective equipment.	
Eye/face protection	Wear safety glasses with sid	e shields (or go	ggles). Eye protection	should meet standard EN 166.
Skin protection				
- Hand protection	Wear appropriate chemical resistant gloves. Always wear chemical-resistant protective gloves that comply with EN 374 to handle this product. Observe good industrial hygiene practices and wash gloves with soap and water before removing them. Assess the working conditions and always consult your glove supplier for information on the most suitable type of glove for each task and the required material, thickness, and breakthrough time specifications. The use of type-B gloves in accordance with EN 374 is recommended as a minimum protection against intermittent or splash contact. Consult your supplier to find the most suitable option for the product in question. The requirements outlined in EN 407 must be taken into consideration for tasks involving thermal hazards.			
- Other	Wear appropriate clothing to	prevent repeate	ed or prolonged skin c	ontact.
Respiratory protection	In case of inadequate ventila equipment. Respiratory prote			
Thermal hazards	Wear appropriate thermal pro	otective clothing	, when necessary.	
Hygiene measures	Always observe good persor and before eating, drinking, a equipment to remove contar	and/or smoking.	Routinely wash work	clothing and protective
Environmental exposure controls	Emissions from ventilation or with the requirements of envi engineering modifications to acceptable levels.	ronmental prote	ection legislation. Fum	
SECTION 9: Physical and o	chemical properties			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	Liquid.		
Form	Liquid.		
Colour	Colourless to amber.		
Odour	Characteristic.		
Odour threshold	Property has not been measured.		
Melting point/freezing point	Property has not been measured.		

Boiling point or initial boiling point and boiling range	> 230 °C (> 446 °F)
Flammability	Will burn if involved in a fire.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Property has not been measured.
Explosive limit – upper (%)	Property has not been measured.
Flash point	> 125 °C (> 257 °F)
Auto-ignition temperature	350 °C (662 °F)
Decomposition temperature	Property has not been measured.
рН	8,9
Kinematic viscosity	14,8 mm²/s (20 °C (68 °F))
Solubility	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water) (log value)	Not applicable, product is a mixture.
Vapour pressure	Property has not been measured.
Density and/or relative density	
Density	1,066 g/cm ³
Relative density	1,066
Vapour density	Property has not been measured.
Particle characteristics	Not applicable, material is a liquid.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	
Evaporation rate	Property has not been measured.
Viscosity	Property has not been measured.
SECTION 10: Stability and	-
10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal temperature conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizers, strong acids, and strong bases. Strong reducing agents.
10.6. Hazardous decomposition products	Fire or high temperatures create: Carbon monoxide. Carbon dioxide.
SECTION 11: Toxicologica	al information
General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components	Species	Test Results	
2-(2-Methoxyethoxy)ethar	nol (CAS 111-77-3)		
Acute			
Dermal			
LD50	Rabbit	8980 ml/kg	

Components	Species	Test Results
Oral		
LD50	Rat	6700 ml/kg
2,6-di-tert-butyl-p-cresol (CAS 128	3-37-0)	
Acute		
Dermal		
LD50	Rat	2000 mg/kg
Oral		
LD50	Rat	2930 - 6000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria	are not met.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrit	ation.
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
IARC Monographs. Overall	IARC Monographs. Overall Evaluation of Carcinogenicity	
2,6-di-tert-butyl-p-cresol	(CAS 128-37-0) 3 Not classifiable a	as to carcinogenicity to humans.
Reproductive toxicity	Suspected of damaging fertility. Suspected of dan	naging the unborn child.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria	are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria	are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.	
Mixture versus substance information	No information available.	
11.2. Information on other hazards		
Endocrine disrupting properties	This mixture does not contain any substances have to human health as assessed in accordance with 1907/2006, (EU) No 2017/2100 and (EU) 2018/60 0.1% by weight.	he criteria set out in Regulations (EC) No
Other information	No other specific acute or chronic health impact n	oted.
SECTION 12: Ecological in	nformation	

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity environment.

Components		Species	Test Results
2,6-di-tert-butyl-p-cresol (CAS 128	8-37-0)		
Aquatic			
Algae	EC50	Algae	0,758 mg/l, 96 hours
			> 0,24 - < 10 mg/l, 72 hours
	NOEC	Algae	> 0,24 - < 1,7 mg/l, 72 hours
Acute			
Crustacea	EC50	Aquatic invertebrates	> 0,48 - < 0,61 mg/l, 48 hours
	NOEC	Aquatic invertebrates	> 0,15 - < 0,23 mg/l, 48 hours
Fish	LC50	Fish	> 0,199 - < 0,57 mg/l, 96 hours
Chronic			
Crustacea	EC50	Aquatic invertebrates	< 0,39 mg/l, 21 days
	LOEC	Aquatic invertebrates	1 mg/l, 21 days
	NOEC	Aquatic invertebrates	> 0,023 - < 0,316 mg/l, 21 days
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
12.3. Bioaccumulative potential	I No data available for this product.		
Partition coefficient n-octanol/water (log Kow)	Not applicab	le, product is a mixture.	
2,6-di-tert-butyl-p-cresol (CAS	S 128-37-0)	5,1	
JURID Brake Fluid DOT 4			SDS It

2-(2-Methoxyethoxy)ethanol (0	CAS 111-77-3) -1,18	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	This product is water soluble and may disperse in soil.	
12.5. Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.	
12.7. Other adverse effects	None known.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	16 01 13* The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
RID	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group 14.5. Environmental hazards	-
	No. Not assigned.
14.6. Special precautions for user	Not assigned.
ADN	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	
14.6. Special precautions	Not assigned.
for user	
ΙΑΤΑ	
14.1. UN number	Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Not assigned. Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user IMDG 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. Not assigned. FmS Not assigned. 14.6. Special precautions for user Not applicable. 14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)30Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate75(CAS 30989-05-0)75

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

2-(2-Methoxyethoxy)ethanol (CAS 111-77-3)

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.	
National regulations	According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.	
	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other inform	SECTION 16: Other information	
List of abbreviations		
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service.	
	DNEL: Derived No-Effect Level. EC50: Effective Concentration, 50%. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. IMO: International Maritime Organization.	
	LD50: Lethal Dose, 50%. LC50: Lethal Concentration, 50%. NOEC: No observed effect concentration. PBT: Persistent, bioaccumulative, toxic.	
	PNEC: Predicted No-Effect Concentration. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. TWA: Time Weighted Average. vPvB: Very persistent and very bioaccumulative.	
References	HSDB® - Hazardous Substances Data Bank ECHA: European Chemical Agency. Registry of Toxic Effects of Chemical Substances (RTECS)	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any statements,		
which are not written out in full under sections 2 to 15	H318 Causes serious eye damage. H360D May damage the unborn child. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	
This SDS contains revisions in the following section(s):	1, 2, 3, 5, 6, 7, 8, 9, 11, 12, 15, 16.	
Training information	Follow training instructions when handling this material.	
Further information	UFI: 3C00-Y0UP-H006-9D4X	
Disclaimer	The information provided on this data sheet was abstracted from supplier safety data sheets and standard references in occupational health and toxicology. Federal-Mogul makes no representation or warranty with respect to the information obtained from such references. The information is however, as of the date provided, true and accurate to the best of Federal-Mogul's knowledge, and should be used to make an independent determination of the methods to safeguard workers and the environment.	