

JURID®

100





YEARS OF GERMAN BRAKING EXPERTISE

COMMERCIAL VEHICLE BRAKE PADS, DISCS AND WEAR INDICATORS



2015
2016

CATJU1501



**FEDERAL-MOGUL
MOTORPARTS**




www.fmecat.eu

THE INNOVATION FROM THE LAB PUT INTO PRACTICE

GREENCOATING INNOVATION.

Pads are equipped with Greencoating, guaranteeing a constant friction value from the moment the brakes are applied for the first time, reducing risks and keeping operating costs low.



METLOCK® INNOVATION.

Jurid Metlock technology is specifically designed to meet the strict demands of commercial vehicles. Irremovably sintered on at 900°C, the structure increases the binding surface of the friction material and back plate by almost double. This creates unbeatable advantages in performance, even under constant loads and extreme braking.

TERMS OF BUSINESS

Orders are accepted subject to the standard Conditions of Sale which are available from Federal-Mogul Aftermarket and Federal-Mogul Corporation. Part numbers, vehicle model and engine details change from time to time and although the information contained in the catalogues was, to the best of our knowledge, accurate at the time of compilation and publication, Federal-Mogul cannot accept responsibility for any inaccuracies and subsequent changes to the information provided.

CLAUSES COMMERCIALES

Orders are accepted subject to the standard Conditions of Sale which are available from Federal-Mogul Aftermarket and Federal-Mogul Corporation. Part numbers, vehicle model and engine details change from time to time and although the information contained in the catalogues was, to the best of our knowledge, accurate at the time of compilation and publication, Federal-Mogul cannot accept responsibility for any inaccuracies and subsequent changes to the information provided.

GESCHÄFTSBEDINGUNGEN

Aufträge werden auf der Grundlage der allgemeinen Geschäftsbedingungen entgegengenommen. Diese erhalten Sie von: Federal-Mogul Aftermarket und der Federal-Mogul Corporation. Teilenummern, Angaben zum Fahrzeugmodell und Motor ändern sich laufend. Die Informationen in diesem Katalog waren zum Zeitpunkt der Zusammenstellung und Veröffentlichung korrekt. Federal-Mogul ist jedoch nicht verantwortlich für fehlerhafte Angaben und die daraus resultierenden veränderten Informationen.

CONDICIONES DE VENTA

Los pedidos están sujetos a las Condiciones de venta estándar de Federal-Mogul Ibérica y Federal-Mogul Corporation. Periódicamente, se actualizan las referencias, los modelos de vehículos y los detalles del motor y, aunque la información fuera precisa en el momento de la recopilación y la publicación de los catálogos, según nuestros conocimientos, Federal-Mogul no se hace responsable de las imprecisiones y cambios posteriores de la información proporcionada.

CONDIZIONI GENERALI DI VENDITA

Ogni ordine è soggetto alle condizioni generali di vendita di Federal-Mogul Aftermarket e Federal-Mogul Corporation. Sebbene le informazioni contenute in questo catalogo siano state verificate, Federal-Mogul non si assume responsabilità per eventuali errori o modifiche successive relativamente alle informazioni fornite.

INDEX

Index • Stichwortverzeichnis • Índice • Indice


I-VI

Information
Informations
Informationen
Información
Informazioni




1-33

Applications
Applications
Fahrzeugverwendungen
Aplicaciones
Applicazioni




34-125

Pads Buyer's guide
Liste d'affectations plaquettes de frein
Verwendung Scheibenbremsbeläge
Guía del Usuario-Pastillas
Pastiglie, descrizione prodotto



126-157

Rotors Buyer's guide
Liste d'affectations disques de frein
Verwendung Bremsscheiben
Guía del Usuario-Discos
Dischi, descrizione prodotto



158-163

Wear Indicators Buyer's guide
Liste affectations des témoins d'usure de frein
Verwendung Warnkontakte
Guía del Usuario- Indicadores de Desgaste
Indicatori d'usura, descrizione prodotto



	
ACERBI	1
ALEXANDER PSV	1
ATE BREMSEN	1
AVIA - DAEWOO (Czech)	1
AWD	1
AYATS	1
BERKHOF PSV	2
BMC	2
BOVA	2
BPW	2
CAETANO PSV	3
CRANE FRUEHAUF	3
DAF	3
DENNIS	5
DEN OUDSEN	5
DISCOS	6
ERF	6
ERNST AUWÄRTER	6
FODEN	6
FORD	6
GIGANT GROUP	7
GRANNING LYNX	7
HALDEX	8
HEULIEZ	8
IKARUS	8
INBUS	8
IRISBUS	8
IVECO	10
KAROSA	14
KNORR-BREMSE	14
LAZ	14
LIAZ	15
MAN	15
MCW	18
MENARINI	18
MERCEDES-BENZ	19
MERITOR	22
MULTICAR	23
NEOPLAN	23
NISSAN	24
OPTARE	24

	
PERROT BREMSEN (WABCO)	25
RENAULT	25
RENAULT TRUCKS	26
RENAULT BUS	27
S.A.E.	See Gigant Group
SAF	28
SAMRO	28
SCANIA	28
SEDDON ATKINSON	29
SETRA	29
SMB	See Gigant Group
SOLARIS	29
SOR	30
VAN HOOL	30
VOLKSWAGEN	30
VOLVO	31
WABCO	32
ZF	33

GLOSSARY

Glossaire • Glossar • Glosário • Glosario

					
	Model year	Année modele	Modelljahr	Año de construcción	Anno di costruzione
	Pad	Plaquette Plaquette de frein	Belag	Pastilla	Pastiglia freno
WVA	WVA	n° WVA	WVA	Número de WVA	WVA
	Axis	Essieu	Achse	Eje	Asse
	Diameter	Diamètre	Durchmesser	Diámetro	Diametro
	Disc type	Type de disque	Bremsscheiben-Typ	Tipo de disco	Tipo di disco
	Dimensions	Dimensions	Abmessungen	Dimensiones	Dimensioni
	Disc thickness	Epaisseur du disque	Bremsscheibendicke	Espesor de disco	Spessore del disco
	Disc	Disque	Bremsscheibe	Disco	Disco
	Wear indicator	Temoins d'usure	Warnkontakt	Indicador de desgaste	Indicatore d'usura
	Bus	Bus	Bus	Bus	Bus
	LCV	LCV	LCV	LCV	LCV
	Truck with trailer	Camion avec remorque	LKW mit Anhänger	Camión con remolque	Camion con rimorchio
	Rear axle	Essieu arrière	Hinterachse	Eje trasero	Assale posteriore
	Front axle	Essieu avant	Vorderachse	Eje delantero	Assale anteriore
	Solid disc	Disque plein	Massive Bremsscheibe	Disco macizo	Disco pieno
	Vented disc	Disque ventilé	Belüftete Bremsscheibe	Disco ventilado	Disco ventilato
[+]	Wear warning contact, incl. Wear warning contact	Indicateur d'usure, null	Verschleißwarnkon- takt, inkl. Verschleiß- warnkontakt	Contacto avisador de desgaste, null	Indicatore d'usura incluso
	Brake system	Système de freinage	Bremssystem	Sistema de frenos	Sistema frenante



	Set composition	Composition d'ensemble	Set Zusammensetzung	Composición del juego	Composizione del set
+... kg payload	Payload (kg)	Charge utile (kg)	Nutzlast (kg)	Carga útil (kg)	Portata utile (kg)
+... model	Type	Catégorie	Type	Tipo	Tipo
1. oversize	Brake pad, 1st oversize	Garniture de frein, 1. surdimension	Bremsbelag, 1. Übermaß	Pastilla de freno, sobremedida 1	Pastiglia freno, 1a Maggiorazione
+ABS	for ABS	pour ABS	für ABS	para ABS	per ABS
-ABS	not for ABS	pas pour ABS	nicht für ABS	no para ABS	non per ABS
+ ABS-sensorring	Supplementary article/ supplementary info 2, with ABS sensor ring	Article complémentaire 2/Info complémentaire, avec bague de capteur ABS	Ergänzungsartikel/ Ergänzende Info 2/ mit ABS-Sensorring	Artículo complementario/Información complementaria, con el anillo del sensor del ABS	Articolo complementare/Info integrativa 2, con anello sensore ABS
+acc.	Supplementary article/ supplementary info, with accessories	Article complémentaire/Info complémentaire, avec accessoires	Ergänzungsartikel/ Ergänzende Info/ mit Zubehör	Artículo complementario/Información complementaria, con accesorios	Articolo complementare/Info integrativa, con accessori
-acc.	Supplementary article/ supplementary info, without accessories	Article complémentaire/Info complémentaire, sans accessoires	Ergänzungsartikel/ Ergänzende Info/ ohne Zubehör	Artículo complementario/Información complementaria, sin accesorios	Articolo complementare/Info integrativa, senza accessori
+axle ...	Axle number	Nombre d'essieu	Achsenanzahl	Eje número	Numero assi
+dual tyres	for dual tyres	pour roues jumelées	für Zwillingbereifung	para ejes con cuatro neumáticos	per assale gemellato
+engine ...	Engine code	Code moteur	Motor-Identifikationsnummer	Código de motor	Codice motore
optional	optional	optionnel	optional	opcional	opzionale
Vers. ...	Version	Version	Version	Versión	Versione

Notes



WVA



!



ACERBI



All

Knorr SB7 Brakes		KNR	F	2925305390	4	29252	247,5	109,5	30				
------------------	--	-----	---	------------	---	-------	-------	-------	----	--	--	--	--

ALEXANDER PSV



ALX 100

8.1-8.5m	01/96→	MER	F	2983509560	4	20835	324	175	85	22		567762	30
		MER	R	2983509560	4	20835	324	175	85	22		569112	30

Mini

PSV		MER	F	2983509560	4	20835	324	175	85	22		567762	30
		MER	R	2983509560	4	20835	324	175	85	22		569112	30

ATE BREMSSEN



All

Mercedes-Benz		ATE	F	571844	4	21576		156	65	19			
		ATE	R	571845	4	21279		64	57,5	17			
		ATE		571846	4	21621		141	49	17			
		ATE		573191	4	23901		156	55	18,5			
Volkswagen		ATE	F	571934	4	21883		156	68,5	19,5			
		ATE		571236	4	20011		77	70	18,5			

AVIA - DAEWOO (Czech)



A60, A75, A80

Wheel = 17.5" Hydraulic Brakes. Wabco 456F-0	01/97→	WAB	F	2901709560	4	29017	315	191	87	23		567122	26
--	--------	-----	---	------------	---	-------	-----	-----	----	----	--	--------	----

D60, D75, D80, D95

Wheel = 17.5" 110kW	01/99→	WAB	F	2901709560	4	29017	315	191	87	23		567122	26
---------------------	--------	-----	---	------------	---	-------	-----	-----	----	----	--	--------	----

AWD



TK, TK M Series

All	01/88→	BRE	F	571325	4	21048		110	74	18,5	01/82→12/85		
		BRE		571321	4	20380		110	73	18,5	01/86→12/88		
		BRE		571422	4	21620		110	73	18,5	01/89→		
		LKD		571250	4	20359		102	75	18	01/78→12/81		
		LKD		571379	4	20759		102	75	18	01/82→12/85		
		LKD		571444	4	20653		102	75	18	01/86→12/88		
		LKD		571442	4	21480		105	75	18	01/89→		

TL Range

All	01/88→	BRE	F	571325	4	21048		110	74	18,5	01/82→12/85		
		BRE		571321	4	20380		110	73	18,5	01/86→12/88		
		BRE		571422	4	21620		110	73	18,5	01/89→		
		LKD		571250	4	20359		102	75	18	01/78→12/81		
		LKD		571379	4	20759		102	75	18	01/82→12/85		
		LKD		571444	4	20653		102	75	18	01/86→12/88		
		LKD		571442	4	21480		105	75	18	01/89→		
TL 7.14, TL 8.14, TL 9.14	07/92→	MER	F	2930209560	4	29302		175,5	78	22			
		MER	R	2930209560	4	29302		175,5	78	22			

AYATS



Atlantis

SB7000		KNR	F	2925305390	4	29252	247,5	109,5	30				
		KNR	R	2925305390	4	29252	247,5	109,5	30				

Atlas

SB7000		KNR	F	2925305390	4	29252	247,5	109,5	30				
		KNR	R	2925305390	4	29252	247,5	109,5	30				



WVA



!



... AYATS



Bravo 1

SB7000		KNR	F	2925305390	4	29252		247,5	109,5	30				
		KNR	R	2925305390	4	29252		247,5	109,5	30				

BERKHOF PSV



Ambassador

ALE 106-205, ALE 106-225; ALE 120-205, ALE 120-225		KNR	F	2925305390	4	29252		247,5	109,5	30				
		KNR	R	2925305390	4	29252		247,5	109,5	30				

Axial 50

	01/97→	MER	F	2909009560	4	29090		250	114	28				
--	--------	-----	---	------------	---	-------	--	-----	-----	----	--	--	--	--

Excellence

3000HD		KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45

Radial

	01/97→	MER	F	2909009560	4	29090		250	114	28				
--	--------	-----	---	------------	---	-------	--	-----	-----	----	--	--	--	--

Radial+D361

12m	01/97→	MER	F	2909009560	4	29090		250	114	28				
-----	--------	-----	---	------------	---	-------	--	-----	-----	----	--	--	--	--

Scania Chassis

		KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45

BMC



1100 Falcon

School Bus	2002→	WAB		2908809560	4	29088		175,5	86	26				
------------	-------	-----	--	------------	---	-------	--	-------	----	----	--	--	--	--

BOVA



Futura

FHD 10-290, FHD 10-300, FHD 12-290, FHD 12-360, FHD 12-370, FVD 12-220, FVD 12-270	01/86→	KNR	F	2974705440	8	29747	460	140	121	33	01/90→12/94		567115	48
		KNR		2925305390	4	29252	430	247,5	109,5	30			567801	45
FLD 14 Knorr SB/SN7...	01/86→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45

Futura (3-Axle)

FHD 15-430, FHX 15-420, FLD 15-370	01/95→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567801	45
FHD 12.370A Knorr SB/SN6 268kW	01/96→	KNR	F	2909305390	4	29093		211	92,5	30				

Lexio

LD 123, LD 130	09/05→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567801	45

Magiq

HD 120, HD 122; HD 131 Magnum, HD 139 Magnum	10/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567801	45

Synergy

DD 130, DD 138; SDD 130, SSD141	10/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567801	45

BPW



Eco Max SB/SN6 (SB3745)

K Series	→04/03	KNR		2909305390	4	29093	377	211	92,5	30		587035/587036	569143	45
----------	--------	-----	--	------------	---	-------	-----	-----	------	----	--	---------------	--------	----

Eco Plus SB/SN6 (SB3745)

Wheel = 19.5" Air Brake	→04/03	KNR		2909305390	4	29093	377	211	92,5	30		587035/587036	569022	45
	05/03→	KNR		2916505390	4	29165	375	210,5	92,5	30	no ABS	587035/587036	569145	45
							377				ABS		569146	45



... BPW

Eco Max SB/SN6 (SB3745)

K Series	05/03→	KNR	2916505390	4	29165	375	210,5	92,5	30	no ABS	587035/587036	569145	45
						377				ABS		569146	45

Eco Plus SB/SN7 (SB4345)

Wheel = 22.5" Air Brake	→04/03	KNR	2925305390	4	29252	430	247,5	109,5	30			569141	45
	05/03→	KNR	2916705390	4	29167	430	247,5	109,5	30		587035/587036	569141	45

Eco Plus SK7 (SB4309)

	05/03→	KNR	2917105390	4	29158	430	211	108	30			569141	45
--	--------	-----	------------	---	-------	-----	-----	-----	----	--	--	--------	----

SH Series SB/SN7 (SB4345)

HD	→04/03	KNR	2925305390	4	29252		247,5	109,5	30				
	05/03→	KNR	2916705390	4	29167	430	247,5	109,5	30		587035/587036	569141	45

SKH Series SB/SN6 (SB3745)

Uni - Disc	→04/03	KNR	2909305390	4	29093	377	211	92,5	30		587035/587036	569143	45
						377						569123	
						377						569144	45
Uni - Disc	05/03→	KNR	2916505390	4	29165	375	210,5	92,5	30	no ABS	587035/587036	569145	45
						377				ABS		569146	45

CAETANO PSV



Enigma 12m, Porto 12m

	1991→1996	MER	F	2903005390	4	29030		250	118,5	28	587019		
	1997→	MER	F	2909009560	4	29090	438	250	114	28	587027	567152	45

CRANE FRUEHAUF



All

Haldex DB22 (22, 5")	01/00→	HAL		2914305390	4	29143		248	105	30	587035/587036		
Knorr SB6000		KNR		2909305390	4	29093	377	211	92,5	30		569110	45
Knorr SB7000		KNR		2925305390	4	29252	430	247,5	109,5	30		569100	45

DAF



65 CF Series

FA 65.180, FA 65.220, FA 65.250	01/01→	KNR	F	2925305390	4	29252		247,5	109,5	30			
136-184kW		KNR	R	2925305390	4	29252		247,5	109,5	30			

75 CF-Series

FA 75.250, FA 75.310, FA 75.360, FAG 75.250,	01/01→	KNR	F	2925305390	4	29252		247,5	109,5	30			
FAG 75.310, FAG 75.360, FAR 75.250,		KNR	R	2925305390	4	29252		247,5	109,5	30			
FAR 75.310, FAR 75.360, FAT 75.250,													
FAT 75.310, FAT 75.360, FT 75.250,													
FT 75.310, FT 75.360 183-265kW													

85 CF-Series

FA 85.340, FA 85.380, FA 85.430, FA 85.480,	01/01→	KNR	F	2925305390	4	29252		247,5	109,5	30			
FAD, FAD 85.380, FAD 85.430, FAD 85.480,		KNR	R	2925305390	4	29252		247,5	109,5	30			
FAG 85.340, FAG 85.380, FAG 85.430,													
FAG 85.480, FAR 85.340, FAR 85.380,													
FAR 85.430, FAR 85.480, FAT 85.340,													
FAT 85.430, FAT 85.480, FT 85.340,													
FT 85.380, FT 85.430, FT 85													

F 45 Series

FA 45.120-035, FA 45.120-06, FA 45.130 B06,	05/91→12/00	WAB	F	2901709560	4	29017	312	191	87	23		567123	30
FA 45.130 C06, FA 45.150 B08, FA 45.150 C08,		WAB		2902409561	4	29017		191	87	23			
FA 45.150 B11, FA 45.150 C11, FA 45.150 C09,													
FA 45.150-10, FA 45.150 B10, FA 45.160 -10,													
FA 45.160 C08, FA 45.160 C09, FA 45.160 C11,													
FA 45.180, FA 45.210 85-158kW													

F 50 Series

FA 50 Wheel = 19,5" Air Brake Wabco 1600 V-G	→05/95	WAB	F	2907705390	4	29077	375	205	106	27		567812	44
--	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	----



WVA



!



... DAF



F 55 Series

FA 55.150 B13, FA 55.180 B13, FA 55.180 B15, FA 55.210 B13, FA 55.210 B15, FA 55.230 B13, FA 55.230 B15, FAG 55.210 B 21 107-173kW	11/95→12/00	WAB	F	2907705390	4	29077	375	205	106	27			567812	44
---	-------------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

F 600

FA 600 CD 85kW	12/86→12/92	WAB	F	2901709560	4	29017	315	191	87	23			567122	26
----------------	-------------	-----	---	------------	---	-------	-----	-----	----	----	--	--	--------	----

F 800 Series

FA 800 CB, FA 800 CN 96-108kW	12/86→08/91	WAB	F	2901709560	4	29017	315	191	87	23			567122	26
-------------------------------	-------------	-----	---	------------	---	-------	-----	-----	----	----	--	--	--------	----

F 1000

FA 1000 CB, FA 1000 CN 96-108kW	12/86→12/92	WAB		2901709560	4	29017	312	191	87	23			567123	30
---------------------------------	-------------	-----	--	------------	---	-------	-----	-----	----	----	--	--	--------	----

LF 45

45.220, FA 45.150, FA 45.170, FA 45.180, W FA 45.220 110-162k	01/01→	WAB WAB WAB	F R	2908809560	4	29088	330	175,5	86	26	12 ton axle	587056	569127 569128 569129	34 34 34
--	--------	-------------------	--------	------------	---	-------	-----	-------	----	----	-------------	--------	----------------------------	----------------

LF 55

FA 55.170, FA 55.180, FA 55.220, FA 55.250, FA LF.180, FT 55.180, FT 55.220, FT 55.250 123kW	01/01→	KNR KNR	F R	2925305390	4	29252		247,5	109,5	30	6x2 Opt			
FA 55.170, FA 55.180, FA 55.220, FA 55.250, FA LF.180, FT 55.180, FT 55.220, FT 55.250 123kW	→02/03	WAB WAB	F R	2914209569	4	29141	375	204	99,5	30		587034	569130 569131	45 45
FA 55.170, FA 55.180, FA 55.220, FA 55.250, FA LF.180, FT 55.180, FT 55.220, FT 55.250 123kW	03/03→	WAB WAB	F R	2915905390	4	29126		210,5	92,5	30				

Roadrunner

6.10, 12, 13, 15, 8.10, 12, 13, 15	01/86→12/91	WAB WAB	F F	2901709560 2902409561	4	29017	315	191	87	23			567122	26
10.12, 13, 15	01/86→12/91	WAB	F	2902409561	4	29017	312	191	87	23			567123	30

XF 95

FA 95.380, FA 95.430, FA 95.480, FA 95.530, FT 315, FT 355, FT 95.380, FT 95.530, FTG 95.380 250-390kW	09/02→	KNR KNR	F R	2925305390	4	29252		247,5	109,5	30				
--	--------	------------	--------	------------	---	-------	--	-------	-------	----	--	--	--	--

XF105

XF 105.410, XF 105.460, XF 105.510	10/05→	KNR KNR	F R	2925305390	4	29252		247,5	109,5	30				
------------------------------------	--------	------------	--------	------------	---	-------	--	-------	-------	----	--	--	--	--

DAF



MB230

LB, LT	01/87→	KNR	F	2974705440	8	29747	460	140	121	33			567115	48
--------	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

SB200

	2001→	KNR KNR	F R	2909305390	4	29093	377	211	92,5	30			569156 569193	45 45
--	-------	------------	--------	------------	---	-------	-----	-----	------	----	--	--	------------------	----------

SB230

		WAB WAB	F R	2915905390	4	29126		210,5	92,5	30				
--	--	------------	--------	------------	---	-------	--	-------	------	----	--	--	--	--

SB2300

DHTD	01/87→	KNR	F	2974705440	8	29747	460	140	121	33			567115	48
------	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

SB2305

DHS, DHTD	01/87→	KNR	F	2974705440	8	29747	460	140	121	33			567115	48
-----------	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

SB2705

	01/87→	KNR	F	2974705440	8	29747	460	140	121	33			567115	48
--	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----



WVA



!



... DAF



SB3000

DKSB, DKS, DSKB	1984→1989	KNR	F	2974705440	8	29747	460	140	121	33		567115	48
	1989→1994	MER		2915009560	4	29150		249	117,5	30			
	1994→	MER	R	2915009560	4	29150		249	117,5	30			

SB4000

	1998→	MER	F	2915009560	4	29150		249	117,5	30			
		MER	R	2915009560	4	29150		249	117,5	30			

SBR3000

	1986→	KNR	F	2974705440	8	29747	460	140	121	33		567115	48
--	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	----

Swift

	01/87→	WAB	F	2901709560	4	29017	315	191	87	23		567122	26
--	--------	-----	---	------------	---	-------	-----	-----	----	----	--	--------	----

DENNIS



Eagle

Refuse Wagon	1994→	MER	F	2909009560	4	29090	438	250	114	28	587027	567152	45
		MER	R	2909009560	4	29090	438	250	114	28	587027	567152	45

Elite

Elite	01/00→	MER	F	2909009560	4	29090		250	114	28	587027		
-------	--------	-----	---	------------	---	-------	--	-----	-----	----	--------	--	--

Fire Engines

Dagger		KNR	F	2914809560	2	29115		174	84	27			
		KNR			2	29148		185	84	34			
		KNR	R	2914809560	2	29115		174	84	27			
Rapier (22, 5") SEE 2x67	09/91→	SEE	F	2901309561	4	29013	354	180	86	20,5		567949	30
Sabre (22, 5") Meritor D LISA	1995→	MER	F	2909009560	4	29090	438	250	114	28	587027	567152	45

Olympus

OL-10N, OL-16N, OL-19N; OL-13W, OL-16W, OL-19W, OL-21W, OL-23W, OL27W	10/09→	KNR	F	2925305390	4	29252		247,5	109,5	30			
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Phönix

All	11/05→	MER	F	2909009560	4	29090		250	114	28			
-----	--------	-----	---	------------	---	-------	--	-----	-----	----	--	--	--

DENNIS



Arrow

	1997→	MER	F	2909009560	4	29090	438	250	114	28	587027	567152	45
--	-------	-----	---	------------	---	-------	-----	-----	-----	----	--------	--------	----

Enviro

R300, R345, R420	01/02→	WAB	F	2915905390	4	29126		210,5	92,5	30			
		WAB	R	2915905390	4	29126		210,5	92,5	30			

Javelin Coach

MKIII (10/11/12m coach) (22, 5") Meritor D LISA	01/91→	MER	F	2909009560	4	29090		250	114	28	587027		
--	--------	-----	---	------------	---	-------	--	-----	-----	----	--------	--	--

Lance

SLF (22, 5") Meritor D3	01/95→	MER	F	2903005390	4	29030		250	118,5	28			
		MER		2905305390	4	29053		250	118,5	30	over size		

R Series

(22, 5") Knorr SB7	01/01→	KNR	F	2925305390	4	29252		247,5	109,5	30			
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567801	45

Trident II

(22, 5") Knorr SB7	01/01→	KNR	F	2925305390	4	29252		247,5	109,5	30			
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567801	45

DEN OUDSEN



Almere Bus

Citybus	1998→	MER	F	2915009560	4	29150		249	117,5	30			
---------	-------	-----	---	------------	---	-------	--	-----	-------	----	--	--	--



DISCOS



Trailer

Hendricksons (22, 5") Knorr SB/SN7	1998→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
NR5 / 10DCL-9 / 10DCLG-9 / 10DCL-10.5	1999→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
22, 5" Knorr SB7													
Hallex-Brake Intra disc DB22 MKII, MKIII	2000→	HAL	F	2914305390	4	29143		248	105	30	587035/587036		
TZ/ 1C7-10.5 22, 5" Knorr SB/SN7	2000→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
Knorr SB/SN5	2000→	KNR	F	2914809560	2	29115		174	84	27			
		KNR	R		2	29148		185	84	34			
TE Axles Knorr SK7		KNR	F	2915805390	4	29158		211	108	30			
TE3, TZ3 19, 5" Knorr SB/SN6		KNR	F	2909305390	4	29093	377	211	92,5	30		567765	45
TE5, TZ5 22, 5" Knorr SB/SN7		KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45

ERF



ECM/ECS/ECT/ECX

4x2, 6x2	2002→03/03	MER	F	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
		KNR	F	2925305390	4	29252		247,5	109,5	30	SB7		
		MER	R	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
		KNR	R	2925305390	4	29252		247,5	109,5	30	SB7		

ECS/ECT/ECX

4x2, 6x2	→2001	MER	F	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
		MER	R	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
4x2, 6x2	04/03→	MER	F	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
		MER	F	2913109560	4	29131		249,5	118	30	D-Elsa2 - No ABS		
		KNR	F	2925305390	4	29252		247,5	109,5	30	SB7		
		MER	R	2903005390	4	29030	432	250	118,5	28	D3/D-Elsa 1	567410	45
		MER	R	2913109560	4	29131		249,5	118	30	D-Elsa2 - No ABS		
		KNR	R	2925305390	4	29252		247,5	109,5	30	SB7		

ERNST AUWÄRTER



Clubstar

Wheel = 19,5" Air Brake MAN 11.220 HOCL	01/98→	KNR	F	2909305390	4	29093	377	211	92,5	30	587003	567766	45
Chassis. Knorr SB6 Wheel = 19,5"		KNR	R	2909305390	4	29093	377	211	92,5	30	587003	567765	45
Air Brake MB Atego. Knorr SB6													

Economy

Wheel = 17,5" Hydraulic Brakes	01/98→	MER	F	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30
MB 815Vario. Meritor 2x60		MER	R	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30

Eurostar

Wheel = 22,5" Air Brake MB O 404 Chassis.	01/92→	MER	F	2903005390	4	29030	438	250	118,5	28		587007	567555	45
Meritor D3		MER	F	2905305390	4	29053		250	118,5	30	over size			
		MER	R	2903005390	4	29030	438	250	118,5	28		587007	567555	45
		MER	R	2905305390	4	29053		250	118,5	30	over size			

Teamstar

Wheel = 17,5" Hydraulic Brakes	01/98→	MER	F	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30
MB 815 Vario. Meritor 2x60		MER	R	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30

FODEN



Alpha

KNR SB7000 Tractor Units 4x2, 6x2,	05/01→	KNR	F	2925305390	4	29252		247,5	109,5	30				
KNR SB7000 Tipper & Rigid		KNR	R	2925305390	4	29252		247,5	109,5	30				

FORD



Transit III

All Models	09/85→09/91	BDX	F	571336	4	21141	270	114	58	18	SWB/ dual tyre	561121	14.3
		LKD	F	571233	4	20364	254	90	70	15	2 Piston Caliper	561378	14.3
		LKD	F	571250	4	20359		102	75	18	4 Piston Caliper		



... FORD



Transit IV

All Models	09/91→06/94	BDX	F	571745	4	21470	254	139	65	18	14" Wheel		561624	24.5
		BDX		571746	4	21469	254	137	74	18	15" Wheel		561378	14.3

Transit V

All Models	06/94→03/00	BDX	F	571745	4	21470	254	139	65	18	→98, 14" Wheel		561624	24.5
		BDX		571746	4	21469	270	137	74	18	→98, 15" Wheel		561625	24.5
		BDX		571745	4	21470	254	139	65	18	98→, 14" Wheel		561624	24.5
		BDX		571746	4	21469	270	137	74	18	98→, 15" Wheel		561625	24.5

Transit VI

All Models	08/00→06/06	BOS	F	573015	4	23430	276	169	63,5	18,5	RWD		562141	24.5
		BOS		573110	4	23840	294	169	62,5	18,5	FWD		562140	24.3

Transit VII

All Models	07/06→	BOS	F	573275	4	24484	300	165	66,5	19	RWD		562540	28
		BOS		573276	4	24485	280	165	65	19	FWD		562541	28
		BOS	R	573277	4	24486	280	123	53,5	17			562537	16
		BOS		573277	4	24486	280	123	53,5	17	dual tyre		562638	16

FORD



Cargo

1713, 1714, 1717, 1720, 1724, 1728 0 608, 0 609, 0 611, 0 708, 0 709, 0 711, 0 712, 0 713, 0 813 (4 wheel Rigid), 0 813 (for Brake pads), 0 815 0 808, 0 809, 0 811, 0 812	01/81→	MER	F	2930209560	4	29302	322	175,5	78	22			567121	30
		MER	R	2930209560	4	29302	322	175,5	78	22			567121	30

Supercargo

Wheel = 19,5" Air Brake 110E - 140E Models. 150E, 210E to 280E & 320E Models. Knorr ADB37...	01/91→12/98	BDX	F	2903209560	4	29032	370	206	110	25			567125	45
Wheel = 22,5" Air Brake 170E to 190E & 320E to 390E. Knorr ADB430...	10/96→06/98	BDX	F	2901109560	4	29011	370	241	125	25			567126	45

GIGANT GROUP



S.A.E. (Dupillier)

Haldex-Brake Intra disc DB22 MKII, MKIII		HAL		2914305390	4	29143		248	105	30		587035/587036		
Knorr SB6...		KNR		2909305390	4	29093	377	211	92,5	30			569110	45
Knorr SB7...		KNR		2925305390	4	29252	430	247,5	109,5	30			569100	45
Wabco PAN19-1		WAB		2915905390	4	29126	377	210,5	92,5	30			569002	45

SMB

Haldex-Brake Intra disc DB22 MKII, MKIII	2000→	HAL		2914305390	4	29143	430	248	105	30		587035/587036	569100	45
Haldex Disc Brake DB19	01/06→	HAL		2918105390	4	29147		210,5	92	30				
Knorr SB6-Brake (19,5")	2000→	KNR		2909305390	4	29093	377	211	92,5	30			569110	45
Knorr SB7-Brake (22, 5")	2000→	KNR		2925305390	4	29252	430	247,5	109,5	30			569100	45

Trenkamp & Gehle

Protec-axle for Knorr SB5		KNR		2914809560	2	29115		174	84	27				
		KNR			2	29148		185	84	34				
Protec-axle for Knorr SB6		KNR		2909305390	4	29093		211	92,5	30				
Protec-axle for Knorr SB7		KNR		2925305390	4	29252	430	247,5	109,5	30	No ABS		569147	45
							430				ABS		569152	45
Protec-axle DNH6 10008 3745; DH6 10008 3745	2000→	WAB		2915905390	4	29126		210,5	92,5	30				

GRANNING LYNX



All

Axle trailers, Wheel =19.5 Knorr SB6...	2000→	KNR		2909305390	4	29093		211	92,5	30				
Truck wheel=22.5 Knorr SB7		KNR		2925305390	4	29252		247,5	109,5	30				



HALDEX

MKIV, ModulX

DB22 disc brake versions for 22, 5" wheel		HAL	2914305390	4	29143	248	105	30	with bump			
DB19												
GIGANT, RENAULT Trucks, VOLVO Applications		HAL	2918105390	4	29147	210,5	92	30				

HEULIEZ

→ SEE IRISBUS

IKARUS

Articulated City Bus

435.18E, 435.18F		KNR	F	2925305390	4	29252	247,5	109,5	30			
		KNR	R	2925305390	4	29252	247,5	109,5	30			
		KNR		2925305390	4	29252	247,5	109,5	30	Auxiliary Axle		
City Bus												
415.3, 415.30A		KNR	F	2925305390	4	29252	247,5	109,5	30			

INBUS

F140 (Filobus)

		WAB	F	2901609561	8	29016	425	163	162	28	Rotor available until stock lasts	567132	45
U210 - S210 - 1330													
		WAB	F	2901609561	8	29016	425	163	162	28	Rotor available until stock lasts	567132	45

IRISBUS

Agora

Agora	01/95→08/98	MER	F	2903005390	4	29030	438	250	118,5	28		587026 01/97→	567953	45
		MER		2905305390	4	29053		250	118,5	30	over size			
	09/98→2000	MER		2909009560	4	29090	438	250	114	28		587027	567953	45
Agora Line	2001→	MER	F	2913109560	4	29131	438	249,5	118	30		587032	567953	45
		MER	R	2913109560	4	29131		249,5	118	30		587032		

Ares

Engine: Iveco Cursor 8 F2BE0682D Euro3	01/02→	MER	F	2913109560	4	29131		249,5	118	30		587032		
		MER	R	2913109560	4	29131		249,5	118	30	middle axle	587032		
		MER		2913109560	4	29131		249,5	118	30		587032		

Arway

Intercity 12m, 18m	2006→	MER	F	2913109560	4	29131		249,5	118	30		587032		
		MER	R	2913109560	4	29131		249,5	118	30		587032		
15m		MER	F	2909009560	4	29090		250	114	28				
		MER		2913109560	4	29131		249,5	118	30				
		MER	R	2913109560	4	29131		249,5	118	30				

Axer

12m, 12.8m Engine: Iveco Cursor 8 Euro3 2050228	01/02→	MER	F	2913109560	4	29131		249,5	118	30		587032		
		MER	R	2913109560	4	29131		249,5	118	30		587032		

Citelis

Citybus 12m, 18m	2005→	MER	F	2909009560	4	29090		250	114	28		587027		
		MER		2913109560	4	29131		249,5	118	30	Option			
		MER	R	2903005390	4	29030		250	118,5	28				
		MER		2913109560	4	29131		249,5	118	30	Option			

Citybus

CITYBUS Engine: RVI 06.20.45 A41	01/98→12/01	MER	F	2909009560	4	29090	438	250	114	28		587027	567953	45
CITYBUS Engine: Iveco Cursor 8 F2BE 0682D Euro3	01/02→	MER	F	2909009560	4	29090	438	250	114	28		587027	567953	45
		MER	R	2903005390	4	29030		250	118,5	28				
		MER		2905305390	4	29053		250	118,5	30	over size			

Crealis

18m	2009→	MER	F	2913109560	4	29131		249,5	118	30		587032		
		MER	R	2913109560	4	29131		249,5	118	30		587032		



... IRISBUS



Crossway

Intercity coach	2006→	MER	F	2913109560	4	29131	249,5	118	30			
		MER	R	2913109560	4	29131	249,5	118	30			

FR1 (5.4M, 5.6M, 6.2M)

		SEE	F	2904409561	4	29044	400	236	95	20,5		567951	42
--	--	-----	---	------------	---	-------	-----	-----	----	------	--	--------	----

Heuliez GX127

Meritor D-Lisa	2006→	MER	F	2909009560	4	29090	250	114	28				
		MER	R	2909009560	4	29090	250	114	28				

Heuliez GX127 L

Meritor D-Lisa Meritor D-Elsa2	2006→	MER	F	2909009560	4	29090	250	114	28				
		MER	R	2909009560	4	29090	250	114	28				
		MER		2913109560	4	29131	249,5	118	30				

Heuliez GX217

Wheel = 22,5" Air Brake (Ch. Volvo) Meritor D-Lisa		MER	F	2909009560	4	29090	438	250	114	28		587027	567953	45
---	--	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	--------	----

Heuliez GX317

Wheel = 22,5" Air Brake (Ch. Renault) Meritor D-Lisa	→1998	MER	F	2903005390	4	29030	438	250	118,5	28	over size	587007	567953	45
		MER		2905305390	4	29053		250	118,5	30				
Wheel = 22,5" Air Brake (Ch. Renault) Meritor D-Lisa	1998→	MER	F	2909009560	4	29090	438	250	114	28		587027	567953	45

Heuliez GX417

Wheel = 22,5" Air Brake (Ch. Volvo) Meritor D-Lisa		MER	F	2909009560	4	29090	438	250	114	28		587027	567953	45
---	--	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	--------	----

Iliade

Iliade	01/97→05/00 06/00→	MER	F	2903005390	4	29030	438	250	118,5	28		587026	567953	45
		MER		2913109560	4	29131	438	249,5	118	30		587032	567953	45
		MER	R	2913109560	4	29131		249,5	118	30		587032		

Iveco Magirus

160 R81, 315.17 Turbo, 316.8.17 Turbo		KNR	F	2968805440	8	29688	315	110	99	27			567119	35
---------------------------------------	--	-----	---	------------	---	-------	-----	-----	----	----	--	--	--------	----

Iveco 370

370.12.24, 370.12.25, 370.12.30, 370.12.35	1984→	BRE	F	2907503341	8	29075	417	180	106	20			567120	30
--	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco 380

380.29-43, 490.18.29E2	1985→	BRE	F	2907503341	8	29075	417	180	106	20			567134	28
------------------------	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco 391 E- 393E - 397E

391E - 393E - 397 Eurorider	1992→	BRE	F	2907503341	8	29075	417	180	106	20	rigid axle		567120	30
		KNR		2925305390	4	29252	436	247,5	109,5	30	independent wheel suspension	587028	567135	45
		KNR	R	2925305390	4	29252	436	247,5	109,5	30	independent wheel suspension	587028	567135	45

Iveco MyWay

43 Eurorider, 393.35 MyWay		KNR	F	2925305390	4	29252	432	247,5	109,5	30	independent wheel suspension		569125	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	independent wheel suspension		569125	45

Iveco 471

471-10.20/471-12.20	1984→1988	WAB	F	2901609561	8	29016	425	163	162	28			567131	45
---------------------	-----------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco 480/580

480.21 Turbocity, 580.21 Turbocity-S	1988→	WAB	F	2901609561	8	29016	425	163	162	28			567130	45
--------------------------------------	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco 490

490.12 Turbo/490.18 Turbo/490.22 Turbo-U	1992→	WAB	F	2901609561	8	29016	425	163	162	28			567130	45
--	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco 491/591

	1998→	MER	F	2915009560	4	29150		249	117,5	30	22.5" wheel (DX225 brake)			
--	-------	-----	---	------------	---	-------	--	-----	-------	----	---------------------------	--	--	--

Iveco Euroclass

Euroclass	1993→	BRE	F	2907503341	8	29075	417	180	106	20			567134	28
-----------	-------	-----	---	------------	---	-------	-----	-----	-----	----	--	--	--------	----

Iveco Midway

Intercity 9.7m (Iveco Tector Engine EURO 3)	2006→	KNR	F	2909305390	4	29093	377	211	92,5	30			569170	45
---	-------	-----	---	------------	---	-------	-----	-----	------	----	--	--	--------	----



... IRISBUS



Karosa												
930 Engine: RVI 06.20.45 A3/B3/A41/C41/D41, opt. Liaz	01/97→12/01	KNR	F	2925305390	4	29252		247,5	109,5	30		
B961 Articulated	01/02→2006	KNR	F	2925305390	4	29252		247,5	109,5	30		
Karosa B940 Articulated												
Engine: RVI 06.20.45 A3/B3/A41/C41/D41, Opt. Liaz	01/97→12/01	KNR	F	2925305390	4	29252		247,5	109,5	30		
Karosa B951, B952												
Engine: Iveco Cursor 8 Euro3 2050 F2BE0682D180	01/02→2006	KNR	F	2925305390	4	29252		247,5	109,5	30		
Magelys												
HD	08/08→	MER	F	2909009560	4	29090		250	114	28		
		MER		2913109560	4	29131		249,5	118	30		
		MER	R	2913109560	4	29131		249,5	118	30		
Proway												
Short, Long		MER	F	2909009560	4	29090		250	114	28		
		MER		2913109560	4	29131		249,5	118	30		
		MER	R	2913109560	4	29131		249,5	118	30		
Recreo												
12m, 12.8m	10/03→01/07	MER	F	2909009560	4	29090		250	114	28		
		MER		2913109560	4	29131		249,5	118	30		
		MER	R	2913109560	4	29131		249,5	118	30		

IVECO



Daily I 78→99

30-8		BRE	F	2912104530	4	29121	290	165	66	20	05/96→	587024	567118	22		
		BRE		573174	4	29140	267	110	73	18,5	05/96→		561127	14.2		
		BRE		571325	4	21048	267	110	74	18,5	→04/86; Rotor available until stock lasts		561612	14.2		
		BRE		571321	4	20380	267	110	73	18,5	04/86→12/89		561127	14.2		
		BRE		571422	4	21620	267	110	73	18,5	01/90-05/96, Opt; Rotor available until stock lasts		561612	14.2		
		LKD		571442	4	21480		105	75	18	01/90→05/95, Opt		561127	14.2		
		BRE		571416	4	29037	267	110	73	18,5	01/90-05/96					
		LKD		571444	4	20653		102	75	18	04/86→12/89, Opt					
		LKD		571379	4	20759		102	75	18	→04/86					
		BRE	R	2912104530	4	29121	289	165	66	20	05/96→		587024	567128	22	
30.9 i		BRE	F	573081	4	29139		110	73	18,5						
35-8		BRE	F	2912104530	4	29121	290	165	66	20	05/96→	587024	567118	22		
		BRE		571325	4	21048	267	110	74	18,5	→04/86; Rotor available until stock lasts		561612	14.2		
		BRE		571321	4	20380	267	110	73	18,5	04/86→12/89		561127	14.2		
		BRE		571422	4	21620	267	110	73	18,5	01/90-05/96, Opt; Rotor available until stock lasts		561612	14.2		
		LKD		571442	4	21480		105	75	18	01/90→05/95, Opt		561360	16		
		LKD		571444	4	20653		102	75	18	04/86→12/89, Opt					
		LKD		571250	4	20359	280	102	75	18	01/85→12/89; Rotor available until stock lasts					
		BRE	R	2912104530	4	29121	289	165	66	20	05/96→				587024	567128
	35-10		BRE	F	2912104530	4	29121	290	165	66	20		05/96→	587024	567118	22
			BRE		573174	4	29140	267	110	73	18,5		05/96→		561127	14.2
		BRE		571321	4	20380	267	110	73	18,5	04/86→12/89	561127	14.2			
		BRE		571422	4	21620	267	110	73	18,5	01/90-05/96, Opt; Rotor available until stock lasts	561612	14.2			
		LKD		571442	4	21480		105	75	18	01/90→05/95, Opt	561360	16			
		LKD		571444	4	20653		102	75	18	04/86→12/89, Opt					
		BRE	R	2912104530	4	29121	289	165	66	20	05/96→	587024	567128		22	
35-12			BRE	F	2912104530	4	29121	290	165	66	20	05/96→	587024		567118	22
		BRE		571419	4	29012		149	69	18	05/96→	561612		14.2		
		BRE		571422	4	21620	267	110	73	18,5	01/90-05/96, Opt; Rotor available until stock lasts					
		LKD		571442	4	21480		105	75	18	01/90→05/95, Opt					
		LKD		571446	4	20465	280	149	69	18	→05/96, Turbo; Rotor available until stock lasts				561360	16
		BRE	R	2912104530	4	29121	289	165	66	20	05/96→	587024		567128	22	



... IVECO



... Daily I 78→99

40-8			F	571325	4	21048	267	110	74	18,5	→04/86		561127	14.2
			F	571825	4	21186	280	149	69	18	→12/86, Turbo; Rotor available until stock lasts		561360	16
			F	571321	4	20380	267	110	73	18,5	05/86→12/89		561127	14.2
			F	571446	4	20465	280	149	69	18	01/87→05/96, Turbo; Rotor available until stock lasts		561360	16
			F	571444	4	20653		102	75	18	05/86→12/89, Opt			
			F	571422	4	21620	267	110	73	18,5	01/90→05/96		561127	14.2
			F	571442	4	21480		105	75	18	01/90→05/96, Opt			
			F	571250	4	20359	280	102	75	18	→04/86; Rotor available until stock lasts		561360	16
40-10			F	571419	4	29012		149	69	18	01/97→		561360	16
			F	571825	4	21186	280	149	69	18	→12/96; Rotor available until stock lasts		561360	16
			F	571446	4	20465	280	149	69	18	LKD →12/96, Turbo; Rotor available until stock lasts		561360	16
45-10			F	571419	4	29012		149	69	18	05/96→		561360	16
			F	571825	4	21186	280	149	69	18	→12/96; Rotor available until stock lasts		561360	16
			F	571446	4	20465	280	149	69	18	01/87→05/96, Turbo; Rotor available until stock lasts		561360	16
			F	571446	4	20465	280	149	69	18	LKD →05/96, Turbo; Rotor available until stock lasts		561360	16
45-12			F	571419	4	29012		149	69	18	05/96→		561360	16
			F	571446	4	20465	280	149	69	18	LKD →04/96, Turbo; Rotor available until stock lasts		561360	16
49-10			F	571419	4	29012		149	69	18	05/96→		561360	16
			F	571825	4	21186	280	149	69	18	→12/96; Rotor available until stock lasts		561360	16
			F	571446	4	20465	280	149	69	18	01/87→05/96, Turbo; Rotor available until stock lasts		561360	16
			F	2912104530	4	29121	290	165	66	20	BRE 05/96→	587024	567118	22
			F	571446	4	20465	280	149	69	18	LKD →05/96, Turbo; Rotor available until stock lasts		561360	16
			R	2912104530	4	29121	289	165	66	20	BRE, 05/96→	587024	567128	22
49-12			F	571419	4	29012		149	69	18	05/96→		561360	16
			F	2912104530	4	29121	290	165	66	20	BRE 05/96→	587024	567118	22
			F	571446	4	20465	280	149	69	18	LKD →05/96, Turbo; Rotor available until stock lasts		561360	16
			R	2912104530	4	29121	289	165	66	20	BRE, 05/96→	587024	567128	22
52-10, 52-12			F	571446	4	20465	280	149	69	18	LUC; Rotor available until stock lasts		561360	16
59-12			F	573513	4	29001	290	174	69	20	→04/96		567124	25

Daily II 99→06

29L			F	2912114530	4	29121	276	165	66	18		587024	569104	22
			R	2912309560	4	29123	276	109,5	64	20,5	single wheel (-) ABS	587043	569105	16
			R	2912309560	4	29123	425	109,5	64	20,5	single wheel (+) ABS	587043	567130	45
35C, 35S, 50C, 65C 15			F	2912104530	4	29121	290	165	66	20		587024	567118	22
			F	2912114530	4	29121	290	165	66	18		587024	569168	22
			R	2912104530	4	29121	289	165	66	20	twin wheels	587024	567128	22
			R	2912309560	4	29123	289	109,5	64	20,5	single wheel	587043	567128	22
60C, 65C			F	2916009560	4	29160	290	164,5	68	20			569154	26
			R	2916009560	4	29160	306	164,5	68	20			569159	22

Daily III 06→

29L			F	2922909560	4	29229	300	163	67	20,5		587038	569165	28
			R	2923209560	4	24570	296	141	73	21	(-) ABS Crown	587039	569162	16
			R	2912309560	4	29123	296	109,5	64	20,5	(+) ABS Crown	587039	569163	16
35S			F	2922909560	4	29229	300	163	67	20,5		587038	569165	28
			R	2923209560	4	24570	296	141	73	21	(-) ABS Crown	587039	569162	16
			R	2923209560	4	24570	296	141	73	21	(+) ABS Crown		569163	16
35C, 40C, 50C			F	2922909560	4	29229	290	163	67	20,5		587038	569164	28
			R	2923209560	4	24570	294	141	73	21	twin wheel	587039	569195	24
			R	2923209560	4	24570	294	141	73	21	twin rear wheel, (+) ABS Crown		569192	24
60C, 65C			F	2937409560	4	29121		174,5	85,5	22	BRE	587045		30
			R	2923109560	4	29231	306	184	65	22,5	BRE	587038	562805	28

IVECO



Cargo Plus

7,5t, 18t	02/02→	MER	F	2906709560	4	29067		175,5	78	22				
		BRE	F	2937409560	4	29121		174,5	85,5	22				
		MER	R	2906709560	4	29067		175,5	78	22				
		BRE	R	2937409560	4	29121		174,5	85,5	22				



... IVECO



EuroCargo

60E10, 60E12, 60E14, 65E10, 75E12, 75E14, 75E15 75-110kW	01/91→12/96	MER	F	2906509560	4	29065	304	175	85,5	22		587002	567127	30
		MER	R	2906509560	4	29065	304	175	85,5	22		587002	567127	30
65E12, 65E14 75-110kW	01/91→	MER	F	2906509560	4	29065	304	175	85,5	22		587002	567127	30
		MER	R	2906509560	4	29065	304	175	85,5	22		587002	567127	30
75E12, 75E14, 75E15 85-105kW	01/97→	BRE	F	2937409560	4	29121	304	174,5	85,5	22	W.I. opt	587002 587025/587042	567127	30
		BRE	R	2937409560	4	29121	304	174,5	85,5	22		587002	567127	30
75E14, 75E16, 75E18, 80E18	08→	BRE	F	2925609560	4	29256		175,5	95	27				
		BRE	R	2925609560	4	29256		175,5	95	27				
80E15, 80E18, 80E21, 100E15, 100E18, 100E21, 180E21 T 105-152kW	01/91→	MER	F	2906709560	4	29067	322	175,5	78	22			567116	30
		MER	R	2906709560	4	29067	322	175,5	78	22		587002	567116	30
							322				Opt		569179	30
95E15 W, 95E21 W 105-152kW	11/93→	MER	F	2906509560	4	29065	304	175	85,5	22	→1996	587002	567127	30
		MER		2906709560	4	29067	322	175,5	78	22	1997→	587025/587042	567116	30
		MER	R	2906509560	4	29065	322	175	85,5	22	→1996	587002	567116	30
							304				1997→	587025/587042	567127	30
							322				Opt		569179	30
110-120EL-17, 5" Wheel Wabco Pan17	1999→	WAB	F	2908809560	4	29088	330	175,5	86	26		587044	569172	34
		WAB	R	2908809560	4	29088	330	175,5	86	26		587044	569172	34
110E15, 110E18, 110E23, 120E15, 120E18, 120E23, 130E15, 130E18, 130E23, 140E15, 140E18, 140E23, 140E27	01/91→	BDX	F	2903209560	4	29032	370	206	110	25	→03/02	587000	567125	45
							370				Opt		567126	45
		KNR	F	2909305390	4	29093	377	211	92,5	30	04/02→		569170	45
							377				ABS		569142	45
		KNR	R	2909305390	4	29093	377	211	92,5	30	06/03→; Rotor available until stock lasts		569188	45
135E18 W, 135E18 WR, 135E23 W, 135E23 WR	01/93→	BDX	F	2903209560	4	29032	370	206	110	25	→03/02	587000	567125	45
							370				Opt		567126	45
		KNR	F	2909305390	4	29093	377	211	92,5	30	04/02→		569170	45
							377				ABS		569142	45
		KNR	R	2909305390	4	29093	377	211	92,5	30	06/03→; Rotor available until stock lasts		569188	45
150E15, 150E18, 150E23, 150E27 R 105-196kW	01/92→	BDX	F	2903209560	4	29032	370	206	110	25	→06/98	587000	567125	45
							370				Opt		567126	45
		KNR	F	2925305390	4	29252	436	247,5	109,5	30	07/98→03/02	587028	567135	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45
170E18, 170E23, 170E27, 175E24, 175E27	01/94→	BDX	F	2903209560	4	29032	370	206	110	25		587000	567125	45
		BDX		2901109560	4	29011	430	241	125	25	→06/98, Opt	587000	567117	50
		KNR		2925305390	4	29252	436	247,5	109,5	30	07/98→03/02	587028	567135	45
176E30, 176E34, 179E24, 179E27, 179E30, 325E27, 390E30	1991→	BDX	F	2901109560	4	29011	430	241	125	25	→06/98	587000	567117	50
		KNR		2925305390	4	29252	436	247,5	109,5	30	07/98→03/02	587028	567135	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45
180E27, 390E34	1991→	BDX	F	2901109560	4	29011	430	241	125	25		587000	567117	50
210E23, 250E23, 280E23 T 105-167kW	09/91→	BDX	F	2903209560	4	29032	370	206	110	25	→03/02	587000	567125	45
		KNR		2909305390	4	29093	377	211	92,5	30	04/02→		569171	45
							377				ABS		569175	45
260E23	09/91→	BDX	F	2903209560	4	29032	370	206	110	25		587000	567125	45
320E23, 320E27	07/98→	KNR	F	2925305390	4	29252	436	247,5	109,5	30	→03/02	587028	567135	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45

EuroCargo Tector

65, 75, 80, 90 Series	09/00→	BRE	F	2937409560	4	29121	304	174,5	85,5	22		587002	567127	30
		BRE					304				W.I. opt	587025/587042		
		BRE	R	2937409560	4	29121	304	174,5	85,5	22		587002	567127	30
100 Series	09/00→	MER	F	2906709560	4	29067	322	175,5	78	22		587002	567116	30
		MER	R	2906709560	4	29067	322	175,5	78	22		587002	569179	30
120 Series	09/00→	WAB	F	2908809560	4	29088	330	175,5	86	26		587044	569172	34
		WAB	R	2908809560	4	29088	330	175,5	86	26		587044	569172	34
130, 150 Series	09/00→	KNR	F	2909305390	4	29093	377	211	92,5	30			569170	45
							377				ABS		569142	45
		KNR	R	2909305390	4	29093	377	211	92,5	30	Rotor available until stock lasts		569188	45
180, 260 Series	09/00→	KNR	F	2925305390	4	29252	432	247,5	109,5	30			569125	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30			569125	45
320 Series	09/00→	KNR	F	2909305390	4	29093	377	211	92,5	30			569171	45
							377				ABS		569175	45
		KNR	R	2909305390	4	29093		211	92,5	30				



... IVECO



EuroFire

75 E15 Tector	09/00→	BRE	F	2937409560	4	29121	304	174,5	85,5	22		567127	30
		BRE	R	2937409560	4	29121	304	174,5	85,5	22		567127	30
80 E18 Tector	09/06→	BRE	F	2937409560	4	29121	304	174,5	85,5	22	587045	567127	30
		BRE	R	2937409560	4	29121	304	174,5	85,5	22	587045	567127	30
100 E21 Tector, 100 E25W Tector	09/00→	MER	F	2906709560	4	29067	304	175,5	78	22		567127	30
120 E22 Tector	09/06→	WAB	F	2908809560	4	29088		175,5	86	26			
		WAB	R	2908809560	4	29088		175,5	86	26			
130 E24 Tector, 150 E24 Tector, 150 E28 Tector	09/00→	KNR	F	2909305390	4	29093	377	211	92,5	30		569170	45
		KNR	R	2909305390	4	29093	377	211	92,5	30		569170	45
140 E24 Tector	09/00→	KNR	F	2909305390	4	29093	377	211	92,5	30		569171	45
		KNR	R	2909305390	4	29093	377	211	92,5	30		569171	45
140 E30W Tector	09/06→	KNR	F	2909305390	4	29093	377	211	92,5	30		569171	45
160 E30 Tector	09/06→	KNR	F	2909305390	4	29093		211	92,5	30			
		KNR	R	2909305390	4	29093		211	92,5	30			

EuroStar

All Models fitted with Bendix 4300 brake	01/93→	BDX	F	2901109560	4	29011	430	241	125	25	→Ch.043134	587000	567117	50
		BDX	R	2901109560	4	29011	430	241	125	25	→Ch.043134	587000	567117	50
All Models fitted with Knorr SB76 Brake	→03/02	KNR	F	2925305390	4	29252	436	247,5	109,5	30	Ch.043135→	587028	567135	45
		KNR	R	2925305390	4	29252	436	247,5	109,5	30	Ch.043135→	587028	567135	45
All Models fitted with Knorr SB/SN7 Brake	04/02→	KNR	F	2925305390	4	29252	432	247,5	109,5	30			569125	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30			569125	45

EuroTech MH

190E24, 190E27, 190E31, 190E35, 260E24 Y/P, 260E27 Y/P, 260E31 Y/P, 260E35 Y/P, 400E31 TP, 400E35 TP 180-259kW	09/98→	BDX	F	2901109560	4	29011	430	241	125	25	→Ch.4196434	587000	567117	50
		KNR	F	2925305390	4	29252	436	247,5	109,5	30	Ch.4196435→	587028	567135	45
		KNR	F	2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45
		BDX	R	2901109560	4	29011	430	241	125	25	→Ch.4196434	587000	567117	50
		KNR	R	2925305390	4	29252	436	247,5	109,5	30	Ch.4196435→	587028	567135	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45

EuroTech MP

180E34, 180E42, 190E34, 190E38, 190E39 /P, 190E40 /P, 190E42, 190E43, 240E30 PS, 240E34, 240E38, 240E42, 260E38 P, 260E39 Y/P, 260E40 Y/P, 260E42, 260E43 Y/P, 400E34 T, 400E38 T, 400E38 TXP, 400E42 T, 440E38 TZ 221-316kW	01/92→	BDX	F	2901109560	4	29011	430	241	125	25	→Ch.4196434	587000	567117	50
		KNR	F	2925305390	4	29252	436	247,5	109,5	30	Ch.4196435→	587028	567135	45

EuroTech MT

180E24, 180E27, 180E30 R, 180E34 R, 190E24, 190E27, 190E30, 400E30 T, 400E34 T, 400E30 T, 400E34 T 176-254kW	01/92→08/98	BDX	F	2901109560	4	29011	430	241	125	25	→Ch.4196434	587000	567117	50
		KNR	F	2925305390	4	29252	436	247,5	109,5	30	Ch.4196435→	587028	567135	45

EuroTrakker/EuroTrakker Cursor

MP190, MP190E30 H, MP190E30 W, MP190E31 H Cursor, MP190E31 W Cursor, MP190E34 H, MP190E34 W, MP190E35 H Cursor, MP190E35 W Cursor, MP190E37 H, MP190E37 W, MP190E38 W, MP190E42 H, MP190E42 W, MP190E44 W Cursor, MP 221-345kW	09/99→	KNR	F	2925305390	4	29252	436	247,5	109,5	30	→03/02	587028	567135	45
		KNR	F	2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45
		KNR	R	2925305390	4	29252	436	247,5	109,5	30	→03/02	587028	567135	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	04/02→		569125	45

Stralis

All Models	04/02→	KNR	F	2925305390	4	29252	432	247,5	109,5	30	Ch.4334465→ (2007→), W.I. not required		569125	45
		KNR	F	2925305390	4	29252	432	247,5	109,5	30	w.i. cable extension			
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	Ch.4334465→ (2007→), W.I. not required		569125	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	w.i. cable extension			

Trakker

	10/04→	KNR	F	2925305390	4	29252	432	247,5	109,5	30			569125	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30			569125	45



WVA



!



... IVECO



Z-Series

65-12, 79-10, 79-12, 79-13, 79-14 85-101kW	1987→1990	WAB MER	F	2902409561 2906709560	4 4	29017 29067	315 175,5	191 78	87 22	23	Opt	587002	561342	26
79-12, 79-14 99kW	1983→1987	WAB	F	2901709560	4	29017	315	191	87	23			561342	26
79-14 99kW	02/92→10/92	WAB	F	2901709560	4	29017	315	191	87	23			561342	26
95-14, 109-14 101kW	1988→1990	MER	F	2906709560	4	29067		175,5	78	22		587002		

IVECO



→ SEE IRISBUS

KAROSA



730 →SEE IRISBUS

Ares →SEE IRISBUS

Axer →SEE IRISBUS

B930

Engine: RVI 06.20.45 A3/B3/A41/C41/D41	01/97→12/01	KNR	F	2925305390	4	29252		247,5	109,5	30				
--	-------------	-----	---	------------	---	-------	--	-------	-------	----	--	--	--	--

B940 Articulated

Engine: RVI 06.20.45 A3/B3/A41/C41/D41	01/97→12/01	KNR	F	2925305390	4	29252		247,5	109,5	30				
--	-------------	-----	---	------------	---	-------	--	-------	-------	----	--	--	--	--

B951, B952

Engine: Iveco Cursor 8 Euro3 2050 F2BE0682D180	01/02→2006	KNR	F	2925305390	4	29252		247,5	109,5	30				
---	------------	-----	---	------------	---	-------	--	-------	-------	----	--	--	--	--

B961 Articulated

	01/02→2006	KNR	F	2925305390	4	29252		247,5	109,5	30				
--	------------	-----	---	------------	---	-------	--	-------	-------	----	--	--	--	--

Citybus →SEE IRISBUS

KNORR-BREMSE



All

K65 Coach applications		KNR	F	2968805440	8	29688		110	99	27				
K85 Coach applications		KNR		2974705440	8	29747		140	121	33				
SB/SN5000 Truck/Trailer applications		KNR	F	2914809560	2	29115		174	84	27				
17.5" wheels		KNR			2	29148		185	84	34				
		KNR	R	2914809560	2	29115		174	84	27				
		KNR			2	29148		185	84	34				
SB/SN6000 Truck applications 19.5" wheels		KNR	F	2909305390	4	29093		211	92,5	30				
		KNR	R	2909305390	4	29093		211	92,5	30				
SB/SN6000 Trailer applications 19.5" wheels	→04/03	KNR	R	2909305390	4	29093		211	92,5	30				
	05/03→	KNR		2916505390	4	29165		210,5	92,5	30	05/03→ Only BPW Axle SB3745T			
SB/SN7000 All applications		KNR	F	2925305390	4	29252		247,5	109,5	30				
		KNR	R	2925305390	4	29252		247,5	109,5	30				
SB/SN7000 Trailer applications 22.5" wheels	05/03→	KNR		2916705390	4	29167		247,5	109,5	30	05/03→ Only BPW Axle SB4345T			
SK7 Trailer applications		KNR	R	2915805390	4	29158		211	108	30	Discos and SAF applications			
	05/03→	KNR		2917105390	4	29158		211	108	30	BPW Axle SB4309T			
SM7 Mercedes-Benz applications	10/10→		F	2924605390	2	29246		244,5	113,7	30				
					2	29247		244,5	113,7	35				
SL7 Mercedes-Benz applications	10/10→		R	2924405390	2	29244		207,5	113,7	30				
					2	29245		207,5	113,7	35				

LAZ



A183

CityLaz	2004→	KNR	F	2925305390	4	29252		247,5	109,5	30				
---------	-------	-----	---	------------	---	-------	--	-------	-------	----	--	--	--	--



LIAZ



400

400	01/98→12/01	KNR	F	2925305390	4	29252	247,5	109,5	30			
-----	-------------	-----	---	------------	---	-------	-------	-------	----	--	--	--

MAN



F90-Series

19t, 24t, 25t	1990→1996	MER	F	2903005390	4	29030	432	250	118,5	28		587019	567407	45
		MER		2905305390	4	29053		250	118,5	30	over size	587019		
26t, 27t, 33t, 48t	01/89→	MER	F	2903005390	4	29030	432	250	118,5	28		587019	567407	45
		MER		2905305390	4	29053		250	118,5	30	over size	587019		

F2000-Series

19t, 23t, 26t, 27t, 33t, 40t 170-441kW	1994→	MER	F	2903005390	4	29030	432	250	118,5	28	→03/02	587019	567410	45
		MER		2905305390	4	29053		250	118,5	30	over size	587019		
		MER		2913109560	4	29131	432	249,5	118	30	04/02→ D-Elso2		567410	45
							432				ABS		567407	45
							438				19t/23t opt disc		567400	45

L2000 Series

6.103, 6.153, 8.103, 8.113, 8.150, 8.153, 8.163, 8.220, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224, 10.150, 10.153, 10.163, 10.220, 10.224 114kW	09/93→ 01/97→	WAB	F	2905509560	4	29055	324	175,5	82,5	22			567401	30
		WAB		2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
							330				ABS		567405	34
		WAB	R	2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
							330				ABS		567405	34
8.103 LC/LLC, 8.153 LLS, 8.223 LC/LLC/LLS, 9.153 LC/LLC/LLS, 9.223 LC/LLC/LLS, 10.150 FOC, 10.153 LC/LLC/LLS, 10.223 LAEC/LC/LLC/LLS 81-162kW	10/93→06/96	WAB	F	2905509560	4	29055	324	175,5	82,5	22			567401	30

L2000-Series (LE Evolution)

LE110C 8.113, LE140C 8.145, 9.145, 0.145, LE160C 8.163, 9.163, 10.163, LE180C 8.180, 8.185, 9.185, 10.180, 10.185, 12.180, 12.185, LE220C 8.225, 0.220, 10.225, 12.220, 12.225 114kW	09/00→	WAB	F	2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
							330				ABS		567405	34
		WAB	R	2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
							330				ABS		567405	34

M2000-L Series

12.163 LC, 12.224 LC 114-162kW	08/95→	WAB	F	2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
14.163 LC/LLC, 14.224 LC/LLC/LL, 4.264 LC/LLC/LL, 14.284 LC/LLC/LL 114-206kW		WAB	R	2914405390	4	29144	330	175,5	85,5	26		587022	567402	34
15.163 LC/LLC, 15.224 LC/LLC/LL, 15.264 LC/LLC/LL, 15.284 LC/LLC/LL, 18.224 LC/LLC/LL, 18.264 LC/LLC/LL, 18.284 LC/LLC/LL 114-206kW	08/95→	KNR	F	2909305390	4	29093	377	211	92,5	30		587020	567403	45
		MER		2903005390	4	29030	432	250	118,5	28		587019	567410	45
		MER		2905305390	4	29053		250	118,5	30	over size	587019		
		MER		2913109560	4	29131	432	249,5	118	30	04/02→ D-Elso2		567410	45
							432				ABS		567407	45

M2000-M Series

14.224/14.264/14.284 - MC/MLC/ML/MLS 162kW	08/95→	KNR	F	2909305390	4	29093	377	211	92,5	30		587020	567403	45
		MER		2903005390	4	29030	432	250	118,5	28		587019	567410	45
18.224 MC/MLC/ML/MLS, 18.264 MC/MLC/ML/MLS, 18.284 MC/MLC/MLS, 25.224 MNLC/MNLLC, 25.264 MNLC/MNLL 162-206kW		MER		2905305390	4	29053		250	118,5	30	over size	587019		
		MER		2913109560	4	29131	432	249,5	118	30	04/02→ D-Elso2		567410	45
							432				ABS		567407	45

M2000-Series (ME Evolution)

ME220B 14.225, 15.225 114-206kW	09/00→	KNR	F	2909305390	4	29093	377	211	92,5	30		587020	567403	45
ME250B 14.255, 15.255, 18.255, ME280B 14.285, 15.285, 18.285, 18.286 114-206kW		MER		2903005390	4	29030	432	250	118,5	28	→03/02	587019	567410	45
		MER		2905305390	4	29053		250	118,5	30	over size	587019		
		MER		2913109560	4	29131	432	249,5	118	30	04/02→ D-Elso2		567410	45
							432				ABS		567407	45



WVA



!



... MAN



TG-A Series

(18t) 18.310→18.530,(24t) 24.360→24.530, (26t) 26.310→26.530,(32t) 32.310→32.480, (33t) 33.360, 33.410→33.530, (41t) 41.360, 41.530, 41.660 206-485kW	04/00→	MER	F	2903005390	4	29030	432	250	118,5	28	→03/01	587021	567410	45
		MER		2913109560	4	29131	432	249,5	118	30	04/01→		567410	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/03→		567408	45
		MER	R	2903005390	4	29030	432	250	118,5	28	→03/01, No ABS		567410	45
							432				ABS	587021	567407	45
		MER		2913109560	4	29131	432	249,5	118	30	04/01→, No ABS		567410	45
							432				ABS		567407	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/03→		567408	45

TGL Series

7.150, 7.180, 8.180, 8.210, 8.240, 10.180, 10.210, 10.240, 12.180, 12.210, 12.240 FC, FK, FRC, FRK, FLC, FLRC 265kW	04/05→	KNR	F	2914809560	2	29115	335	174	84	27			569134	34
		KNR			2	29148		185	84	34				
	04/05→	KNR	R	2914809560	2	29115	335	174	84	27			569133	34
		KNR			2	29148		185	84	34				

TGM Series

12t 176-206kW	10/05→	KNR	F	2909305390	4	29093		211	92,5	30		587020		
		KNR	R	2909305390	4	29093		211	92,5	30		587020		
13-15t 176-206kW	03/06→	KNR	F	2909305390	4	29093	377	211	92,5	30		587020	567403	45
		KNR	R	2909305390	4	29093	377	211	92,5	30		587020	567403	45
18-26t 176-240kW		KNR	F	2925305390	4	29252	432	247,5	109,5	30			567408	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30			567410	45

TGS, TGX

TGS, TGX 18-50 tons	10/07→	KNR	F	2925305390	4	29252	432	247,5	109,5	30			567408	45
	09/10→	WAB		2922305390	4	29223		217,5	108	30,5	In preparation, fitting on Wabco MAXX22			
	10/07→	KNR	R	2925305390	4	29252	432	247,5	109,5	30			567410	45
	09/10→	WAB		2922305390	4	29223		217,5	108	30,5	In preparation, fitting on Wabco MAXX22			

MAN



Chassis

11.220 HOCL	1996→	KNR	F	2909305390	4	29093		211	92,5	30		587020		
		KNR	R	2909305390	4	29093		211	92,5	30		587020		
14.220 HOCL, 18.350 HOCL	1996→	MER	F	2903005390	4	29030	438	250	118,5	28		587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size	587021		
		MER	R	2903005390	4	29030	438	250	118,5	28		587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size	587021		

EM-Series

EM 192, EM 222, EM 223 140-162kW	10/93→06/04	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
EM 222, EM 223 140-162kW	07/04→06/06	MER	F	2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
		KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7		567400	45

Lion's City

A21, A37	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45

Lion's City C, L, LL

A26	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45

Lion's City DD

A39 Double Decker Bus	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45



... MAN



Lion's City G, GL, GXL

NG 262, 263, 312, 313 191-228kW	07/98→06/04	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
		MER	R	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	07/04→	KNR	F	2925305390	4	29252	432	247,5	109,5	30	Knorr SN7		567410	45
		MER		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
		KNR	R	2925305390	4	29252	432	247,5	109,5	30	Knorr SN7		567408	45
		MER		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
A23, A43	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45

Lion's City LE, LE Ü

A78	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45
A78 Coach	01/93→06/04	MER		2903005390	4	29030	438	250	118,5	28	LE Ü Coach, D3/Elsa1	587021	567400	45
	07/98→06/04	MER		2913109560	4	29131	438	249,5	118	30	LE Ü Coach, Opt, D-Elsa2	587021	567400	45
	07/04→	KNR		2925305390	4	29252		247,5	109,5	30	LE Ü Coach, 07/2004 → Knorr SN7	587021		
EL 202, EL 222, EL 262 157-184kW	01/93→06/04	MER		2903005390	4	29030	438	250	118,5	28	LE Ü Coach, D3/Elsa1	587021	567400	45
	07/98→06/04	MER		2913109560	4	29131	438	249,5	118	30	LE Ü Coach, Opt, D-Elsa2	587021	567400	45
	07/04→	KNR		2925305390	4	29252		247,5	109,5	30	LE Ü Coach, 07/2004 → Knorr SN7	587021		
	01/93→06/04	MER		2905305390	4	29053		250	118,5	30	LE Ü Coach, over size D3/Elsa1	587021		
	01/93→06/97	MER	F	2903005390	4	29030		250	118,5	28	D3/Elsa1	587021		
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
EL 262 191kW	07/98→06/04	MER	F	2903005390	4	29030		250	118,5	28	D3/Elsa1	587021		
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2	587021	567400	45
	07/04→06/06	MER	F	2913109560	4	29131	438	249,5	118	30	D-Elsa2	587021	567400	45
		KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45

Lion's City M

NM 222, NM 223 162kW	02/96→	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
	07/04→	MER		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
A22, A35, A47, A66, A76	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
	07/04→12/05	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
	2006→	KNR		2925305390	4	29252	438	247,5	109,5	30	07/2006 → Knorr SN7	587021	567400	45

Lion's City Ü, ÜLL, NÜ

A20, A25	04/04→06/04	MER		2903005390	4	29030	438	250	118,5	28	Coach, D3/Elsa1	587021	567400	45
		MER		2913109560	4	29131	438	249,5	118	30	Coach, Opt, D-Elsa2		567400	45
	07/04→	KNR		2925305390	4	29252		247,5	109,5	30	Coach, Knorr SN7			
NÜ 263, 313, NÜ 313 15M, NÜ 353 15M 191-257kW	09/96→	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	Coach, 07/2004 → Knorr SN7		567410	45
		MER	R	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
	07/04→	MER		2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	Coach, 07/2004 → Knorr SN7		567408	45
		MER	F	2913109560	4	29131	438	249,5	118	30	Opt, D-Elsa2		567400	45
		MER	R	2913109560	4	29131	432	249,5	118	30	Coach, Opt, D-Elsa2		567400	45
NÜ 353 15M		MER									Opt, D-Elsa2		567408	45



... MAN



Lion's Coach

FRH 352, FRH 402, RH 353, RH 403 257-294kW	09/95→06/04	MER	F	2903005390	4	29030		250	118,5	28	D3/Elsa1	587021		
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
		MER		2913109560	4	29131	438	249,5	118	30	Opt. D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
RH 464 257-294kW	03/00→06/04	MER	F	2903005390	4	29030		250	118,5	28	D3/Elsa1			
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
		MER		2913109560	4	29131	438	249,5	118	30	Opt. D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
		MER	R	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	432	249,5	118	30	Opt. D-Elsa2		567408	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567408	45

Lion's Comfort

RN 313, RN 353 228-257kW	09/96→	MER	F	2903005390	4	29030	438	250	118,5	28		587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
		KNR		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45

Lion's Star

FRH 422 309kW	01/93→09/96	KNR	F	2974705440	8	29747	460	140	121	33		587021	567115	48
		MER		2903005390	4	29030	438	250	118,5	28	Opt. D3/Elsa1		567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
FRH 352, FRH 402, RH 353, RH 403 257-294kW	09/95→06/04	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
		MER		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
RH 464 257-294kW	03/00→06/04	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053	438	250	118,5	30	over size D3/Elsa1		567400	45
		MER		2913109560	4	29131	438	249,5	118	30	D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
		MER	R	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	432	249,5	118	30	D-Elsa2		567408	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567408	45

Regal/Regent

	01/57→12/68	SEE	F	2901309561	4	29013	354	180	86	20,5			567949	30
--	-------------	-----	---	------------	---	-------	-----	-----	----	------	--	--	--------	----

UL

UL 313, UL 353 228-257kW	09/96→	MER	F	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1			
		MER		2913109560	4	29131	438	249,5	118	30	Opt. D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567410	45
		MER	R	2903005390	4	29030	438	250	118,5	28	D3/Elsa1	587021	567400	45
		MER		2905305390	4	29053		250	118,5	30	over size D3/Elsa1	587021		
		MER		2913109560	4	29131	438	249,5	118	30	Opt. D-Elsa2		567400	45
		KNR		2925305390	4	29252	432	247,5	109,5	30	07/2004 → Knorr SN7		567408	45
	07/04→	MER	F	2913109560	4	29131	438	249,5	118	30	Opt. D-Elsa2		567400	45
		MER	R	2913109560	4	29131	432	249,5	118	30	Opt. D-Elsa2		567408	45

MCW



Metrorider

25 seater, 33 seater	01/87→12/89	MER	F	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts		567560	30
		MER	R	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts		567560	30

MENARINI



All

5001		BRE	F	2907209561	8	29072	350	169,5	98	19			567950	30
Monocar 240		MER	F	2915009560	4	29150		249	117,5	30				



MERCEDES-BENZ



MB100

All Models	02/88→08/91	BDX	F	571859	4	20934	239	146	61	14			561577	16
	09/91→02/96	BDX	F	571521	4	21573	239	146	61	14			561577	16
	1996→	MER	R	2983505440	4	20835	239	175	85	22		587004	561577	16
		MER	R	2983505440	4	20835	239	175	85	22		587004	561577	16

MB140

MB140		BDX	F	2998404612	4	20982		167	62	17				
-------	--	-----	---	------------	---	-------	--	-----	----	----	--	--	--	--

Sprinter (905)

616 Cdi	04/01→	BRE	F	2916009560	4	29160		164,5	68	20				
		MER	R	2983509560	4	20835		175	85	22				

Sprinter 2-T (901, 902)

All Models	1995→05/06	ATE	F	571844	4	21576	276	156	65	19		587010	569122	22
		ATE	R	571846	4	21621	272	141	49	17	2,5 ton	581384	567761	16
		ATE	R	571846	4	21621	258	141	49	17	3,5 ton	581384	569120	12

Sprinter 3-T (903)

All Models	02/95→05/06	ATE	F	571844	4	21576	276	156	65	19	ATE	587010	569122	22
		BOS	F	571946	4	23022	276	135	66	20,5	BOS	587010	569122	22
		ATE	R	571846	4	21621	272	141	49	17	2,5 ton	581384	567761	16
		ATE	R	573191	4	23901	272	156	55	18,5	ATE	587010	567761	16
		BOS	R	571950	4	23021	272	126	63	18,5	BOS	587010	567761	16
All Models	05/00→05/06	ATE	R	571846	4	21621	258	141	49	17	3,5 ton	581384	569120	12

Sprinter 3-T (906)

All Models	06/06→	BRE	F	2919209560	4	29192	300	163	67	21		587047	569136	28
		BOS	R	2919009561	4	29190	298	137	63	19		581437	569137	16

Sprinter 4-T (904)

All Models	02/95→04/00	ATE	F	571844	4	21576	276	156	65	19	ATE	587010	569122	22
		BOS	F	571946	4	23022	276	135	66	20,5	BOS	587010	569122	22
		PER	R	2907604530	4	29076	285	164,5	73	19,5	PER	581384	567810	22
		BOS	R	571950	4	23021	272	126	63	18,5	BOS	587010	567761	16
All Models	05/00→05/06	PER	F	2907604530	4	29076	276	164,5	73	19,5	PER	581384	569122	22
		BOS	F	571946	4	23022	276	135	66	20,5	BOS	587010	569122	22
		PER	R	2907604530	4	29076	285	164,5	73	19,5	PER	581384	567810	22
		BOS	R	571950	4	23021	272	126	63	18,5	BOS	587010	567761	16

Sprinter 4-T (906)

All Models	06/06→	BRE	F	2920009560		29200	300	169	73	21		587047	569136	28
		BOS	R	2921709560		29217	303	165	79	21	vented disc, BOS	587048	569138	28
		BOS	R	2919009561		29190	298	137	63	19	solid disc, BOS		569137	16
		PER	R	2907604530		29076		164,5	73	19,5	vented disc, PER			

Sprinter 5-T (906)

All Models	06/06→	BRE	F	2920009560	4	29200	300	169	73	21		587047	569136	28
		BOS	R	2921709560	4	29217	303	165	79	21	vented disc	587048	569138	28
		BOS	R	2919009561		29190	298	137	63	19	solid disc		569137	16

T 1 (601)

All Models	04/77→02/96	PER	F	571272	4	20784	280	149	74	18			561135	16
------------	-------------	-----	---	--------	---	-------	-----	-----	----	----	--	--	--------	----

T 1 (602)

All Models	1982→02/96	PER	F	571272	4	20784	280	149	74	18			561135	16
------------	------------	-----	---	--------	---	-------	-----	-----	----	----	--	--	--------	----

T 1/TN

All Models	07/81→06/95	PER	F	571272	4	20784	280	149	74	18			561135	16
		PER	F	571272	4	20784	280	149	74	18	Rotor available until stock lasts		561854	22

T 2/L

All Models	01/70→12/88	PER	F	571272	4	20784	280	149	74	18	Rotor available until stock lasts		561854	22
------------	-------------	-----	---	--------	---	-------	-----	-----	----	----	-----------------------------------	--	--------	----

T 2/LN1

All Models	04/86→12/94	PER	F	571272	4	20784	280	149	74	18	Rotor available until stock lasts		561854	22
		MER	F	2983505440	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30
			F	2983505440		20835	280	175	85	22			561135	16
			F	2983505440		20835	304	175	85	22	Rotor available until stock lasts		561639	30



... MERCEDES-BENZ



Vito (638)

All Models	02/96→	ATE	F	571844	4	21576	276	156	65	19	ATE	587010	562054	22
		BOS		571946	4	23022		135	66	20,5	BOS			
		ATE	R	571845	4	21279	280	64	57,5	17	ATE		562065	10
		BOS		571947	4	23020		104	53	18	BOS	581429		

Vito (639)

All Models	09/03→	BOS	F	573221	4	24007	300	162	60,5	21			562392	28
		BOS	R	573222	4	24008	296	99	49	18,5			562263	10

Vario

All Models	09/96→	MER	F	2983505440	4	20835	304	175	85	22		587004	567770	30
				2983505440		20835	324	175	85	22			567762	30
		MER	R	2983505440	4	20835	304	175	85	22		587004	569126	30
				2983505440		20835	324	175	85	22			569112	30
				2983505440		20835	304	175	85	22	16" wheels		567769	30
				2983505440		20835	324	175	85	22	17.5" wheels		567763	30

V-Class (638/2)

All Models	02/97→	ATE	F	571844	4	21576	276	156	65	19	→12/97	587010	562054	22
		BOS		571946	4	23022		135	66	20,5	01/98→			
		ATE	R	571845	4	21279	280	64	57,5	17	→12/97		562065	10
		BOS		571947	4	23020		104	53	18	01/98→	581429		

MERCEDES-BENZ



Actros I

1831 → 1848, 1853, 2031 → 2053, 2531 → 2557, 2631 → 2657, 3231 → 3243, 3331 → 3357, 4140 → 4148 230-420kW	04/96→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

Actros II/III

1832, 1836, 1841, 1844, 1846, 1850, 1854, 1858, 2632, 2636, 2641, 2644, 2646, 2650, 2654, 2658 235-425kW	04/03→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45
	2007→09/10	KNR	F	2925305390	4	29252	430	247,5	109,5	30			569160	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			569160	45

Actros 2010

MP III	10/10→	KNR	F	2924605390	2	29246		244,5	113,7	30				
		KNR			2	29247		244,5	113,7	35				
		KNR	R	2924405390	2	29244	430	207,5	113,7	30			567751	45
		KNR			2	29245		207,5	113,7	35				

Actros 2011

MP IV	10/11→	KNR	F	2924605390	2	29246		244,5	113,7	30				
		KNR			2	29247		244,5	113,7	35				
		KNR	R	2924405390	2	29244	430	207,5	113,7	30			567751	45
		KNR			2	29245		207,5	113,7	35				

Antos

All Models	07/12→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

Atego I

712, 715, 812, 815, 817, 823 - models fitted with Knorr SB/SN5 Caliper 90-170kW	01/98→	KNR	F	2914809560	2	29115	335	174	84	27			567764	34
		KNR			2	29148		185	84	34				
	01/98→	KNR	R	2914809560	2	29115	335	174	84	27			567768	34
		KNR			2	29148		185	84	34				
1215, 1217, 1223, 1225, 1228, 1317, 1323, 1325, 1328, 1517, 1517, 1523, 1525, 1528 - models fitted with Knorr SB/SN6 Caliper 112-205kW	01/98→	KNR	F	2909305390	4	29093	377	211	92,5	30			567766	45
		KNR	R	2909305390	4	29093	377	211	92,5	30			567765	45
917, 923, 925, 1017, 1023 - models fitted with Knorr SB/SN5 Caliper 125-170kW	01/98→	KNR	F	2914809560	2	29115	335	174	84	27			567764	34
		KNR			2	29148		185	84	34				
	01/98→	KNR	R	2914809560	2	29115	335	174	84	27	5 tons option		567768	34
		KNR			2	29148		185	84	34	7 tons option		567767	34
		KNR				335								



... MERCEDES-BENZ



Atego II

1823, 1828, 2523, 2528, 2628 - models fitted with Knorr SB/SN7 Caliper 170-205kW	01/98→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Axor

1823 → 1843, 2523 → 2543, 2623 → 2628, 3228 170-315kW	01/02→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Econic

1823 LL, 1828 LL, 2628 LL 170-205kW	03/98→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

MB-Trac

65/70, 700, 700 S/K, 800, 900, 900 turbo, 1000, 1100, 1300, 1300 turbo, 1400 turbo, 1500, 1600, 1800 intercooler	07/73→12/91	ATE	F	2955405880	4	29554	374	90	74	15		567142	22
		ATE	R	2955405880	4	29554	374	90	74	15		567142	22

Powerliner Series

1820, 1827, 1831, 1834, 838, 1844, 1850 - 22.5" wheel size Knorr SB/SN7...	01/91→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
--	--------	-----	---	------------	---	-------	-----	-------	-------	----	--	--------	----

Unimog

54, 65, 66, 70, 80, 84, 90, 100, 110, 125 40 - 125kW	1973→04/92	ATE	R	2955405880	4	29554	374	90	74	15		567142	22
72, 800L 53 - 72kW	1977→04/92	ATE	R	2955405880	4	29554	374	90	74	15		567142	22

MERCEDES-BENZ



Citaro (O 530)

Citaro G, L, N, NG, GNG 170-260kW	01/98→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR		2925305390	4	29252	430	247,5	109,5	30	trailing axle	567751	45

Cito (O 520)

Cito 130kW	06/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Capacity (O 530 GL)

	04/07→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Conecto (O 345)

12m, 18m	11/01→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Integro O 550

Integro (12m)	01/00→	MER	F	2903009560	4	29030	438	250	118,5	28		587007	567555	45
		MER		2905305390	4	29053		250	118,5	30	over size	587007		
Integro M	01/00→	MER	F	2903009560	4	29030	438	250	118,5	28		587007	567555	45
		MER		2905305390	4	29053		250	118,5	30	over size	587007		
		KNR	R	2925305390	4	29252		247,5	109,5	30				
Integro L	01/00→	MER	F	2903009560	4	29030	438	250	118,5	28		587007	567555	45
		MER		2905305390	4	29053		250	118,5	30	over size	587007		
		KNR	R	2925305390	4	29252		247,5	109,5	30				
		MER		2903009560	4	29030	438	250	118,5	28	Option R2	587007	567555	45
		MER		2905305390	4	29053		250	118,5	30	over size option R2	587007		

Intouro

Intouro, E, M, ME	01/05→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567751	45

Medio (Midibus)

Medio	01/99→	MER	F	2983509560	4	20835		175	85	22		587004		
		MER	R	2983509560	4	20835		175	85	22		587004		

Mini Bus

307 D, 308/D, 310/D	05/77→12/94	PER	F	571272	4	20784	280	149	74	18		561135	16
---------------------	-------------	-----	---	--------	---	-------	-----	-----	----	----	--	--------	----



... MERCEDES-BENZ



0 340/350 - 0 404

0 340/350 - 0 404 151-280kW	09/91→10/99	MER	F	2903009560	4	29030	438	250	118,5	28	over size	587007	567555	45
		MER		2905305390	4	29053		250	118,5	30		587007		
		MER	R	2903009560	4	29030	438	250	118,5	28	over size	587007	567555	45
		MER		2905305390	4	29053		250	118,5	30		587007		

0 409 (5 to 7,5)

0 409	01/86→	MER	F	2983509560	4	20835	304	175	85	22	Rotor available until stock lasts	587004	561639	30
-------	--------	-----	---	------------	---	-------	-----	-----	----	----	-----------------------------------	--------	--------	----

0 609/0 611/0 614

0 609 D, 0 611 D, 0 614 D		MER	F	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30
---------------------------	--	-----	---	------------	---	-------	-----	-----	----	----	-----------------------------------	--------	--------	----

Sprinter Mini Bus (3,5 ton)

Sprinter		ATE	F	571844	4	21576	276	156	65	19	01/98→		569122	22
		BOS	R	573191	4	23901	272	156	55	18,5			567761	16

Sprinter Mini Bus (4,6 ton)

Sprinter		PER	F	2907604530	4	29076	276	164,5	73	19,5		581384	569122	22
		PER	R	2907604530	4	29076	272	164,5	73	19,5		581384	567761	16

Tourino (0 510)

Tourino 180-205kW	10/03→	KNR	F	2909305390	4	29093	377	211	92,5	30			567766	45
		KNR	R	2909305390	4	29093	377	211	92,5	30			569123	45

Tourismo (0 350)

Tourismo 250-310kW	08/95→	MER	F	2903009560	4	29030	438	250	118,5	28	over size	587007	567555	45
		MER		2905305390	4	29053		250	118,5	30		587007		
		MER	R	2903009560	4	29030	438	250	118,5	28	over size	587007	567555	45
		MER		2905305390	4	29053		250	118,5	30		587007		
Tourismo RHD, SHD 250-310kW	09/03→ 08/95→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

Touro (0 500)

	10/01→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

Travego (0 580)

15 RH/RHD, 17 RHD 260-350kW	10/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR		2925305390	4	29252	430	247,5	109,5	30	trailing axle		567751	45

Vario Minibus

810, 812, 814, 815	09/96→	MER	F	2983505440	4	20835	304	175	85	22		587004	567770	30
		MER	R	2983505440	4	20835	304	175	85	22		587004	569126	30
							324						569112	30

MERITOR



All

LM-axle (19, 5") 11 tonnes Meritor DX195	1998→	MER		2912409560	4	29124		205,5	102	27,5				
LM-axle Axial Actuation D Elsa 2	02/00→	MER		2913109560	4	29131		249,5	118	30				
TA-axle (22, 5") 13 tonnes D DUCO	06/00→	MER		2912509560	4	29125		249	111	29				
TA-axle Axial Actuation D Elsa 2	02/00→	MER		2913109560	4	29131		249,5	118	30				

MERITOR



C-Duco Volvo Applications	2000→	MER	R	2913709560	4	29137		210	102	29				
C-Lisa		MER		2910009560	4	29099		214	112	25				
D3/ D-Elsa 1 Applications	01/89→	MER	F	2903005390	4	29030		250	118,5	28				
		MER	R	2903005390	4	29030		250	118,5	28				
D3/ D-Elsa 1 oversize 30mm	01/89→	MER	F	2905305390	4	29053		250	118,5	30				
		MER	R	2905305390	4	29053		250	118,5	30				
	09/91→	MER		2903009560	4	29030		250	118,5	28				
D Lisa Truck & Bus Applications	1991→	MER	F	2909009560	4	29090		250	114	28				
D Duco	2000→	MER	F	2912509560	4	29125		249	111	29				
		MER	R	2912509560	4	29125		249	111	29				

**... MERITOR**

D-Elsa 2 applications	03/00→	MER	F	2913109560	4	29131	249,5	118	30				
		MER	R	2913109560	4	29131	249,5	118	30				
DX 225 Bus Applications	1998→	MER	F	2915009560	4	29150	249	117,5	30				
		MER	R	2915009560	4	29150	249	117,5	30				
DX 195	1998→	MER	R	2912409560	4	29124	205,5	102	27,5				
Elsa 225-1 Renault Truck Midlum/ Volvo Trucks Applications	05/06→	MER	F	2917309560	4	29173	216	99	29				
		MER	R	2917309560	4	29173	216	99	29				
Elsa 225-3 Applications	10/05→	MER	F	2917409560	4	29174	249	110	29,5				
		MER	R	2917409560	4	29174	249	110	29,5				
Lift Axles													
VG195 Renault/Volvo Applications	05/06→	MER	R	2917709560	4	29169		210	100	29			

MULTICAR**Fumo**

2.8, 3.0 78,107 KW	2001→	PER	F	2907604530	4	29076	276	164,5	73	19,5		569122	22
		PER	R	2907604530	4	29076	272	164,5	73	19,5		567761	16

M27

	09/10→	PER	F	2907604530	4	29076	276	164,5	73	19,5		569122	22
		PER	R	2907604530	4	29076	272	164,5	73	19,5		567761	16

NEOPLAN**All**

Neoplan-Bus for Knorr-Brake pads N 8008		KNR	F	2974705440	8	29747	460	140	121	33		567115	48
		WAB	F	2905509560	4	29055		175,5	82,5	22			
		WAB	R	2905509560	4	29055		175,5	82,5	22			

Centroliner

N 4407, N 4410, N 4411, N 4413, N 4414, N 4416, N 4420, N 4420/3, N 4421, N 4421/3, N 4426/3 162-257kW	10/98→	KNR	F	2925305390	4	29252		247,5	109,5	30			
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567801	45

Cityliner

N 116 228-267kW	09/90→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
N 116, N 116/3 HC 272-338kW	09/90→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45

Euroliner

N 316 SHD		KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30		567801	45

Jetliner

N 208, N212, N 213, N 214	09/90→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Metroliner

MIC 4008, MIC 4012, MIC 4017	01/90→	WAB	F	2905509560	4	29055		175,5	82,5	22			
		WAB	R	2905509560	4	29055		175,5	82,5	22			

Low Floor Buses

N 4008, N 4009, N 4010, N 4011, N 4014, N 4016, N 4024, N 4026	01/92→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
---	--------	-----	---	-------------------	---	-------	-----	-------	-------	----	--	---------------	----

Megaliner

N 128/4	01/93→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Megashuttle

N 4032/4	01/94→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Sportliner

N 208	01/90→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Skyliner

N 122/3 268-295kW	09/92→	KNR	F	2925305390	4	29252		247,5	109,5	30			
-------------------	--------	-----	---	-------------------	---	-------	--	-------	-------	----	--	--	--



... NEOPLAN



Spaceliner

N 117/3 268-309kW	09/92→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
-------------------	--------	-----	---	------------	---	-------	-----	-------	-------	----	--	--------	----

Starliner

N 516 , N 516/3 280-338kW	09/96→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Transliner

N 312, N 316 268-295kW	09/92→	KNR	F	2925305390	4	29252	430	247,5	109,5	30		567801	45
------------------------	--------	-----	---	------------	---	-------	-----	-------	-------	----	--	--------	----

NISSAN



Cabstar

28.11/35.13/35.15	10/06→	BRE	F	2922909560	4	29229		163	67	20,5			
		BRE	R	573318	4	23921		110	50	20,5			
45.13/45.15	10/06→	BRE	F	2912109561	4	29121		165	66,5	20			
		BRE	R	2912109561	4	29121		165	66,5	20			

Cabstar E

90.32 66kW	10/98→	BDX	F	2998404612	4	20982	276	167	62	17	Rotor available until stock lasts	562247	24
110.35	10/98→10/06	BOS	F	572564	4	23435	290	169	64,5	18		562903	26

Ebro

Wheel 17.5" Hydraulic brakes M90/150. Meritor 2x68	1992→	MER	F	2930209560	4	29302		175,5	78	22			
		MER	R	2930209560	4	29302		175,5	78	22			

Interstar

Dci 80, Dci 140	07/02→	TRW	F	573058	4	23099	305	145	62,5	18		562241	28
		TRW	R	573059	4	23980	280	95	57	17	w bearing	562365	12
Dci 140 / 100 Kw	07/02→	BOS	F	573107	4	23613		138	79,5	18			
		BOS	R	573055	4	23669	305	116	51,5	19		562164	12

Primastar

All Models	09/02→	TRW	F	573058	4	23099	305	145	62,5	18	w bearing	562241	28
		TRW	R	573059	4	23980	280	95	57	17	w bearing	562365	12

NISSAN



Eco-T / Atleon Range

100 L35/50	01/97→	BDX	F	2998404612	4	20982		167	62	17			
135 L 60/70/80 - M90		MER		2930209560	4	29302		175,5	78	22			
		MER	R	2930209560	4	29302		175,5	78	22			
160 - 110/130 - 200	01/97→	MER	F	2910009560	4	29099		214	112	25			
		MER	R	2910009560	4	29099		214	112	25			

Trade

2.0, 2.8 Diesel, 2.8 i, 3.0, 75, 100 →78kW	01/87→	BDX	F	2998404612	4	20982	263	167	62	17	Rotor available until stock lasts	561998	24
		TRW		571368	4	29071	263	167	62	17	Rotor available until stock lasts	561708	24

OPTARE



Alero

	09/01→	WAB	F	571419	4	29012		149	69	18			
		BRE	R	2912104530	4	29121		165	66	20			

Metrorider

Wheel = 17.5" Hydraulic Brakes Meritor 2x68	01/89→	MER	F	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts	567560	30
		MER	R	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts	567560	30

Nouvelle SR

		MER	F	2930209560	4	29302		175,5	78	22			
		MER	R	2930209560	4	29302		175,5	78	22			

Sigma

All	1994→1996	MER	F	2903005390	4	29030		250	118,5	28			
-----	-----------	-----	---	------------	---	-------	--	-----	-------	----	--	--	--



... OPTARE



Solero

		KNR	F	2925305390	4	29252		247,5	109,5	30			
		KNR	R	2925305390	4	29252		247,5	109,5	30			

Solo

Wheel = 17.5" Hydraulic Brakes Meritor 2x68	1988→03/02	MER	F	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts	567560	30
		WAB	F	2908809560	4	29088	324	175,5	86	26	Rotor available until stock lasts	567560	30
		MER	R	2930209560	4	29302	324	175,5	78	22	Rotor available until stock lasts	567560	30
		WAB	R	2908809560	4	29088	324	175,5	86	26	Rotor available until stock lasts	567560	30

Soroco NT

(Sprinter 413CDi Chassis)

		ATE	F	571844	4	21576		156	65	19			
		ATE	R	571846	4	21621		141	49	17			
		PER		2907604530	4	29076		164,5	73	19,5			
		BOS		571950	4	23021		126	63	18,5			

Starider

Wheel = 17.5" Hydraulic Brakes 33 places. Meritor 2x60	01/87→	MER	F	2983509560	4	20835	324	175	85	22	Rotor available until stock lasts	587004	561754	30
---	--------	-----	---	------------	---	-------	-----	-----	----	----	-----------------------------------	--------	--------	----

PERROT BREMSSEN (WABCO)



All

1000 V-G for MAN, Neoplan		WAB	F	2905509560	4	29055		175,5	82,5	22				
		WAB	R	2905509560	4	29055		175,5	82,5	22				
1600 V-G for DAF		WAB	F	2907705390	4	29077		205	106	27				
for DAF, IVECO, Leyland		WAB	F	2901709560	4	29017		191	87	23				
		WAB		2902409561	4	29017		191	87	23				
for IVECO		WAB	F	571825	4	21186		149	69	18				
		WAB		571446	4	20465		149	69	18				
		PER		571446	4	20465		149	69	18				
		WAB		2901709560	4	29017		191	87	23				
		WAB		573513	4	29001		174	69	20				
		WAB		2901609561	8	29016		163	162	28				
for Mercedes-Benz, Volkswagen		PER	F	2907604530	4	29076		164,5	73	19,5				
		PER	R	2907604530	4	29076		164,5	73	19,5				
PAN17 for DAF, Renault Trucks		WAB	F	2908809560	4	29088		175,5	86	26		587056 (DAF)/ 587033 (RVI)		
		WAB	R	2908809560	4	29088		175,5	86	26		587056 (DAF)/ 587033 (RVI)		
PAN17 for MAN		WAB	F	2914405390	4	29144		175,5	85,5	26		587022 (MAN)		
		WAB	R	2914405390	4	29144		175,5	85,5	26		587022 (MAN)		
PAN17 for IVECO		WAB	F	2908809560	4	29088	330	175,5	86	26		587044	569172	34
		WAB	R	2908809560	4	29088	330	175,5	86	26		587044	569172	34
PAN19-1 for SAF		WAB	R	2915905390	4	29126		210,5	92,5	30		587046		

RENAULT



Mascott

110, 120.55, 120.65, 130, 140, 160.55, 160.65 78-115kW	01/99→	BRE	F	2916009560	4	29160	290	164,5	68	20		569102	26
		BRE	R	2912104530	4	29121	290	165	66	20		569103	22
90 63-78kW	01/99→	BRE	F	2912104530	4	29121	290	165	66	20		569101	22
		BRE	R	2912104530	4	29121	290	165	66	20		569103	22

Maxity

110.35 / 130.35 / 150.35	03/07→	BRE	F	2922909560	4	29229		163	67	20,5			
		BRE	R	573318	4	23921		110	50	20,5			
130.45 / 150.45	03/07→	BRE	F	2912109561	4	29121		165	66,5	20			
		BRE	R	2912109561	4	29121		165	66,5	20			

Master I

All Models	11/97→ →10/97	BOS	F	571932	4	23302	280	139	66,5	18	11/97→ →10/97	562105	24
		TRW		571321	4	20380	278	110	73	18,5		561254	24



... RENAULT



Master II

All Models		BOS	F	571932	4	23302	280	139	66,5	18		562105	24
		BOS	R	573055	4	23669	305	116	51,5	19		562164	12

Master III

2.3 CDTi		BRE	F	573357	4	25148		163,5	65	18,5			
2.3 CDTi - Single Wheels		BRE		573359	4	25112		128,5	59,5	18			
2.3 CDTi - Double Wheels		BRE		573358	4	25172		163,5	63	18			

Trafic I

All Models	03/80→03/01	TRW	F	571368	4	29071	252	167	62	17	TRW	561171	24
		BDX		571246	4	20570		105	56	18,5	BDX		
		BDX		571306	4	20927		154	56	18,5	BDX		

Trafic II

All Models	03/01→	TRW	F	573058	4	23099	305	145	62,5	18		562241	28
		TRW	R	573059	4	23980	280	95	57	17	w bearing	562365	12

RENAULT TRUCKS



B Series

B70-35D 53kW	1982→1986	BDX	F	571368	4	29071	276	167	62	17	Opt.	567954	24
		TRW		571368	4	29071		167	62	17			
B70, 80, 90, 110, 120	1987→	BDX	F	571368	4	29071	276	167	62	17		567954	24
B110.45, B120.35 → B120.65	1994→06/99	TRW	F	571368	4	29071	276	167	62	17		567954	24
		BDX		2998404612	4	20982		167	62	17	with fitted w.i.		

Magnum DXi Series

440.18/24/26, 480.18/24/26 series	10/04→04/06	MER	F	2917409560	4	29174		249	110	29,5	Meritor Elsa225-3	587040	
		MER	R	2917709560	4	29169		210	100	29	Meritor VGT195 - LIFT AXLE		

Magnum E.Tech

E.Tech 400 - 440- 480	05/00→	MER	F	2913109560	4	29131	434	249,5	118	30		587032	569113	45
		MER	R	2913109560	4	29131	434	249,5	118	30		587032	569114	45

Magnum/AE Series

AE380, 385ti, 390, 420ti, 430, 470, 500, 520, 560 - 4x2, 6x2, 6x4	01/93→06/95	MER	F	2903005390	4	29030	434	250	118,5	28			569113	45
	07/95→	MER		2909009560	4	29090	438	250	114	28	→05/00	587027	567953	45
		MER		2903005390	4	29030	434	250	118,5	28	06/00→	587026	569113	45
	06/00→	MER	F	2913109560	4	29131	434	249,5	118	30		587032	569113	45

Major/R Series

R340ti, R385ti, R420ti	11/93→	MER	F	2903005390	4	29030	434	250	118,5	28		587026 01/96→	569113	45
------------------------	--------	-----	---	------------	---	-------	-----	-----	-------	----	--	---------------	--------	----

Manager/G Series

G200, 220, 230, 230ti, 270, 280, 300, 330, 340ti - 17/18/19	01/93→	MER		2903005390	4	29030	434	250	118,5	28		587026 01/96→	569113	45
---	--------	-----	--	------------	---	-------	-----	-----	-------	----	--	---------------	--------	----

Midliner/C Series

10 - 13 to (40C)	06/00→	SEE	F	2901303372	4	29013	354	180	86	21			567949	30
		SEE	R	2901303372	4	29013	354	180	86	21			567949	30

Midliner/M Series

M 120/140/150/160/180/200/ 210/230 .12/13, PA / M 120/140/ 160/180kW	1989→12/94	SEE	F	2901309561	4	29013	354	180	86	20,5			567949	30
	01/95→	SEE		2901303372	4	29013	354	180	86	21	→12/97		567949	30

Midliner/S Series

S12, S13	1987→1990	SEE	F	2901309561	4	29013	354	180	86	20,5			567949	30
----------	-----------	-----	---	------------	---	-------	-----	-----	----	------	--	--	--------	----

Midlum Series

135; 150; 180; 210; 220; - 7, 8, 9, 10, 12B/C (17.5" wheel size) 100-195kW	03/00→	WAB	F	2908809560	4	29088		175,5	86	26		587033		
		WAB	R	2908809560	4	29088	330	175,5	86	26	with ABS	587033	569116	34
210; 220; 250; 270; - 12, 14, 16, 18 (19.5" wheel size) 154-195kW	03/01→	WAB	F	2914209569	4	29141	380	204	99,5	30		587034	567958	45
		WAB	R	2914209569	4	29141	375	204	99,5	30		587034	569117	45

New Magnum DXi Series

460.18/24/25/26, 500.18/24/25/26 series	05/06→	MER	F	2917409560	4	29174		249	110	29,5	Meritor Elsa225-3	587040		
		MER	R	2917709560	4	29169		210	100	29	Meritor VGT195 - LIFT AXLE	587040		



... RENAULT TRUCKS



New Midlum Series

160.12, 190.12/13/14/16,	05/06→	MER	F	2917309560	4	29173	216	99	29	19.5" wheel size	587040		
220.12/13/14/16, 240.12/13/14/16/18,		MER	R	2917309560	4	29173	216	99	29	19.5" wheel size	587040		
280.12/13/14/16/18 series fitted with													
Meritor Elsa225-1 caliper													

New Midlum Series Dxi

160.12, 190.10, 220.10	05/06→	HAL	F	2918105390	4	29147	210,5	92	30				
		HAL	R	2918105390	4	29147	210,5	92	30				

Premium Distribution

210.16, 210.18D, 250.16, 250.18D, 250.19,	04/96→06/98	MER	F	2903005390	4	29030	434	250	118,5	28	→06/98	587026	569113	45
260.16, 260.18, 260.19, 300.16D, 300.16T,	07/98→07/00	MER		2909009560	4	29090	438	250	114	28	07/98→07/00	587027	567953	45
300.18D, 300.18D/T, 300.19, 300.19D/T,	08/00→	MER		2913109560	4	29131	434	249,5	118	30	08/00→	587032	569113	45
300.26D, 340.18D, 340.18D/T, 340.19D,	04/96→06/98	MER	R	2903005390	4	29030	434	250	118,5	28	→06/98	587026	569114	45
340.19D/T, 340.26D, 385.18, 385.19	07/98→07/00	MER		2909009560	4	29090	438	250	114	28	07/98→07/00	587027	567953	45
385.24, 385.26D/T, 400.18, 400.19,	08/00→	MER		2913109560	4	29131	434	249,5	118	30	08/00→	587032	569114	45
400.24, 400.26D/T														

Premium Route

300.18/T, 320.18, 340.18/T, 340.26,	04/96→06/98	MER	F	2903005390	4	29030	434	250	118,5	28	→06/98	587026	569113	45
370.18/24/26, 385.18/24-T, 385.26,	07/98→07/00	MER		2909009560	4	29090	438	250	114	28	07/98→07/00	587027	567953	45
400.18/24-T, 400.26, 420.18/T,	08/00→	MER		2913109560	4	29131	434	249,5	118	30	08/00→	587032	569113	45
420.24/25/26	04/96→06/98	MER	R	2903005390	4	29030	434	250	118,5	28		587026	569114	45
	07/98→07/00	MER		2909009560	4	29090	438	250	114	28		587027	567953	45
	08/00→	MER		2913109560	4	29131	434	249,5	118	30		587032	569114	45

Premium 2 (Distribution/Route)

Distribution 280.18/26, 320.18/26, c	10/05→	MER	F	2917409560	4	29174	249	110	29,5	22.5" wheel size, Elsa225-3 caliper	587040		
370.18/26, 410.18/26, 450.18,		MER	R	2917409560	4	29174	249	110	29,5	22.5" wheel size, Elsa225-3 caliper	587040		
Route 410.18/24/25/26, 410.25/26 Pusher,		MER		2917709560	4	29169	210	100	29	Meritor VGT195 - LIFT AXLE	587040		
450.18/24/25/26, 450.25/26													

Midliner/S Series

S130.11/BOM, S130.13.14, S150.11/13/14	→04/86	SEE	F	2901309561	4	29013	354	180	86	20,5		567949	30
S130/150.13/14, S150/170.11/13	05/86→	SEE	F	2901309561	4	29013	354	180	86	20,5		567949	30
S130.11/13/14, 150.11/13/14 ti,	05/86→	SEE	F	2901303372	4	29013	354	180	86	21		567949	30
S170.11/13													
S120/135/140/150/180/210.07/08A	1990→	MER	F	2906509560	4	29065	304	175	85,5	22		567955	30
(40K) 82-88kW													
S120/135/140/160/180.09/10B	1990→	MER	F	2906709560	4	29067	322	175,5	78	22		567956	30
(40N) 88kW													
S160.06/08 (40K) 88kW	1990→	MER	F	2906509560	4	29065	304	175	85,5	22		567955	30
S150/210.09/B, 10/B 88kW	1993→	MER	F	2906709560	4	29067	322	175,5	78	22		567956	30

Series 50 (Dodge)

S35	1987→1993	LKD	F	571822	4	20904	127	71	18				
-----	-----------	-----	---	--------	---	-------	-----	----	----	--	--	--	--

RENAULT BUS



Agora Series

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Ares

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Axer

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--

E7L, M, N

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--

FR1 (5.4M, 5.6M, 6.2M)

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--

Iliade

→ SEE IRISBUS													
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--



... RENAULT BUS



PR-PC-PG-PH Series

→ SEE IRISBUS

PGK205, PGR, PH3, 4, 12/100

→ SEE IRISBUS

R312

R312	01/90→	BRE	F	2907209561	8	29072	350	169,5	98	19		567950	30
		BRE	R	2907209561	8	29072	350	169,5	98	19		567950	30

S46

	1979→1986	LKD	F	571822	4	20904		127	71	18			
--	-----------	-----	---	--------	---	-------	--	-----	----	----	--	--	--

S-SC Series

→ SEE IRISBUS

Tracer

→ SEE IRISBUS

S.A.E → SEE GIGANT GROUP



SAF



All

MK IV, ModulX Haldex DB22 caliper types		HAL		2914305390	4	29143		248	105	30	with bump	587035/587036		
Knorr SB/SN6 (19,5")		KNR		2909305390	4	29093	377	211	92,5	30	Opt		569002	45
							375						569109	45
Knorr SB/SN7 (22,5")		KNR		2925305390	4	29252	430	247,5	109,5	30	Opt		569001	45
							430						569000	45
9-11 ton (Knorr SK7)		KNR		2915805390	4	29158		211	108	30				
Wabco PAN19-1		WAB		2915905390	4	29126	377	210,5	92,5	30	Opt	587046	569002	45
							430						569000	45
Wabco PAN22-1		WAB		2916205390	4	29162	430	210,5	109,5	31			569000	45

SAMRO



Axles with Disc Brakes

Fontenax Wabco Pan19-2		WAB		2914209569	4	29141		204	99,5	30				
Knorr SB7...		KNR		2925305390	4	29252		247,5	109,5	30				
Meritor D-ELSA2		MER		2913109560	4	29131		249,5	118	30				

SCANIA



4-Series

94,114,124,144,164	1996→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45

G, P, R, T-Series

G230, G270, G310, G340, G360, G380, G400, G420, G440, G480, P230, P260, P270, P280, P300, P310, P340, P360, P380, P400, P420, P470, P480, P500, P560, P580, P620, R340, R380, R400, R420, R440, R470, R480, R500, R560, R580, R620, R730, T470	2004→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45

SCANIA



All

All Models fitted with Knorr SB/SN7 Brake	1996→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR		2925305390	4	29252	430	247,5	109,5	30	Inner City Bus		567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR		2925305390	4	29252	430	247,5	109,5	30	Inner City Bus		567500	45

K124, L94 Series

Wheel 22.5" Air Brake Discs on all axles (Knorr SB/SN7)	2001→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567500	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567500	45



SEDDON ATKINSON



Municipal Vehicles

SB7000		KNR	F	2925305390	4	29252	247,5	109,5	30				
T6		KNR	R	2925305390	4	29252	247,5	109,5	30				

SETRA



All

S 140	01/89→	KNR	F	2974705440	8	29747	406	140	121	33	Opt		567113	48
							432						567110	45
S 210, HD, HDV, S 211 206kW /280PS, S 212 HUE 159kW /216PS, S 213 206kW /280PS, S 214 206kW /280PS, S 215, S 215 (except HDS) 206kW /280PS, S 215 HDH, S 215 UL, SL 177kW / 240PS, S 216 HDS, S 216 HDS 243kW /330PS, S 216 HDS, S 228 DT 276kW /375PS		KNR	F	2974705440	8	29747	406	140	121	33	Opt		567113	48
							432						567110	45
S 215 NR, S 300 NC City	1991→	MER	F	2903005390	4	29030	432	250	118,5	28		587003	567110	45
		MER	R	2905305390	4	29053		250	118,5	30	over size	587003		

Comfortclass 300

S 315 GT-HD 250kW /340PS, S 317 GT-HD 280kW /381PS, S 319 GT-HD 280kW /381PS		MER	F	2903005390	4	29030	432	250	118,5	28		587003	567110	45
		MER	R	2905305390	4	29053		250	118,5	30	over size	587003		

Comfortclass 400

S 415 GT-HD, S 416 GT-HD, S 417 GT-HD 185-310kW	10/03→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

Intercity Bus

Wheel 22.5" Air Brake Knorr SB7		KNR	F	2925305390	4	29252	247,5	109,5	30					
		KNR	R	2925305390	4	29252	247,5	109,5	30					

Intercity Low Floor Bus

Wheel = 22,5" Air Brake Knorr SB7	01/96→	KNR	F	2925305390	4	29252	247,5	109,5	30					
		KNR	R	2925305390	4	29252	247,5	109,5	30					

Multiclass 300

S 313 UL 184kW /250PS S 315 H, UL 213kW /290PS, SG 321 UL 184kW /250PS S 315 NF 184kW /250PS, S 319 UL 184kW /250PS S 319 NF 184kW /250PS	01/91→	MER	F	2903005390	4	29030	432	250	118,5	28		587003	567110	45
		MER	R	2905305390	4	29053		250	118,5	30	over size	587003		
		KNR	R	2925305390	4	29252		247,5	109,5	30				

TopClass 300

S 309 HD 213kW /290PS, S 312 HD 250kW /340PS, S 315 HDH-3 280kW /381PS, S 317 HDH-3 280kW /381PS	01/91→	MER	F	2903005390	4	29030	432	250	118,5	28		587003	567110	45
		MER	R	2905305390	4	29053		250	118,5	30	over size	587003		
S 328 DT	01/94→	KNR	F	2925305390	4	29252	247,5	109,5	30					

TopClass 400

S 411 HD, S 415 HD, S 415 HDH, S 416 HDH, S 417 HDH, S 431 DT 260-320kW	2001→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567751	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567751	45

SMB → SEE GIGANT GROUP



SOLARIS



Alpino

	01/07→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
		KNR	R	2925305390	4	29252	430	247,5	109,5	30			567801	45



WVA



!



... SOLARIS



City Bus

Articulated	01/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
			R	2925305390	4	29252	430	247,5	109,5	30			567801	45
				2925305390	4	29252	430	247,5	109,5	30	R2 axle		567801	45

Urbino

	01/99→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
			R	2925305390	4	29252	430	247,5	109,5	30			567801	45

Vacanza

	06/02→	KNR	F	2925305390	4	29252	430	247,5	109,5	30			567801	45
			R	2925305390	4	29252	430	247,5	109,5	30			567801	45

SOR



SOR 9.5

Engine: Iveco F4 AE 0862C Euro3 Tector	2000→	KNR	F	2909305390	4	29093	377	211	92,5	30			567403	45
	2001→		R	2913709560	4	29137		210	102	29				

SOR 10.5

Engine: Iveco F4 AE 0682C Euro3 Tector	2000→	KNR	F	2909305390	4	29093	377	211	92,5	30			567403	45
	2001→		R	2913709560	4	29137		210	102	29				

SOR 12

		WAB	F	2915905390	4	29126	377	210,5	92,5	30			567403	45
			R	2915905390	4	29126		210,5	92,5	30				

VAN HOOL



All

A 300 Urbain, A 420, A 440, A 500 Urbain, EOS-Model 80 - 223kW		KNR	F	2974705440	8	29747	410	140	121	33			567802	48
Buses with Knorr SB/SN7			R	2925305390	4	29252		247,5	109,5	30				
A 320		MER	F	2909009560	4	29090		250	114	28				
EOS 90, 100, 200, 230		KNR	F	2909305390	4	29093	410	211	92,5	30			567802	48
T815, T915, T916, T917 - with Meritor D3/D-Elsa 1			R	2903005390	4	29030		250	118,5	28				

VOLKSWAGEN



Crafter 3 T

2.5 TDI 65, 80, 100, 120kW	04/06→	BRE	F	2919209560	4	29192	300	163	67	21		587047	569136	28
			R	2919009561	4	29190	298	137	63	19		581437	569137	16

Crafter 5 T

2.5 TDI 65, 80, 100, 120kW	06/06→	BRE	F	2920009560	4	29200	300	169	73	21		587047	569136	28
			R	2921709560	4	29217	303	165	79	21		587048	569138	28

LT I (281-363,291-512)

All Models	04/75→1996	ATE	F	571255	4	20280		90	74	18	ATE			
			TRW	571380	4	20979		130	56	19,5	TRW			

LT II (2DX0FE)

All Models	06/96→	ATE	F	571844	4	21576	276	156	65	19	LT28/35	587010	569122	22
			PER	2907604530	4	29076	276	164,5	73	19,5	LT46	581384	569122	22
		ATE	R	571846	4	21621	272	141	49	17	LT28	581384	567761	16
				573191	4	23901	258	156	55	18,5	LT35	581384	569120	12
			BOS	571950	4	23021	272	126	63	18,5	LT35, ch. 2DXH002120 →	587010	567761	16
			PER	2907604530	4	29076	276	164,5	73	19,5	LT46	581384	569122	22

Transporter T3

All Models	05/79→07/92	ATE	F	571236	4	20011	278	77	70	18,5	→ 08/85		561252	13
			TRW	571380	4	20979		130	56	19,5	09/85→			16



... VOLKSWAGEN



Transporter T4

All Models	07/90→03/03	TRW	F	571458	4	20652	260	92	80	18	14" wheels		561609	16
		TRW		571460	4	20124	280	130	54,5	19	→ Ch.70T199000, 14"		561610	24
		TRW		571847	4	21478	282	130	65,5	19	→ Ch.70X250000, 15"		561857	18
		TRW		571948	4	21634	282	91	81	18	→ Ch.70X250000, 15"		562079	18
		ATE		571934	4	21883	278	156	68,5	19,5	Ch.70T2000001→, 15"		562080	24
		TRW		573046	4	23176	280	91	81	18	Ch.70Y000001→, 14", TRW		561610	24
		ATE		573106	4	23163	278	156	68,5	19,5	Ch.70Y000001→, 15", ATE		562080	24
		TRW		573050	4	21479	282	130	65,5	19	Ch.70Y000001→, 15", TRW		562079	18
		ATE		573045	4	23034	300	157	79	19	→ Ch.701000954, 16"		562382	26
		ATE		573047	4	23269	313	161	73/74,5	20	Ch.701000955→, 16"		562626	26
		TRW	R	571875	4	21882	294	95	57,5	17,5	Ch.70T200001 - 70X25000		562448	13.6

Transporter T5

All Models	04/03→	ATE	F	573159	4	23468	308	155/156	73/75	18,5/20	16" wheels		562234	29.5
		ATE		573160	4	23747	333	155/156	73/75	17,5/18	17" wheels		562616	32.5
		TRW	R	573220	4	23326	294	116	59	17,5	16" wheels		562262	22
		ATE		573301	4	24367	314	140,5/141	51/54	19	17" wheels		562603	22

VOLVO



FE-Series

240, 280, 320 Meritor Elsa 225-3 Caliper	05/06→	MER	F	2917409560	4	29174		249	110	29,5				
		MER	R	2917409560	4	29174		249	110	29,5				

FH-Series

FH12 (6x2) for Air suspension rear, FH12-340 250kW /340PS, FH12-380 279kW /380PS, FH12-420 309kW /420PS, FH12-460 338kW /460PS, FH12-520 382kW /520PS, FH16 (6x2) for Air suspension rear	01/93→	MER	F	2912509560	4	29125		249	111	29				
		MER	R	2912509560	4	29125		249	111	29				
16/580, 16/660, 400, 440, 480, 520 with Meritor Elsa 225-3 caliper	05/06→	MER	F	2917409560	4	29174		249	110	29,5	22.5" Wheel			
	09/05→	MER	R	2917409560	4	29174		249	110	29,5	22.5" Wheel			
FH400, FH440, FH480, FH520		MER	R	2917709560	4	29169		210	100	29	Volvo lift Axle Meritor VGT195	587040		

FL 4 Series

FL 406FL 408, FL 411 82kW	01/85→	MER	F	2930209560	4	29302	322	175,5	78	22	→02/90; Rotor available until stock lasts		561919	30
		MER	R	2930209560	4	29302	322	175,5	78	22	→02/90		567150	30

FL 6-Series

FL608, FL609, FL610, FL611, FL612 126-184kW	01/85→	MER	F	2930209560	4	29302	322	175,5	78	22	→02/90; Rotor available until stock lasts		561920	30
		MER	R	2930209560	4	29302	322	175,5	78	22	→02/90		567114	30
FL613, FL614, FL615 126-184kW	2000→	MER	F	2913709560	4	29137		210	102	29	17.5" wheel size, B-Duco			
		MER		2913709560	4	29137		210	102	29	19.5" wheel size, C-Duco			
		MER	R	2913709560	4	29137		210	102	29	17.5" wheel size, B-Duco			
		MER		2913709560	4	29137		210	102	29	19.5" wheel size, C-Duco			
FL616, FL617, FL618		MER	F	2930209560	4	29302	322	175,5	78	22	→2000; Rotor available until stock lasts		561920	30
		MER		2912509560	4	29125		249	111	29	2000→			
		MER	R	2930209560	4	29302	322	175,5	78	22	→2000		567114	30
		MER		2912509560	4	29125		249	111	29	2000→			

FL Series

FL 240,280	05/06→	MER	F	2917309560	4	29173		216	99	29	Meritor Elsa225-1			
				2918105390	4	29147		210,5	92	30	Haldex DB19			
		MER	R	2917309560	4	29173		216	99	29	Meritor Elsa225-1			
				2918105390	4	29147		210,5	92	30	Haldex DB19			



... VOLVO



FLC

FLC 140 99kW	09/96→09/00	MER	F	2930209560	4	29302	322	175,5	78	22	Rotor available until stock lasts	561919	30
		MER	R	2930209560	4	29302	322	175,5	78	22	Rotor available until stock lasts	561920	30
		MER	R	2930209560	4	29302	322	175,5	78	22		567114	30

FLE

FLE	2001→	MER	F	2912509560	4	29125		249	111	29			
		MER	R	2912509560	4	29125		249	111	29			

FM Series

4x2 Tractors & Rigid Meritor D DUCO, O	05/00→	MER	F	2912509560	4	29125		249	111	29			
6x2 Tractors & Rigid Meritor D DUC		MER	R	2912509560	4	29125		249	111	29			
FM 300, 340, 360, 380, 400, 440, 480	09/05→	MER	F	2917409560	4	29174		249	110	29,5			
Meritor Elsa 225-3 Caliper		MER	R	2917409560	4	29174		249	110	29,5			

FS 7

FS 718 169-191kW	09/94→03/96	MER	F	2930209560	4	29302	322	175,5	78	22	Rotor available until stock lasts	561920	30
------------------	-------------	-----	---	------------	---	-------	-----	-------	----	----	-----------------------------------	--------	----

VOLVO



B-Series

B7BLE, B7R, B7RLE, B10BLE, B10M, B10TLE, B12B, B12M (incl 6x2)	01/95→	MER	F	2909009560	4	29090	438	250	114	28		587027	567152	45
--	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	--------	----

B 6-Series

B 6, FA	01/83→	MER	F	2930209560	4	29302	322	175,5	78	22	Rotor available until stock lasts	561920	30
---------	--------	-----	---	------------	---	-------	-----	-------	----	----	-----------------------------------	--------	----

B 10-Series

B 10 L Meritor D Lisa	01/95→	MER	F	2909009560	4	29090	438	250	114	28		587027	567152	45
-----------------------	--------	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	--------	----

B 12-Series

B 12 262-309kW	01/92→08/08	MER	F	2909009560	4	29090	438	250	114	28		587027	567152	45
B 12	09/08→	MER	F	2917409560	4	29174		249	110	29,5				
		MER	R	2917409560	4	29174		249	110	29,5				

B7000-Series

B7000	09/08→	MER	F	2917409560	4	29174		249	110	29,5				
		MER	R	2917409560	4	29174		249	110	29,5				

B8000-Series

B8000	09/08→	MER	F	2917409560	4	29174		249	110	29,5				
		MER	R	2917409560	4	29174		249	110	29,5				

B9000-Series

B9000	09/08→	MER	F	2917409560	4	29174		249	110	29,5				
		MER	R	2917409560	4	29174		249	110	29,5				

Citybus

B7L, B7LA, B7TL, B9TL, B10BLE (S/D), B10L, B10LA (S/D), B10TL (D/D & 6x2)		MER	F	2909009560	4	29090	438	250	114	28		587027	567152	45
---	--	-----	---	------------	---	-------	-----	-----	-----	----	--	--------	--------	----

TX (8000.9000)

	01/00→	MER	F	2912509560	4	29125		249	111	29				
		MER	F	2909009560	4	29090	438	250	114	28	D-Lisa Opt	587027	567152	45
		MER	R	2912509560	4	29125		249	111	29				

WABCO



MAXX22

MAN TGS, TGX and coaches fitted with Wabco MAXX22	09/10→	WAB		2922305390	4	29223		217,5	108	30,5	In preparation			
---	--------	-----	--	------------	---	-------	--	-------	-----	------	----------------	--	--	--

PAN17

DAF, IVECO, RVI Applications		WAB		2908809560	4	29088		175,5	86	26				
MAN Applications		WAB		2914405390	4	29144		175,5	85,5	26				

PAN19-1

DAF, DENNIS BUS, SOR BUS, SAF, SMB Applications		WAB		2915905390	4	29126		210,5	92,5	30				
---	--	-----	--	------------	---	-------	--	-------	------	----	--	--	--	--



WVA



!



... WABCO



PAN19-2

DAF/ RENAULT TRUCKS Applications

WAB

2914209569

4

29141

204

99,5

30

PAN22-1

SMB/ SAF

WAB

2916205390

4

29162

210,5

109,5

31

Wabco 456 F-Ö

DAF, IVECO, Leyland Applications

WAB

2901709560

4

29017

191

87

23

IVECO, Leyland Applications

WAB

2902409561

4

29017

191

87

23

Wabco 485 F-Ö

IVECO BUS Applications

WAB

2901609561

8

29016

163

162

28

Wabco 1000 V-G

MAN Applications

WAB

2905509560

4

29055

175,5

82,5

22

Wabco 1600 V-G

DAF Applications

WAB

2907705390

4

29077

205

106

27

ZF



All

KNR

2925305390

4

29252

247,5

109,5

30

JURID®	WVA	BRAKE SYSTEM	LENGTH (mm)	HEIGHT (mm)	THICKNESS (mm)	APPLICATION
571233	20364	LKD	90	70	15	FORD Transit
571236	20011	ATE	77	70	18.5	VOLKSWAGEN
571246	20570	BDX	105	56	18.5	RENAULT Trafic
571250	20359	LKD	102	75	18	FORD Transit, IVECO Daily
571255	20280	ATE	90	74	18	VOLKSWAGEN
571272	20784	PER	149	74	18	MERCEDES Sprinter
571306	20927	BDX	154	56	18.5	RENAULT Trafic
571321	20380	BRE	110	73	18.5	IVECO Daily, Grinta
571325	21048	BRE	110	74	18.5	IVECO Daily, Grinta
571336	21141	BDX	114	58	18	FORD Transit
571368	29071	TRW	167	62	17	RVI B
571379	20759	LKD	102	75	18	IVECO Daily
571380	20979	TRW	130	56	19.5	VW Transporter T2, T3, LT
571416	29037	BRE	110	73	18.5	IVECO Daily, Grinta
571419	29012	BRE	149	69	18	IVECO Daily, Daily II
571422	21620	BRE	110	73	18.5	IVECO Daily, Grinta
571442	21480	LKD	105	75	18	IVECO Daily
571444	20653	LKD	102	75	18	IVECO Daily
571446	20465	LKD	149	69	18	IVECO Daily, Grinta, Mercedes Benz
571458	20652	TRW	92	80	18	VOLKSWAGEN
571460	20124	TRW	130	54.5	19	VW Transporter T4
571521	21573	BDX	146	61	14	MERCEDES MB100
571745	21470	BDX	139	65	18	FORD Transit
571746	21469	BDX	137	74	18	FORD Transit
571822	20904	LKD	127	71	18	RVI
571825	21186	PER	149	69	18	MERCEDES Sprinter
571844	21576	ATE	156	65	19	MERCEDES Sprinter, Vito VW LT
571845	21279	ATE	64	57.5	17	MERCEDES Sprinter, Vito
571846	21621	ATE	141	49	17	MERCEDES Sprinter, VOLKSWAGEN LT
571847	21478	TRW	130	65.5	19	VW Transporter T4
571859	20934	BDX	146	61	14	MERCEDES MB100
571875	21882	TRW	95	57.5	17.5	VW Transporter T4
571932	23302	BOS	139	66.5	18	RENAULT Master
571934	21883	ATE	156	68.5	19.5	VW Transporter T4
571946	23022	BOS	135	66	20.5	MERCEDES Sprinter, Vito
571947	23020	BOS	104	53	18	MERCEDES Vito
571948	21634	TRW	91	81	18	VW Transporter T4
571950	23021	BOS	126	63	18.5	MERCEDES Sprinter, VW LT
572564	23435	BOS	169	64.5	18	NISSAN Cabstar E
573015	23430	BOS	169	63.5	18.5	FORD Transit
573045	23034	ATE	157	79	19	VW Transporter T4
573046	23176	TRW	91	81	18	VW Transporter
573047	23269	ATE	161	73 / 74.5	20	VW Transporter T4
573050	21479	TRW	130	65.5	19	VOLKSWAGEN Transporter
573055	23669	BOS	116	51.5	19	RENAULT Master
573058	23099	TRW	145	62.5	18	RENAULT Trafic
573059	23980	TRW	95	57	17	RENAULT Trafic
573081	29139	BRE	110	73	18.5	IVECO Daily, Daily II

JURID®	VVA	BRAKE SYSTEM	LENGTH (mm)	HEIGHT (mm)	THICKNESS (mm)	APPLICATION
573106	23163	ATE	156	68.5	19.5	VW Transporter T4
573107	23613	BOS	138	79.5	18	RENAULT Master
573110	23840	BOS	169	62.5	18.5	FORD Transit
573159	23468	ATE	155/ 156	73 / 75	18.5 / 20	VW Transporter
573160	23747	ATE	155 / 156	73 / 75	17.5 / 18	VW Transporter
573174	29140	BRE	110	73	18.5	IVECO Daily, Daily II
573191	23901	ATE	156	55	18.5	MERCEDES Sprinter
573220	23326	TRW	116	59	17.5	VW Transporter
573221	24007	BOS	162	60.5	21	MERCEDES Vito
573222	24008	BOS	99	49	18.5	MERCEDES Vito
573275	24484	BOS	165	66.5	19	FORD Transit
573276	24485	BOS	165	65	19	FORD Transit
573277	24486	BOS	123	53.5	17	FORD Transit
573301	24367	ATE	140.5 / 141	51 / 54	19	VW Transporter T5
573318	23921	BRE	110	50	20.5	NISSAN Cabstar RENAULT Maxity
573357	25148	BRE	163.5	65	18.5	RENAULT Master
573358	25172	BRE	163.5	63	18	RENAULT Master
573359	25112	BRE	128.5	59.5	18	RENAULT Master
573513	29001	PER	174	69	20	IVECO Daily
2901109560	29011	KNR ADB 4300	241	125	25	IVECO
2901309561	29013	S.E.E. 2 x 67	183	87	21	RVI
2901609561	29016	WABCO	163	162	28	IVECO Bus
2901709560	29017	WABCO	191	89	23	DAF, IVECO, Leyland
2902409561	29017	WAB 456 F-Ö	191	89	23	IVECO, Leyland
2903005390	29030	MER D3/D-ELSA 1	250	118.5	28	MAN
2903009560	29030	MERITOR	250	118.5	28	MERCEDES O350/O404
2903209560	29032	KNR ADB 3700	206	107	25	IVECO
2904409561	29044	SEE	236	95	20	RVI - Bus
2905305390	29053	MER D3/D-ELSA 1	250	118.5	30	Truck/coach (Oversize)
2905509560	29055	WAB 1000 V-G	176	83	22	MAN
2906509560	29065	MER 2x60	175	86	22	IVECO, RVI
2906709560	29067	MER 2x68	176	79	22	IVECO, RVI
2907209561	29072	BREMBO	170	111	19	MENARINI, RENAULT BUS
2907509561	29075	BRE Bi-disc	180	106	20	IVECO
2907604530	29076	PERROT	164.5	73	19.5	MERCEDES Sprinter, VW LT
2907705390	29077	WAB 1600 V-G	205	106	27	DAF
2908809560	29088	WAB PAN 17	176	83	26	DAF, IVECO, MAN, RVI
2909009560	29090	MER D-LISA	250	114	28	RVI, VOLVO
2909305390	29093	KNR SB/SN6	211	92.5	30	MAN M2000
2910009560	29099	MERITOR	214	112	25	NISSAN Atleon Range
2912104530	29121	BREMBO	165	66	20	IVECO Daily
2912109561	29121	BREMBO	165	66.5	20	NISSAN Cabstar 45.13, 45.15
2912114530	29121	BREMBO	165	66	18	IVECO Daily
2912309560	29123	BREMBO	109.5	64	20	IVECO Daily
2912409560	29124	MER DX195	205	102	27	ROR Trailers
2912509560	29125	MER D-DUCO	250	111	29	ROR, Volvo
2913109560	29131	MER D-ELSA2	250	118	30	MAN, ERF
2913709560	29137	MER C- DUCO	210	102.5	29	Volvo Truck


JURID®	VVA	BRAKE SYSTEM	LENGTH (mm)	HEIGHT (mm)	THICKNESS (mm)	APPLICATION
2914209569	29141	WAB PAN 19-2	204.5	99.5	30	RVI/DAF
2914305390	29143	HAL DB22	248	105	30	Discos, SAF, SMB
2914405390	29144	WAB PAN17	175.5	85.5	26	MAN
2914809560	29115	KNR SB/SN5	174 / 185	84	27 / 34	MERCEDES BENZ
2915009560	29150	MER DX225	249	117.5	30	MENARINI M240, IVECO City Class
2915805390	29158	KNR SK7	211	108	30	SAF Trailers
2915905390	29126	WAB PAN 19-1	210.5	92.5	30	SAF
2916009560	29160	BREMBO	164.5	68	20	MERCEDES Sprinter
2916205390	29162	WAB PAN 22-1	210.5	109.5	31	SAF
2916505390	29165	SB3745T (SB6)	210.5	92.5	30	BPW (with pad key)
2916705390	29167	SB4345T (SB7)	247.5	109.5	30	BPW (with pad key)
2917105390	29158	SB4309T (SK7)	211	108	30	BPW (with pad key)
2917309560	29173	MER Elsa225-1	216	99.5	29	RVI, VOLVO
2917409560	29174	MER Elsa225-3 (ex-PNG)	249	109.5	29	RVI, VOLVO
2917709560	29169	MER VGT195	210	102.5	29	Volvo Truck / Renault Truck
2918105390	29147	HALDEX	210.5	92	30	GIGANT/RVI/VOLVO
2919009561	29190	BOSCH	137	63	19.5	RVI Mascott 5/5,5/6/6,5 T
2919209560	29192	BREMBO	163	67	21	MERCEDES Sprinter / VW Crafter 3T 06->
2920009560	29200	BREMBO	169.5	73.5	20.5	MERCEDES Sprinter/ VW Crafter 5T 06->
2921709560	29217	BOSCH	165	78.5	20.5	MERCEDES Sprinter/ VW Crafter 5T 06->
2922305390*	29223	WABCO	217.5	108	30.5	MAN TGX, TGS. *in preparation
2922909560	29229	BREMBO	163.5	67	20.5	RENAULT Maxity
2923109560	29231	BREMBO	184	64	22.5	IVECO Daily III
2923209560	24570	BREMBO	141.5	72.5	20.5	IVECO Daily III
2924405390	29244	KNR SL7	207.5	113.7	30 / 35	MERCEDES Actros IV (rear)
2924605390	29246	KNR SM7	244.5	113.7	30 / 35	MERCEDES Actros IV (front)
2925305390	29252	KNR SB/SN7	247.5	109.5	30	MERCEDES BENZ, IVECO, MAN
2925609560	29256	BRE 2X68	175.5	95	27	IVECO Eurocargo 2008 onwards
2930209560	29302	MER 2x68	176	80	22	AWD, Volvo
2937409560	29121	BRE 2 x 68	175	86	22	IVECO EuroCargo 1996 -
2955405880	29554	ATE	90	74	15	MERCEDES Unimog
2968805440	29688	KNR K 65	110	99	27	AUWÄRTER, IVECO
2974705440	29747	KNR K 85	140	121	33	BOVA, DAF, MAN, NEOPLAN, SETRA, VAN HOOL
2983505440	20835	MERITOR	175	85	22	MERCEDES BENZ
2983509560	20835	MERITOR	175	85	22	MERCEDES T2
2998404612	20982	BENDIX	167	62	17	NISSAN Trade

571233

20364




FORD Transit

**571236**

20011




VOLKSWAGEN

**571246**

20570



RENAULT Trafic


**JURID®**

571250

20359



FORD Transit, IVECO Daily




571255

20280




VOLKSWAGEN




571272**20784**

MERCEDES Sprinter

**571306****20927**

RENAULT Trafic



571321**20380**

110



73



18,5




BRE



Fitted

IVECO Daily, Grinta

**571325****21048**

110



74



18,5




BRE



Fitted

IVECO Daily, Grinta




571336

21141



FORD Transit




571368

29071



RVI B



571379**20759**

102



75



18




LKD



Fitted

IVECO Daily

**571380****20979**

130



56



19,5




TRW



-

VW Transporter T2, T3, LT



571416**29037**

110



73



18,5




BRE



Fitted

IVECO Daily, Grinta

**571419****29012**

149



69



18




BRE



Fitted

IVECO Daily, Daily II



571422**21620**

110



73



18,5




BRE



Fitted

IVECO Daily, Grinta

**571442****21480**

105



75



18




LKD




Fitted

IVECO Daily




571444**20653**

IVECO Daily

**571446****20465**

IVECO Daily, Grinta, Mercedes Benz



571458

20652



92



80



18




TRW



-

VOLKSWAGEN



571460

20124



130



54,5



19




TRW




-

VW Transporter T4




571521**21573**

MERCEDES MB100

**571745****21470**

FORD Transit




571746

21469



FORD Transit




571822

20904




RVI





571825**21186**

MERCEDES Sprinter


**571844****21576**

MERCEDES Sprinter, Vito VW LT




571845**21279**

MERCEDES Sprinter, Vito


**571846****21621**

MERCEDES Sprinter, VOLKSWAGEN LT




571847

21478



VW Transporter T4




571859

20934




MERCEDES MB100




571875

21882



VW Transporter T4





571932

23302




RENAULT Master





571934**21883**


VW Transporter T4

**571946****23022**

MERCEDES Sprinter, Vito

**571947****23020**

MERCEDES Vito




571948

21634



VW Transporter T4







571950

23021




MERCEDES Sprinter, VW LT





573015**23430**

169



63,5



18,5





BOS



Fitted

FORD Transit

**573045****23034**

157



79



19




ATE



Fitted

VW Transporter T4



573046**23176**

91



81



18




TRW



Fitted

VW Transporter

**573047****23269**

161



73 / 74,5



20




ATE



Fitted

VW Transporter T4



573050**21479**

130



65,5



19




TRW



-

VOLKSWAGEN Transporter

**573055****23669**

116



51,5



19




BOS



-

RENAULT Master

**573058****23099**

145



62,5



18




TRW



-

RENAULT Trafic



573059**23980**

95



57



17




TRW



-

RENAULT Trafic

**573081****29139**

110



73



18,5




BRE




Fitted

IVECO Daily, Daily II



573106**23163**

156



68,5



19,5




ATE



Fitted

VW Transporter T4

**573107****23613**

138



79,5



18





BOS




-

RENAULT Master





573110**23840**


FORD Transit

**573159****23468**

VW Transporter







573191**23901**

156



55



18,5





ATE



-

MERCEDES Sprinter

**573220****23326**

116



59



17,5




TRW





-

VW Transporter





573221**24007**

MERCEDES Vito


**573222****24008**

MERCEDES Vito



573275**24484**

165



66,5



19





BOS



in the box

FORD Transit

**573276****24485**

165



65



19






BOS







in the box

FORD Transit





















RENAULT Master






RENAULT Master












2901609561

29016



163



162



28




WABCO



-

IVECO Bus




2901709560

29017



191



89



23






WABCO




-

DAF, IVECO, Leyland






MAN



2903009560

29030



250



118,5



28



MERITOR




-


MERCEDES 0350/0404




6 x




JURID®





Truck/coach (Oversize)





2905509560

29055



MAN




2906509560

29065



IVECO, RVI



2906709560**29067**

176



79



22





MER 2x68



in the box

IVECO, RVI

**2907209561****29072**

170



111



19




BREMBO




Fitted

MENARINI, RENAULT BUS






2907509561**29075**


IVECO

**2907604530****29076**


MERCEDES Sprinter, VW LT










RVI, VOLVO



MAN M2000






NISSAN Ateon Range




2912104530**29121**

IVECO Daily


**2912109561****29121**

NISSAN Cabstar 45.13, 45.15






2912114530**29121**


IVECO Daily

**2912309560****29123**



IVECO Daily





ROR Trailers






ROR, Volvo





MAN, ERF




Volvo Truck












MERCEDES BENZ



1-690240 E





1x





2x






2x





SAF Trailers







2916009560


29160





MERCEDES Sprinter





SAF





BPW (with pad key)





BPW (with pad key)





RVI, VOLVO




RVI, VOLVO





Volvo Truck / Renault Truck








2919009561**29190**

RVI Mascott 5/5,5/6/6,5 T




**2919209560****29192**

MERCEDES Sprinter / VW Crafter 3T 06→






2920009560**29200**

MERCEDES Sprinter/ VW Crafter 5T 06→

**2921709560****29217**




MERCEDES Sprinter/ VW Crafter 5T 06→








2922909560**29229**




RENAULT Maxity

**2923109560****29231**



IVECO Daily III





IVECO Daily III





MERCEDES Actros IV (rear)



MERCEDES Actros IV (front)





MERCEDES BENZ, IVECO, MAN







2925609560**29256**

IVECO Eurocargo 2008 onwards

**2930209560****29302**

AWD, Volvo






2955405880

29554




MERCEDES Unimog




2968805440

29688



AUWÄRTER, IVECO



2974705440

29747



140



121



33




KNR K 85



-

BOVA, DAF, MAN, NEOPLAN, SETRA, VAN HOOL



2983505440

20835



175



85



22




MERITOR



-

MERCEDES BENZ




2983509560

20835



MERCEDES T2




2998404612

20982



NISSAN Trade



JURID®	DIAMETER (mm)	THICKNESS (mm)	HEIGHT (mm)	BORE (mm)	HOLES	WEIGHT SINGLE (kg)	SOLID/VENTED	ABS	APPLICATION
561121	270	14	71	78	5	5	Solid	-	FORD
561127	267	14	111	58	6	10	Solid	-	FIAT
561135	280	16	78	88	5x18 5x12	7	Solid	-	MERCEDES L Series 200/300 1977→
561171	252	24	53	76	6	5	Vented	-	RENAULT
561252	278	13	118	45	5	8	Solid	-	VW
561254	278	24	70	95	6	6	Vented	-	RENAULT
561342	315	26	118	160	6x18 2xM10	13	Vented	-	IVECO Zeta 65.12 Turbo 79.12 Turbo 79.14(III) BUS 55.14 BUS 70.14 1987→
561360*	280	16	142	105	6xM18 6x12 3xM6	13	Solid	-	IVECO Daily-Grinta 35.12 45.10 Turbo 45.12 49.10 Turbo 49.12 1985-1993
561378	254	14	31	78	5	4	Solid	-	FORD
561577	239	16	79	102	5	6	Solid	-	MERCEDES BENZ
561609	260	16	64	68	5	5	Solid	-	VW Transporter (T4)
561610	280	24	64	68	5	6	Vented	-	VW Transporter (T4)
561612*	267	14	154	58	6	12	Solid	-	IVECO
561624	254	24.5	43	78	5	5	Vented	-	FORD Transit all models 14" 11/94→
561625	270	24.5	43	78	5	6	Vented	-	FORD Transit all models 15" 11/94→
561639*	304	30	91	118	6xM12	10	Vented	-	MERCEDES L510D L609D L709D L711D 1985→
561708*	263	24	53	96	5	6	Vented	-	NISSAN Trade/Ebro (5 holes) 85→
561754*	324	30	91	118	6xM12	11	Vented	-	MERCEDES L Series 809D/811D/814D MCW/OPTARE StarRider 1986→
561854*	280	22	78	88	5x18 5x12	8	Solid	-	MERCEDES L Series 409/507/510 1988→
561857	282	18	64	68	5	7	Solid	-	VOLKSWAGEN
561919*	322	30	90	132	6xM14	14	Vented	-	VOLVO FL4.08 FL4.11 (5.5t) / FL6.08 FL6.11 FL6.14 (5,5 tons) 1986→
561920*	322	30	90	132	8xM14	13	Vented	-	VOLVO FL6.08 FL6.14 (7,2t) 1986→
561998*	263	24	53	96	6	6	Vented	-	NISSAN Trade/Ebro (6 holes) 85→
562054	276	22	60	67	5	6	Vented	-	MERCEDES Vito (BM638) 108D-110D-113 (+ vented disc) 96-
562065	280	10	63	67	5	4	Solid	-	MERCEDES Vito (BM638) 108D-110D-113 96→
562079	282	18	55	68	5	7	Solid	-	VW Transporter (T4) solid disc 06/96→
562080	278	24	55	68	5	6	Vented	-	VW Transporter (T4) vented disc 06/96→
562105	280	24	61	79	6	7	Vented	-	RENAULT Master (II) 2.5D, 2.8TD 98→
562140	294	14	43	82	5	7	Vented	-	FORD Transit (RWD) 2.3/2.4 Turbo Diesel 00→
562141	276	24.5	43	82	5	6	Vented	-	FORD Transit (FWD) 2.0 Turbo Diesel/2.3/2.4 Turbo Diesel 00→
562164	305	12	66	90	5	6	Solid	-	RENAULT Master (II) rear
562234	308	29.5	55	76	5	10	Vented	-	VW Transporter T5 16"
562241	305	28	49	72	5	9	Vented	-	RENAULT Trafic (II), Nissan Primastar
562247*	276	24	49	96	5	7	Vented	-	NISSAN Cabstar E 120 98→
562262	294	22	44	76	5	7	Vented	-	VW Transporter T5 (TRW system)
562263	296	10	53	67	5	4	Solid	-	MERCEDES Vito (II)
562365	280	12	102	68	5	9	Solid	ABS ring	NISSAN Primastar, Renault Trafic
562382	300	26	56	68	5	8	Vented	-	VW Transporter 16" Wheels
562392	300	28	58	67	5	8	Vented	-	MERCEDES Vito (II) all mods
562448	294	13.5	41	68	5	5	Solid	-	VW Transporter (16" Wheels)
562537	280	16	16	107	5	5	Solid	-	FORD Transit
562540	300	28	54	93	5	8	Vented	-	FORD Transit 330, 350, FWD RWD
562541	280	28	54	93	5	7	Vented	-	FORD Transit 260, 280, 300, FWD
562603	314	22	75	76	5	8	Vented	-	VW Transporter 17"
562616	333	32.5	55	76	5	11	Vented	-	VW Transporter T5 17"

* Available until stock lasts

JURID®	DIAMETER (mm)	THICKNESS (mm)	HEIGHT (mm)	BORE (mm)	HOLES	WEIGHT SINGLE (kg)	SOLID/VENTED	ABS	APPLICATION
562626	313	26	56	68	5	9	Vented	-	VW Transporter 16" Wheel vented disc , Ch.701000955>
562638	280	16	69	96	5	8	Solid	ABS ring	FORD Transit RWD
562805	306	28	132	178	6	13	Vented	-	IVECO BUS DAILY 65 (C15, C18) 06-
562903	290	26	53	96	6xM12x1	8	Vented	-	NISSAN Cabstar E 110.35, 1230.35 3.0TD / RENAULT Maxity 130.45, 150.45
567110	432	45	135	194	10xM16	32	Vented	-	KASSBOHRER (S300,315) 1991→
567113	406	48	175	194	10xM16	32	Vented	-	KASSBOHRER (S210,211,212,213,214,215,216,228)
567114	322	30	138	216	8x13	15	Vented	-	VOLVO FL6.08 FL6.14 (7,2tons) 1986→
567115	460	48	119	170	10xM16	34	Vented	-	DAF Coaches MB/SB 2000/3000 1986→
567116	322	30	134	215	8x20 2xM10	18	Vented	-	IVECO Eurocargo 80 E15/18/21 100 E15/18/21 180 E21 1991→
567117	430	50	102	170	12xM16	35	Vented	-	IVECO Eurocargo 170 E18/23 EUROTECH all models EUROSTAR all models 1991→
567118	290	22	111	68	6xM18 6x12	15	Solid	-	IVECO New Daily 35.8 35.10 35.12 1996→
567119	315	35	153	240	6	17	Vented	-	IVECO BUS 315.8.17 160R81
567120	417	30	80	157	10	12	Vented	-	IVECO BUS 370.12.25 370.12.30 370.12.35 1983→
567121	322	30	126	148	6x21 3xM8	14	Vented	-	FORD Cargo 6,5 - 7,5 tons 0609 0709 0711 0809 0811 0813 0815 1987-1991
567122	315	26	122	119	10xM12	13	Vented	-	DAF FA Series - Wabco 456 F-0
567123	312	30	137	133	12xM12	14	Vented	-	LEYLAND RoadRunner series 10/12 DAF FA1000 FA1005 FA45 Series 10to 1987→
567124	290	25	160	120	6x12 6xM18	20	Vented	-	IVECO Turbo Daily 59.12 1983→
567125	370	45	150	215	8x20 2xM10	31	Vented	-	IVECO Eurocargo 120 E15/18/23 130 E15/18/23 260 E23 1991→
567126	370	45	181	215	8x22 2xM10	32	Vented	-	IVECO Eurocargo 150 E18/23/27 280 E23 320 E27 1991→
567127	304	30	128	165	6x18 2xM10	13	Vented	-	IVECO Eurocargo 60 E10/12/14 65 E10/12/14 75 E12/14/45 1991→
567128	289	22	84	84	8x10	9	Solid	-	IVECO Neew Daily 35.8 35.10 35.12 1996→
567130	425	45	170	285	10	43	Vented	-	IVECO BUS 480.10.21 480.12.31 490.18.29 490.22 580.21 680.26 1985→
567131	425	45	165	215	10xM16	37	Vented	-	IVECO BUS 471.10.20 471.12.20 571.20 671.20 1985→
567132	425	45	159	215	10xM16	36	Vented	-	INBUS 166 177 177/4 178 U210 283 286 383
567134	417	28	67	159	10	41	Vented	-	IVECO BUS 380/491 Cityclass/EURORIDER
567135	436	45	138	210	12xM16	37	Vented	-	EUROTECH, Eurostar all models (Knorr SB7 type) 1997→
567142	374	22	22	60	10x16	15	Solid	-	MERCEDES Unimog U600 U800 U1000 1991→
567150	322	30	115	164	6xM12	15	Vented	-	VOLVO FL4 85-00
567152	438	45	127	195	10xM16	35	Vented	-	VOLVO BUS B10
567400	438	45	135	200	10xM16	36	Vented	-	MAN F2000 18/23 mod. 19501/19502 1995→
567401	324	30	102	135	10xM14	13	Vented	-	MAN L2000 8.103 mod. 19462 1993-1996
567402	330	34	104	135	10xM14	16	Vented	-	MAN L2000 L2100 1996→
567403	377	45	128	162	10xM14	23	Vented	-	MAN M2000
567405	330	34	124	157	12xM12	17	Vented	80 teeth	MAN L2000 with 17.5" ABS
567407	432	45	135	208	10xM16	35	Vented	100 teeth	MAN F (ABS)
567408	432	45	130	131	12x19 3xM12	36	Vented	-	MAN F90 (12 holes disc) 89-95
567410	432	45	135	208	10xM16	37	Vented	-	MAN TGA, F2000 Serie
567500	430	45	131	208	10xM16	29	Vented	-	SCANIA 4 Series
567555	438	45	135	195	10xM14	33	Vented	-	MERCEDES Coaches (PCV) 0404 0350 1991→
567560	324	30	111	165	12x13	13	Vented	-	MCW Metrorider (PCV) 22/33 1987-1989
567751	430	45	132	211	10xM14	34	Vented	-	MERCEDES Actros 1996→
567761	272	16	96	85	5x15 1x9/17 1x16/23	6	Solid	-	MERCEDES Sprinter 2.8t/3.5t

* Available until stock lasts

JURID®	DIAMETER (mm)	THICKNESS (mm)	HEIGHT (mm)	BORE (mm)	HOLES	WEIGHT SINGLE (kg)	SOLID/VENTED	ABS	APPLICATION
567762	324	30	91	118	6xM12	11	Vented	-	MERCEDES Vario 4.3TDI 1996→
567763	324	30	120	120	6xM12	15	Vented	ABS ring	MERCEDES Vario 17.5" wheels
567764	335	34	102	91	10x14	15	Vented	-	MERCEDES Atego 17.5" 1998→
567765	377	45	138	176	8xM14	26	Vented	-	MERCEDES Atego 19.5" rear 1998→ # Discos axle
567766	377	45	134	105	14x14	24	Vented	-	MERCEDES Atego 19.5" 1998→
567767	335	34	111	152	8xM12	15	Vented	-	MERCEDES Atego 17.5" (7 to.) rear 1998→
567768	335	34	111	131	8xM12	16	Vented	-	MERCEDES Atego 17.5" (5 to.) rear 1998→
567769	304	30	120	120	6xM12	14	Vented	-	MERCEDES Vario 16" wheels
567770	304	30	91	118	6xM12	10	Vented	-	MERCEDES Vario 2.9TD 1996→
567801	430	45	131	203	10xM16	34	Vented	-	NEOPLAN BUS
567802	410	48	120	162	12xM16	29	Vented	-	VAN HOOL
567810	285	22	93	120	6x15	7	Vented	-	MERCEDES Sprinter (twin wheel models) rear 1996→
567812	375	44	128	154	10xM14	25	Vented	-	LEYLAND/DAF (New 55 Series) 1991→
567949	354	30	82	128	10x12	14	Vented	-	RENAULT Midliner M Series (120, 210, 230) 89-94 / S Series (120, 130, 150, 170, 180) 82-89
567950	350	30	73	145	16x12	13	Vented	-	RENAULT Star BUS R312 FR1 1989→
567951	400	42	90	175	12x12	23	Vented	-	RENAULT PSV FR-1 →1993
567953	438	45	96	131	10x17 2xM14	31	vented	-	RENAULT Magnum AE385TI AE420TI AE520TI 1993→
567954	276	24	44	102	10x10	6	Vented	-	RENAULT Midliner B80-120 1993→
567955	304	30	134	250	6x21	15	Vented	-	RENAULT Midliner S Series
567956	322	30	140	290	6x21	18	Vented	-	RENAULT Midliner M, S Series
567958	380	45	85	117	10x15 2xM14	22	Vented	-	RENAULT Midliner, Midlum
569000	430	45	160	192	10x23	38	Vented	-	SAF 22,5" wheels
569001	430	45	130	131	12x19 3xM12	33	Vented	-	SAF 22,5" wheels
569002	377	45	157	169	8x23	27	Vented	-	SAF 19,5" wheels
569022	377	45	159	290	10x23 2x9	28	Vented	-	BPW EcoPlus 19,5" wheels - Knorr SN6
569100	430	45	155	280	10x26	36	Vented	100 teeth	SMB Trailer 9 Ton D430 22,5" (+ABS)
569101	290	22	43	102	10x10	6	Vented	-	RENAULT V.I Mascott 3,5/ 5 t 99→
569102	290	26	43	102	10x10	7	Vented	-	RENAULT V.I Mascott 5,5/ 6/ 6,5 t 99→
569103	290	22	78	150	8X11	8	Vented	-	RENAULT V.I Mascott all models rear 99→
569104	276	22	72	73	5x15 2x8	8	Solid	-	IVECO Daily 29 06/99→
569105	276	16	67	73	5x15 2x8	11	Solid	-	IVECO Daily 29 (rear no ABS) 06/99→
569109	375	45	139	131	12x19 3xM12	25	Vented	-	SAF 19,5" wheels
569110	377	45	138	169	8xM14	27	Vented	80 teeth	SMB Trailer (+ABS)
569112	324	30	120	157	6xM12	12	Vented	-	MERCEDES Vario 4.3TDI 1996→
569113	434	45	97	131	10x17 2xM14	33	Vented	-	RVI Magnum E-Tech 95→
569114	434	45	160	224	12xM14	47	Solid	-	RVI Magnum E-Tech 95→
569116	330	34	137	194	6x21	20	Vented	80 teeth	RENAULT Midlum
569117	375	45	167	222	8x22	30	Vented	-	RENAULT Midlum
569120	258	12	96	85	5x15 1x9/17 1x16/23	6	Solid	-	MERCEDES Sprinter 2.8t 2002→
569122	276	22	77	85	5x15 1x9/17 1x16/23	6	Vented	-	MERCEDES Sprinter 2.8t/3.5t VW
569123	377	45	159	230	8x23 2x10 5xM6	27	Vented	ABS slots	BPW 19,5" wheels with ABS
569125	432	45	139	210	12xM16x2	37	Vented	-	IVECO Stralis
569126	304	30	120	157	6xM12	11	Vented	-	MERCEDES Vario 2.9TD 1996→
569127	330	34	123	117	12xM12x1	18	Vented	80 teeth	DAF LF45 7Ton 2001→ (+ABS)


* Available until stock lasts

JURID®	DIAMETER (mm)	THICKNESS (mm)	HEIGHT (mm)	BORE (mm)	HOLES	WEIGHT SINGLE (kg)	SOLID/VENTED	ABS	APPLICATION
569128	330	34	143	133	16xM12x1	19	Vented	80 teeth	DAF LF45 12Ton 2001 → (+ABS)
569129	330	34	119	150	12xM12x1	18	Vented	80 teeth	DAF LF45 2001 →
569130	375	45	99	117	10x15 2xM14x2	23	Vented	-	DAF LF55
569131	375	45	146	179	10xM14	29	Vented	80 teeth	DAF LF55 (+ABS)
569133	335	34	118	154	2xM8 10xM14x1	17	Vented	-	MAN TGL
569134	335	34	93	90	10x15 2xM10	17	Vented	-	MAN TGL
569136	300	28	68	85	6x15 1x9	9	Vented	-	Mercedes Sprinter - VW Crafter
569137	298	16	71	85	6x15 1x9	7	Solid	-	Mercedes Sprinter - VW Crafter
569138	303	28	93	120	6x15	9	Vented	-	Mercedes Sprinter - VW Crafter
569141	430	45	160	201	10x22	33	Vented	-	BPW no ABS
569142	377	45	151	225	8xM20 2xM10	31	Vented	ABS ring	IVECO EuroCargo Tector 1300ABS
569143	377	45	159	290	10x23 2x10 5xM6	27	Vented	ABS slots	BPW 19,5" wheels with ABS
569144	377	45	169	290	10x23 2x9	29	Vented	-	BPW EcoPlus SB3745 - 04/03
569145	375	45	160	189	10x22	29	Vented	-	BPW SB3745 - heat ribbed - no ABS
569146	377	45	159	189	10x22	29	Vented	-	BPW SB3745 - heat ribbed
569147	430	45	160	290	10x23	34	Vented	-	GIGANT- no ABS
569152	430	45	160	290	10x23	37	Vented	ABS ring	GIGANT - ABS
569154	290	26	53	80	9x12	7	vented	-	IVECO Daily (III) 60/65
569156	377	45	112	117	10x15 2M14	24	Vented	-	DAF SB120
569159	306	22	136	178	6xM10	13	Solid	-	IVECO Daily (III) 60/65
569160	430	45	143	149	10x21 + 2xM12	34	Vented	-	MERCEDES Actros 07 →
569161	432	45	154	210	12	38	Vented	100 teeth	IVECO Stralis with ABS
569162	296	16	69	76	6	7	Solid	-	IVECO Daily IV 29L035S 10/12/14
569163	296	16	69	76	6	7	Solid	ABS ring	IVECO Daily IV 35S 10/12/14
569164	290	28	46	64	9	8	Vented	-	IVECO Daily IV 35C -50C
569165	300	28	74	78	6	8	Vented	-	IVECO Daily IV 29L035S 10/12/14
569168	290	22	110	123	6	14	Solid	-	IVECO Daily III Ø 290
569170	377	45	151	215	8xM20 2xM10	33	Vented	-	IVECO EuroCargo Tector 130
569171	377	45	151	215	8xM22 2xM10	32	Vented	-	IVECO EuroCargo Tector 150
569172	330	34	141	215	8x20 2xM10	23	Vented	80 teeth	IVECO Eurocargo 110EL-120EL (17,5") Wabco PAN17 (+ABS)
569175	377	45	151	225	8xM22 2xM10	31	Vented	ABS ring	IVECO EuroCargo Tector 1500ABS
569179	322	30	134	215	8x20 2xm10	20	Vented	-	IVECO
569188	377	45	151	225	8xM20 2xM10	33	Vented	ABS ring	IVECO Tector 130
569192	294	24	87	128	8	8	Vented	ABS ring	IVECO Daily (IV) 35C & 50c 10/12/14/15/18 (+ twin rear wheel + ABS crown)
569193	377	45	138	169	8xM14	27	Vented	80 teeth	DAF SB120
569195	294	24	83	128	8	8	Vented	-	IVECO Daily (IV) 35C & 50c 10/12/14/15/18 (+ twin rear wheel)

* Available until stock lasts


561121 		A	B	C		Kg	ABS
	270	14	71	78	5	5	-

FORD




561171			A	B	C		Kg	ABS
		252	24	53	76	6	5	-

RENAULT




561127 		A	B	C		Kg	ABS
	267	14	111	58	6	10	-

FIAT




561252 						Kg	ABS
	278	13	118	45	5	8	-

VW





561135 		A	B	C		Kg	ABS
	280	16	78	88	5x18 5x12	7	-

MERCEDES L Series 200/300 1977 →



561254 						Kg	ABS
	278	24	70	95	6	6	-

RENAULT



JURID®

561854

Ø	A	B	C
280	22	78	88




5x18 5x12
8

Kg**ABS**

MERCEDES L Series 409/507/510 1988→

Available until stock lasts

**561920**

Ø	A	B	C
322	30	90	132




8xM14
13

Kg**ABS**

VOLVO FL6.08 FL6.14 (7,2t) 1986→

Available until stock lasts

**561857**


Ø	A	B	C
282	18	64	68



5
7

Kg**ABS**

VOLKSWAGEN

**561998**

Ø	A	B	C
263	24	53	96




6
6

Kg**ABS**

NISSAN Trade/Ebro (6 holes) 85→

Available until stock lasts

**561919**


Ø	A	B	C
322	30	90	132



6xM14
14

Kg**ABS**VOLVO FL4.08 FL4.11 (5.5t) / FL6.08 FL6.11
FL6.14 (5,5 tons) 1986→

Available until stock lasts

**562054**



Ø	A	B	C
276	22	60	67



5
6

Kg**ABS**


MERCEDES Vito (BM638) 108D-110D-113 (+ vented disc) 96-

**JURID®**

562065   **A** **B** **C**  **Kg** **ABS**

280 10 63 67 5 4 -


MERCEDES Vito (BM638) 108D-110D-113 96-



562105   **A** **B** **C**  **Kg** **ABS**

280 24 61 79 6 7 -


RENAULT Master (II) 2.5D, 2.8TD 98→



562079   **A** **B** **C**  **Kg** **ABS**

282 18 55 68 5 7 -


VW Transporter (T4) solid disc 6/96→



562140   **A** **B** **C**  **Kg** **ABS**

294 14 43 82 5 7 -


FORD Transit (RWD) 2.3/2.4 Turbo Diesel 00→



562080   **A** **B** **C**  **Kg** **ABS**

278 24 55 68 5 6 -



VW Transporter (T4) vented disc 6/96→



562141   **A** **B** **C**  **Kg** **ABS**

276 24.5 43 82 5 6 -

FORD Transit (FWD) 2.0 Turbo Diesel/2.3/2.4 Turbo Diesel 00→



JURID®

562164 **A****B****C****Kg****ABS**

305

12

66


90

5

6

-

RENAULT Master (II) rear

**562247** **A****B****C****Kg****ABS**

276

24

49

96


5

7

-

NISSAN Cabstar E 120 98-

Available until stock lasts

**562234** **A****B****C****Kg****ABS**

308

29.5

55


76

5

10

-

VW Transporter T5 16"

**562262** **A****B****C****Kg****ABS**

294

22

44


76

5

7

-

VW Transporter T5 (TRW system)

**562241** **A****B****C****Kg****ABS**

305

28

49


72

5

9

-

RENAULT Trafic (II), Nissan Primastar

**562263** **A****B****C****Kg****ABS**

296

10

53



67

5

4

-


MERCEDES Vito (II)

**JURID®**

562541   **A** **B** **C**  **Kg** **ABS**

280 28 54 93 5 7 -


FORD Transit 260, 280, 300, FWD



562626   **A** **B** **C**  **Kg** **ABS**

313 26 56 68 5 9 -


VW Transporter 16" Wheel vented disc, Ch.701000955>



562603   **A** **B** **C**  **Kg** **ABS**

314 22 75 76 5 8 -


VW Transporter 17"



562638   **A** **B** **C**  **Kg** **ABS**

280 16 69 96 5 8 ABS ring


FORD Transit RWD



562616   **A** **B** **C**  **Kg** **ABS**

333 32.5 55 76 5 11 -



VW Transporter T5 17"



562805   **A** **B** **C**  **Kg** **ABS**

306 28 132 178 6 13 -

IVECO BUS DAILY 65 (C15, C18) 06-




JURID®

562903   **A** **B** **C**  **Kg** **ABS**

290 26 53 96 6xM12x1 8 -


NISSAN Cabstar E 110.35, 1230.35 3.0TD / RENAULT Maxity 130.45, 150.45



567114   **A** **B** **C**  **Kg** **ABS**

322 30 138 216 8x13 15 -


VOLVO FL6.08 FL6.14 (7,2tons) 1986→



567110   **A** **B** **C**  **Kg** **ABS**

432 45 135 194 10xM16 32 -


KASSBOHRER (S300,315) 1991→



567115   **A** **B** **C**  **Kg** **ABS**

460 48 119 170 10xM16 34 -


DAF Coaches MB/SB 2000/3000 1986→



567113   **A** **B** **C**  **Kg** **ABS**

406 48 175 194 10xM16 32 -



KASSBOHRER (S210,211,212,213,214,215,216,228)



567116   **A** **B** **C**  **Kg** **ABS**

322 30 134 215 8x20 2xM10 18 -


IVECO Eurocargo 80 E15/18/21 100 E15/18/21 180 E21 1991→



JURID®


					Kg	ABS
430	50	102	170	12xM16	35	-

IVECO Eurocargo 170 E18/23 EUROTECH all models EUROSTAR all models 1991 →




					Kg	ABS
417	30	80	157	10	12	-

IVECO BUS 370.12.25 370.12.30 370.12.35 1983→




	A	B	C		Kg	ABS
290	22	111	68	6xM18 6x12	15	-

IVECO New Daily 35.8 35.10 35.12 1996→




	A	B	C		Kg	ABS
322	30	126	148	6x21 3xM8	14	-

FORD Cargo 6,5 - 7,5 tons 0609 0709 0711 0809 0811 0813 0815 1987-1991





	A	B	C		Kg	ABS
315	35	153	240	6	17	-

IVECO BUS 315.8.17 160R81



	A	B	C		Kg	ABS
315	26	122	119	10xM12	13	-

DAF FA Series - Wabco 456 F-0



JURID®

ABS

Technical drawing of a mechanical part, likely a flange or bracket, showing a top view and a side view.

Top View Dimensions:

- Outer Diameter: 168
- Inner Diameter: 125
- Central Hole Diameter: 125
- Bolt Holes: 8 holes, evenly spaced around the inner diameter.

Side View Dimensions:

- Flange Thickness: 30
- Total Height: 107
- Inner Diameter: 125
- Central Hole Diameter: 125
- Flange Profile: L-shaped with a rounded corner (R5/2).

Labels:

- M12x1,75x(12)
- R5/2
- 168
- 125
- 30
- 107

ABS

ABS

Technical drawing of a mechanical part, showing a top view and a cross-sectional view.

Top View Dimensions:

- Overall diameter: 160
- Inner diameter: 120
- Outer diameter of flange: 205
- Flange thickness: 13.5 (6)
- Distance from center to hole center: 41.81 (5/6)


Cross-sectional View Dimensions:

- Overall width: 155.5
- Flange thickness: 7
- Inner diameter: 160
- Inner diameter of central hole: 120
- Distance from center to hole center: 41.81 (5/6)
- Distance from center to hole center: 71.5 (6)
- Distance from center to hole center: 25
- Distance from center to hole center: 58.3
- Distance from center to hole center: 160.5

ABS

ABS

ABS


[illegible]

567130



	A	B	C		Kg	ABS
425	45	170	285	10	43	-

IVECO BUS 480.10.21 480.12.31 490.18.29 490.22 580.21 680.26 1985→




567134



	A	B	C		Kg	ABS
417	28	67	159	10	41	-

IVECO BUS 380/491 Cityclass/EURORIDER




567131



	A	B	C		Kg	ABS
425	45	165	215	10xM16	37	-

IVECO BUS 471.10.20 471.12.20 571.20 671.20 1985→




567135



					Kg	ABS
436	45	138	210	12xM16	37	-

EUROTECH, Eurostar all models (Knorr SB7 type) 1997→




567132



	A	B	C		Kg	ABS
425	45	159	215	10xM16	36	-

INBUS 166 177 177/4 178 U210 283 286 383 Available until stock lasts





567142



	A	B	C		Kg	ABS
374	22	22	60	10x16	15	-


MERCEDES Unimog U600 U800 U1000 1991→



JURID®


	A	B	C		Kg	ABS
330	34	124	157	12xM12	17	80 sheet

MAN L2000 with 17.5" ABS




	A	B	C		Kg	ABS
432	45	135	208	10xM16	37	-

MAN TGA, F2000 Serie




	A	B	C		Kg	ABS
432	45	135	208	10xM16	35	100 theet

MAN F (ABS)




					Kg	ABS
430	45	131	208	10xM16	29	-

SCANIA 4 Series





	A	B	C		Kg	ABS
432	45	130	131	12x19 3xM12	36	-

MAN F90 (12 holes disc) 89-95



					Kg	ABS
438	45	135	195	10xM14	33	-

MERCEDES Coaches (PCV) 0404 0350 1991→



JURID®

567765**A****B****C****Kg****ABS**

377

45

138


176

8xM14

26

-

MERCEDES Atego 19.5" rear 1998 → # Discos axle

**567768****A****B****C****Kg****ABS**

335

34

111


131

8xM12

16

-

MERCEDES Atego 17.5" (5 to.) rear 1998 →

**567766****A****B****C****Kg****ABS**

377

45

134


105

14x14

24

-

MERCEDES Atego 19.5" 1998 →

**567769****A****B****C****Kg****ABS**

304

30

120


120

6xM12

14

-

MERCEDES Vario 16" wheels

**567767****A****B****C****Kg****ABS**

335

34

111


152

8xM12

15

-

MERCEDES Atego 17.5" (7to.) rear 1998 →

**567770****A****B****C****Kg****ABS**

304

30

91



118




6xM12

10


-

MERCEDES Vario 2.9TD 1996 →




**JURID®**

NEOPLAN BUSLEYLAND/DAF (New 55 Series) 1991→VAN HOOB

RENAULT Midliner M Series (120, 210, 230) 89-94 /
S Series (120, 130, 150, 170, 180) 82-89



MERCEDES Sprinter (twin wheel models) rear 1996→

RENAULT Star BUS R312 FR1 1989→

JURID®

567951**A****B****C****Kg****ABS**

400

42

90


175

12x12

23

-

RENAULT PSV FR-1 →1993

**567955****A****B****C****Kg****ABS**

304

30

134


250

6x21

15

-

RENAULT Midliner S Series

**567953****A****B****C****Kg****ABS**

438

45

96


131

10x17 2xM14

31

-

RENAULT Magnum AE385TI AE420TI AE520TI 1993→

**567956****A****B****C****Kg****ABS**

322

30

140


290

6x21

18

-

RENAULT Midliner M, S Series

**567954****A****B****C****Kg****ABS**

276

24

44


102

10x10

6

-

RENAULT Midliner B80-120 1993→

**567958****A****B****C****Kg****ABS**

380

45

85



117

10x15 2xM14

22


-

RENAULT Midliner, Midlum

**JURID®**


569000			A	B	C		Kg	ABS
		430	45	160	192	10x23	38	-

SAF 22,5" wheels




569022			A	B	C		Kg	ABS
		377	45	159	290	10x23 2x9	28	-

BPW EcoPlus 19,5" wheels - Knorr SN6




569001			A	B	C		Kg	ABS
		430	45	130	131	12x19 3xM12	33	-

SAF 22,5" wheels




569100			A	B	C		Kg	ABS
		430	45	155	280	10x26	36	100 theet

SMB Trailer 9 Ton D430 22,5" (+ABS)





569002			A	B	C		Kg	ABS
		377	45	157	169	8x23	27	-

SAF 19,5" wheels



569101			A	B	C		Kg	ABS
		290	22	43	102	10x10	6	-

RENAULT V.I Mascott 3,5/ 5 t 99→



569102**A****B****C****Kg****ABS**

290

26

43


102

10x10

7

-

RENAULT V.I Mascott 5,5/ 6/ 6,5 t 99→

**569105****A****B****C****Kg****ABS**

276

16

67


73

5x15 2x8

11

-

IVECO Daily 29 (rear no ABS) 6/99→

**569103****A****B****C****Kg****ABS**

290

22

78


150

8X11

8

-

RENAULT V.I Mascott all models rear 99→

**569109****A****B****C****Kg****ABS**

375

45

139


131

12x19 3xM12

25

-

SAF 19,5" wheels

**569104****A****B****C****Kg****ABS**

276

22

72


73

5x15 2x8

8

-

IVECO Daily 29 6/99→

**569110****A****B****C****Kg****ABS**

377

45

138



169

8xM14

27


80 theet

SMB Trailer (+ABS)

**JURID®**



	A	B	C		Kg	ABS
276	22	77	85	5x15 1x9/17 1x16/23	6	-

MERCEDES Sprinter 2.8t/3.5t VW




					Kg	ABS
304	30	120	157	6xM12	11	-

MERCEDES Vario 2.9TD 1996→





	A	B	C		Kg	ABS
377	45	159	230	8x23 2x10 5xM6	27	ABS slots

BPW 19,5" wheels with ABS




	A	B	C		Kg	ABS
330	34	123	117	12xM12x1	18	80 theet

DAF LF45 7Ton 2001- (+ABS)






	A	B	C		Kg	ABS
432	45	139	210	12xM16x2	37	-

IVECO Stralis





					Kg	ABS
330	34	143	133	16xM12x1	19	80 theet



DAF LF45 12Ton 2001- (+ABS)






MAN TGL



MAN TGL




Mercedes Sprinter - VW Crafter



JURID®


569137			A	B	C		Kg	ABS
298			16	71	85	6x15 1x9	7	-

Mercedes Sprinter - VW Crafter




569142			A	B	C		Kg	ABS
377			45	151	225	8xM20 2xM10	31	ABS ring

IVECO EuroCargo Tector 1300ABS




569138			A	B	C		Kg	ABS
303			28	93	120	6x15	9	-

Mercedes Sprinter - VW Crafter




569143			A	B	C		Kg	ABS
377			45	159	290	10x23 2x10 5xM6	27	ABS slots

BPW 19,5" wheels with ABS





569141			A	B	C		Kg	ABS
430			45	160	201	10x22	33	-

BPW no ABS




569144			A	B	C		Kg	ABS
377			45	169	290	10x23 2x9	29	-

BPW EcoPlus SB3745 - 04/03




569145			A	B	C		Kg	ABS	
			375	45	160	189	10x22	29	-

BPW SB3745 - heat ribbed - no ABS




569152 		A	B	C		Kg	ABS
	430	45	160	290	10x23	37	ABS rina

GIGANT - ABS




569146 		A	B	C		Kg	ABS
	377	45	159	189	10x22	29	-

BPW SB3745 - heat ribbed




569154 						Kg	ABS
	290	26	53	80	9x12	7	-

IVECO Daily (III) 60/65





569147 		A	B	C		Kg	ABS	
		430	45	160	290	10x23	34	-

GIGANT- no ABS



569156 						Kg	ABS
	377	45	112	117	10x15 2M14	24	-

DAF SB120



JURID

569159

306

A**B****C**


6xM10

Kg

13

ABS

IVECO Daily (III) 60/65

**569162**

296

A**B****C**


6

Kg

7

ABS

IVECO Daily IV 29L035S 10/12/14

**569160**

430

A**B****C**


10x21 + 2xM12

Kg

34

ABS

MERCEDES Actros 07-

**569163**

296

A**B****C**


6

Kg

7

ABS
ABS ring

IVECO Daily IV 35S 10/12/14

**569161**

432

A**B****C**


12

Kg

38

ABS
100 theet

IVECO Stralis with ABS

**569164**

290

A**B****C**



9

Kg

8


ABS

IVECO Daily IV 35C -50C

**JURID®**


569165   **A** **B** **C**  **Kg** **ABS**
300 28 74 78 6 8 -

IVECO Daily IV 29L035S 10/12/14




569171   **A** **B** **C**  **Kg** **ABS**
377 45 151 215 8xM22 2xM10 32 -

IVECO EuroCargo Tector 150




569168   **A** **B** **C**  **Kg** **ABS**
290 22 110 123 6 14 -

IVECO Daily III Ø 290




569172   **A** **B** **C**  **Kg** **ABS**
330 34 141 215 8x20 2xM10 23 80 sheet

IVECO Eurocargo 110EL-120EL (17,5") Wabco PAN17 (+ABS)





569170   **A** **B** **C**  **Kg** **ABS**
377 45 151 215 8xM20 2xM10 33 -

IVECO EuroCargo Tector 130



569175   **A** **B** **C**  **Kg** **ABS**
377 45 151 225 8xM22 2xM10 31 ABS ring

IVECO EuroCargo Tector 1500ABS



JURID®

569179**A****B****C****Kg****ABS**

322

30

134


215

8x20 2xm10

20

-

IVECO

**569193****A****B****C****Kg****ABS**

377

45

138


169

8xM14

27

80 sheet

DAF SB120

**569188****A****B****C****Kg****ABS**

377

45

151

225


8xM20 2xm10

33

ABS ring

IVECO Tector 130

Available until stock lasts

**569195****A****B****C****Kg****ABS**

294

24

83


128

8

8

-

IVECO Daily (IV) 35C & 50c 10/12/14/15/18 (+ twin rear wheel)

**569192****A****B****C****Kg****ABS**

294

24

87



128

8

8

ABS ring

IVECO Daily (IV) 35C & 50c 10/12/14/15/18 (+ twin rear wheel + ABS crown)

**JURID®**

JURID®	LENGTH (mm)	QTY	APPLICATION
581384	189	2	Mercedes Benz LCV, Volkswagen LCV
581429	155	2	Mercedes Benz LCV
581437	95	2	Mercedes Benz LCV, Volkswagen LCV
587000	400	2	Iveco
587002	495	2	Iveco
587003	335	2	Ernst Auwärter, Setra
587004	238	2+2	Ernst Auwärter, Mercedes Benz, Optare
587007	280	2+2	Ernst Auwärter, Irisbus, Mercedes Benz
587010	210	2	Mercedes Benz LCV, Volkswagen LCV
587019	385	2	Caetano PSV, MAN
587020	400	2	MAN
587021	400	2	MAN
587022	295	2	MAN, Wabco
587024	295	2	Iveco LCV
587025	475	2	Iveco
587026	400	2	Irisbus, RVI
587027	226	2	Caetano PSV, Dennis, Irisbus, RVI, Volvo
587028	285	2	Irisbus, IVECO
587032	355	2	Irisbus, RVI
587033	300	2	RVI, Wabco
587034	450	2	Crane Fruehauf, DAF, Gigant Group, RVI, SAF, Wabco
587035	430	2	BPW, Crane Fruehauf, Discos, Gigant Group, SAF
587036	940	2	BPW, Crane Fruehauf, Discos, Gigant Group, SAF
587038	130	2	Iveco LCV
587039	300	2	Iveco LCV
587040	355	2	RVI, Volvo
587042	150	2	Iveco
587043	295	2	Iveco LCV
587044	365	2	IVECO, Wabco
587045	210	2	Iveco LCV
587046	760	2	SAF, Wabco
587047	109	2	Mercedes Benz LCV, Volkswagen LCV
587048	84	2	Mercedes Benz LCV, Volkswagen LCV
587056	330	2	DAF, Wabco


581384

189



2

Mercedes Benz LCV, Volkswagen LCV


**587002**

495



2

Iveco


**581429**

155



2

Mercedes Benz LCV


**587003**

335



2

Ernst Auwärter, Setra


**581437**

95



2

Mercedes Benz LCV, Volkswagen LCV


**587004**

238



2+2

Ernst Auwärter, Mercedes Benz, Optare


**587000**

400



2

Iveco


**587007**

280



2+2

Ernst Auwärter, Irisbus, Mercedes Benz




587010


Mercedes Benz LCV, Volkswagen LCV

**587022**


MAN, Wabco

**587019**


Caetano PSV, MAN

**587024**


Iveco LCV

**587020**


MAN

**587025**


Iveco

**587021**

MAN


**587026**

Irisbus, RVI




587027


Caetano PSV, Dennis, Irisbus, RVI, Volvo

**587034**


Crane Fruehauf, DAF, Gigant Group, RVI, SAF, Wabco

**587028**


Irisbus, IVECO

**587035**


BPW, Crane Fruehauf, Discos, Gigant Group, SAF

**587032**


Irisbus, RVI

**587036**


BPW, Crane Fruehauf, Discos, Gigant Group, SAF

**587033**

RVI, Wabco


**587038**

Iveco LCV




587039


Iveco LCV

**587044**


IVECO, Wabco

**587040**


RVI, Volvo

**587045**


Iveco LCV

**587042**


Iveco

**587046**

SAF, Wabco

**587043**

Iveco LCV

**587047**

Mercedes Benz LCV, Volkswagen LCV



587048




84



2

Mercedes Benz LCV, Volkswagen LCV



587056




330



2

DAF, Wabco



[illegible]

Federal-Mogul Global Aftermarket EMEA bvba

Prins Boudewijnlaan 5 • B-2550 Kontich • Belgium

Central Distribution Centre

Prins Boudewijnlaan 7 • B-2550 Kontich • Belgium

Phone +32 (0) 3450 83 10 • Fax +32 (0) 3450 83 38

Federal-Mogul Italy Srl**Aftermarket Division**

Via Enrico Fermi 8 • 37135 Verona • Italy

Phone +39 045 828 13 11 • Fax +39 045 828 14 00

Federal-Mogul Germany GmbH

Albert-Ruprecht-Strasse 2 • 71636 Ludwigsburg • Germany

Phone +49 (0) 7141-64865-8230 • Fax +49 (0) 7141-64865-8390

Federal-Mogul Aftermarket UK Limited

Greyhound Drive • Bradford • BD7 1NQ • England

Phone +49 (0) 7141-64865-8230 • Fax: +49 (0) 7141-64865-8390

Federal-Mogul Ibérica, S.L.**Federal-Mogul Aftermarket España, S.A.**

Calle Alcarria, nº 2 • 28823 Coslada • Madrid • Spain

Phone: + 34 91 746 1900 • Fax: + 34 91 746 18 90

Federal-Mogul Aftermarket France

60-62, rue Danjou • 92517 Boulogne-Billancourt Cedex • France

Phone +33 (0) 1 46 94 27 00 • Fax +33 (0) 1 46 94 27 01

Service Commande de stock :

Phone +33 (0) 810 000 029 • Fax +32 34 50 80 26

Service Commande express :

Phone +33 (0) 810 000 029 • Fax +32 34 50 80 26

Federal-Mogul Aftermarket**Southern Africa (PTY) Ltd**

33 Western Boulevard • City West • Johannesburg • South Africa

Phone +27 11 630 3000 • Fax +27 11 630 3040

Federal-Mogul Aftermarket Turkey

Meclis-i Mebusan Cad. No: 53 Dereli İş Merkezi 34427 • Fındıklı / İstanbul • Türkiye

Phone +90 212 292 6313 • Fax +90 212 292 6260

Federal-Mogul Aftermarket Russia Ltd

Smolnaya street 24D, 13th floor • 125445 Moscow • Russia

Phone +7 495 221 50 60 • Fax +7 495 221 50 64



JURID®

PAD RETAINING SYSTEM MAKES REPLACING PADS SAFER AND FASTER

ProTecS®



Un système de retenue pour un changement de plaquettes plus sécurisé et plus rapide

Belagniederhaltesystem macht den belagwechsel sicherer und schneller

El nuevo sistema de retención de pastillas aumenta la rapidez y la seguridad en la reparación

Il sistema di fissaggio delle pastiglie rende la sostituzione più sicura e veloce